

Report

2018 Water Quality Monitoring Data

for the

Flambeau (Lower) Hydroelectric Project

FERC Project #2421

Flambeau Hydro, LLC

North Fork of the Flambeau River, Price County, Wisconsin

Respectfully Submitted by:

Angie Stine



429 River Lane, P.O. Box 27
Amasa, Michigan 49903

Phone: 906-822-7889

Summary Flambeau (Lower) Hydroelectric Project – FERC #2421

2018 marked the fifteenth year of water quality sampling under FERC approved “Water Quality Monitoring Plan Per License Article 406 for the Flambeau (Lower) Hydroelectric Project – FERC Project # 2421 – Flambeau Hydro, LLC. Monitoring was conducted on May 9, July 18, and August 21, 2018. This document contains all of the associated records for the 2018 monitoring along with summary figures and tables in four appendices: (1) Appendix A (Figures 1-4), (2) Appendix B (Tables 1-3), (3) Appendix C (sampling logs by date), and (4) Appendix D (laboratory reports and chains of custody).

A map of the Flambeau (Lower) Hydroelectric Project is shown in Figure 1 indicating the water quality sampling location.

Monitoring results for 2018 are shown in Table 1. No unusual Temperature (Figure 2) or Dissolved Oxygen (Figure 3) readings were observed. The Secchi depths are shown in Figure 4.

In general, the weather (temperature and rainfall) during 2018 monitoring season appeared slightly warmer in May, June, and July, & August, with lower than normal precipitation in November, December, January, February, March, April and June, and normal to high precipitation in the months of October, February, June, July, and August (Table 2).

Ice-Out occurred between Agenda and Nine Mile Landing on the North Fork of the Flambeau River sometime during the week beginning April 30, 2018. The Ice-Out sampling event occurred on May 9, 2018. River flow, based on the Flambeau (Lower) Hydroelectric Project records was approximately 857 cubic feet per second. Sampling occurred between 9:10 a.m. and 9:21 a.m. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on May 9, 2018. White Water Associates, Inc. issued a laboratory report on June 5, 2018. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Flambeau (Lower) Hydroelectric Project records, was approximately 820 cubic feet per second during the July 18, 2018 sampling event. Sampling occurred between 9:00 a.m. and 9:12 a.m. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on July 18, 2018. White Water Associates, Inc. issued a laboratory report on August 6, 2018. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Flambeau (Lower) Hydroelectric Project records, was approximately 504 cubic feet per second during the August 21, 2018 sampling event. Sampling occurred between 10:12 a.m. and 10:31 a.m. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on August 22, 2018. White Water Associates, Inc. issued a laboratory report on September 4, 2018. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.


A summary of a comparison between the 2012 thru 2018 (Table 3) sampling results are as follows:

1. Water Clarity – Secchi increased Ice Out, Decreased July and August
2. Chlorophyll a – Decreased Ice Out, Increased July and August
3. Color – Increased Ice Out, July and August
4. Total Phosphorus – Increased Ice Out and July, Decreased August
5. Overall, D.O. – Decreased Ice Out, July, and August
6. Water Temperatures – Increased Ice Out, July, and August

The next scheduled Water Quality Monitoring at the Flambeau (Lower) Hydroelectric Project is set to take place in 2019 beginning with the Ice-Out sampling event.

Appendix A – Flambeau (Lower) Hydroelectric Project Figures

Figure 1. Flambeau (Lower) Hydroelectric Project Map



Flambeau (Lower) Hydroelectric Project

WATER QUALITY SAMPLE LOCATION
N45° 54.828' W90° 26.822'
50 Feet From E. Shoreline
Depth = 18.5 Feet

SPECIES OF FISH	
1	Brook Trout
2	Smallmouth Bass
3	Rock Bass
4	Whitefish
5	Walleye
6	L.P. Bass
7	S.M. Bass
8	Perch
9	Rock Bass


AREA 70.6 ACRES
UNDER 3 FT. 2.5 %
OVER 20 FT. 0 %
VOLUME 570.9 ACRE FT.
TOTAL ALK. 38 P.P.M.
SHORELINE 4.7 MILES
MAX. DEPTH 16 FEET

300 500 1000 1500 2000 2500
SCALE

◊ Access
◊ Access with Parking
◊ Boat Livery
Field work by L.Sauber, C. Busch, G. Minix Drive by C. Hall

- EQUIPMENT RECORDING SONAR MAPPED AUG. 1965
M.C. RR.
- TOPOGRAPHIC SYMBOLS
 (C) Brush
 (M) Partially wooded
 (W) Weeds
 (G) Grass
 (A) Agricultural
 B.M. Bench Mark
 (D) Dredging
 (R) River
- LAKE BOTTOM SYMBOLS
 P. Fret (or gravel)
 M. Muck
 C. Clay
 S. Sand
 S. Silt
 S. Shell
 S. St. Silt
 S. Floating vegetation
- WATER ELEV. 1467.00

**Figure 2. Lower Impoundment - FERC #2421
2018 Temperature Samples**



**Figure 3. Lower Impoundment - FERC #2421
2018 Dissolved Oxygen Samples**





Figure 4. Flambeau Lower - FERC# 2421 2018 Secchi Depths



Appendix B – Flambeau (Lower) Hydroelectric Project Tables

Table 1. Flambeau (Lower) Hydroelectric Project – FERC Project # 2421: 2018 Water Quality Sampling Data

	Ice Out May 9, 2018			July 18, 2018			August 21, 2018		
Project Flow (c.f.s)	857			820			504		
Dissolved Oxygen	Time	D.O. (mg/L)	Water Temp. (°C)	Time	D.O. (mg/L)	Water Temp. (°C)	Time	D.O. (mg/L)	Water Temp. (°C)
0.5 feet below surface	9:13:17	8.80	13.6	8:57:20	6.87	23.5	10:22:38	6.93	22.6
3 feet below surface	9:14:22	8.73	13.7	8:57:58	6.84	23.7	10:23:01	6.91	22.6
6 feet below surface	9:14:57	8.69	13.8	8:58:53	6.73	23.7	10:23:26	6.89	22.6
9 feet below surface	9:15:34	8.67	13.8	8:59:21	6.57	23.7	10:23:52	6.89	22.6
12 feet below surface	9:15:58	8.68	13.8	8:59:49	6.55	23.8	10:24:20	6.86	22.6
15 feet below surface	9:16:35	8.64	13.8	9:00:22	6.40	23.8	10:24:44	6.85	22.7
18 feet below surface	9:18:15	8.56	13.8	9:01:03	6.36	23.8	10:25:07	6.83	22.6
19 feet below surface							10:25:48	6.82	22.7
0.5 meter above bottom	9:18:42	8.57	13.8	9:01:40	6.37	23.8	10:25:48	6.82	22.7
Secchi Disk	Time	Depth (ft)		Time	Depth (ft)		Time	Depth (ft)	
Feet below surface	9:21	4.7		9:12	3.8		10:31	3.8	
Chlorophyll <i>a</i>	Time	µg/L		Time	µg/L		Time	µg/L	
3 feet below surface	9:13	2.1		9:00	5.6		10:35	12	
Color (True)	Time	C.P.U. Units	LOD	Time	C.P.U. Units	LOD	Time	C.P.U. Units	LOD
3 feet below surface	9:13	55	5*	9:00	45	5*	10:35	45	5*
Total Phosphorus	Time	mg/L	LOD	Time	mg/L	LOD	Time	mg/L	LOD
3 feet below surface	9:13	0.038	0.008*	9:00	0.031	0.008*	10:35	0.027	0.008*
3 feet above bottom	9:18	0.030	0.008*	9:05	0.029	0.008*	10:40	0.033	0.008*

* Considered Method Detection Limit N/A = Not Applicable ND = No Detection

Table 2. 2017/18 Water Year Monthly Temperature and Precipitation for Park Falls, Wisconsin

Month	Highest Temp.	Lowest Temp.	Average Temp.	Departure From Normal	Heating Degree Days	Normal Degree Days	Total Precip.	Total Snowfall	Normal Precip.	% of Normal Precipitation
October - 17	75	23	45.6	2.4	594	678	3.40	11.1	2.85	74
November - 17	47	-5	25.7	-3.1	1170	1088	1.31	10.5	2.09	80
December - 17	43	-26	10.5	-4.3	1683	1556	0.83	13.4	1.21	80
January - 18	45	-22	11.0	10.2	1666	1699	0.63	44.1	0.96	76
February - 18	43	-17	10.3	15.1	1526	1399	1.73	24.2	0.81	68
March - 18	48	-4	26.1	0.2	1197	1210	0.44	5.1	1.49	64
April - 18	71	2	32.8	-6.8	958	762	1.39	18.5	2.43	58
May - 18	92	29	57.7	6.3	259	426	2.21	0.00	3.23	59
June - 18	85	40	61.8	1.7	125	179	4.64	0.00	4.23	71
July - 18	89	49	69.1	3.3	6	63	3.28	0.00	3.85	70
August - 18	91	48	67.5	3.2	35	86	3.86	0.00	3.70	76
September - 18	81	30	59.1	3.5	219	298	3.51	0.00	4.11	75

Source: NOAA/Duluth, MN

Table 3. Flambeau (Lower) Project Sampling Comparison Table: 2012 Thru Current Year

Year	Month	Secchi Depth	Chlorophyll <i>a</i>	Color (True)	Total Phosphorus	Total Phosphorus	Low D.O.	High D.O.	Low Water Temp.	High Water Temp.
		Feet	µg/L	C.P.U. Units	Below Surface mg/L	Above Bottom mg/L	mg/L	mg/L	° C	° C
2012	April	2.60	2.10	120.00	0.038	0.055	10.94	11.35	8.80	9.00
2013	May	*	*	*	*	*	*	*	*	*
2014	June	3.80	1.10	130.00	0.025	0.027	7.30	7.60	18.80	19.60
2015	April	3.30	3.00	130.00	0.038	0.080	9.14	9.66	9.40	9.60
2016	March	2.90	ND	35.00	0.030	0.030	11.54	11.70	3.20	3.20
2017	April	4.30	2.30	30.00	0.027	0.020	10.49	10.70	6.30	6.90
2018	May	4.70	2.10	55.00	0.038	0.030	8.56	8.80	13.60	13.80
Minimum	March/April/May/June	2.60	1.10	30.00	0.025	0.020	7.30	7.60	3.20	3.20
Maximum	March/April/May/June	4.70	3.00	130.00	0.038	0.080	11.54	11.70	18.80	19.60
Average	March/April/May/June	3.60	2.12	83.33	0.033	0.040	9.66	9.97	10.02	10.35
2012	July	4.70	4.00	80.00	0.038	0.041	5.52	6.15	25.30	25.90
2013	July	3.50	3.20	150.00	0.041	0.041	5.91	6.04	25.00	25.00
2014	July	3.30	3.00	100.00	0.037	0.038	6.30	7.20	20.70	21.20
2015	July	3.50	4.00	80.00	0.026	0.027	6.59	6.88	20.90	21.30
2016	July	3.70	6.70	45.00	0.021	0.026	6.80	6.93	22.80	22.80
2017	July	4.00	3.50	30.00	0.028	0.029	6.43	6.94	22.90	23.30
2018	July	3.80	5.60	45.00	0.031	0.029	6.36	6.87	23.50	23.80
Minimum	July	3.30	3.00	30.00	0.021	0.026	5.52	6.04	20.70	21.20
Maximum	July	4.70	6.70	150.00	0.041	0.041	6.80	7.20	25.30	25.90
Average	July	3.79	4.29	75.71	0.032	0.033	6.27	6.72	23.01	23.33
2012	August	2.75	14.00	80.00	0.051	0.050	5.93	6.75	23.50	23.70
2013	August	3.20	5.30	130.00	0.071	0.110	7.06	7.24	19.90	20.00
2014	August	3.00	5.50	100.00	0.029	0.033	6.35	6.91	21.60	21.90
2015	August	4.00	14.00	70.00	0.031	*	6.96	7.21	22.10	22.20
2016	August	4.90	7.20	30.00	0.026	0.096	5.98	6.42	24.10	24.10
2017	August	4.60	5.60	40.00	0.032	0.033	6.77	7.23	21.00	20.90
2018	August	4.3	12.00	45.00	0.027	0.033	6.82	6.93	22.60	22.70
Minimum	August	2.75	5.30	30.00	0.026	0.033	5.93	6.42	19.90	20.00
Maximum	August	4.90	14.00	130.00	0.071	0.110	7.06	7.24	24.10	24.01
Average	August	3.82	9.09	70.71	0.038	0.059	6.55	6.96	22.11	22.21

* No sample taken

Appendix C – Flambeau (Lower) Impoundment Project Sampling Logs

IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Flambeau Lower

Hydroelectric Project - FERC # 2421

Date: 5-9-18

Pre-Sampling Data:

HWL 142.35 TWL 144.10 CFS 657

Sample Location: N45° 54.828 W 90° 26822'

Performed by: Steve R Wambac

Time: 9:10 Barometer: 29.7

Air Temp: 50 °C Wind Speed: FSMPH

Sky Conditions: 100 clouds

Precipitation within Last 24 Hours: 0.4"

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed? Yes No

If yes, when were they changed: _____

Battery Status: 40 % Charge

Calibration Method: Factory.

Sampling Depth Profile: Measured depth to bottom of impoundment: 18 Feet

Secchi Depth (± 0.1)		
Time	<u>9:21</u>	<u>4.7</u> Feet

Comments:

LOW
Canadian geese

Chlorophyll a (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>9:13</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO ₃	

True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>9:13</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>9:13</u>	Preservative
	H ₂ SO ₄

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>9:18</u>	Preservative
	H ₂ SO ₄

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>9:13:17</u>	<u>8.80</u>	<u>13.6</u>
3	<u>9:14:22</u>	<u>8.73</u>	<u>13.7</u>
6	<u>9:14:57</u>	<u>8.69</u>	<u>13.8</u>
9	<u>9:15:34</u>	<u>8.67</u>	<u>13.8</u>
12	<u>9:15:58</u>	<u>8.68</u>	<u>13.8</u>
15	<u>9:16:35</u>	<u>8.64</u>	<u>13.8</u>
18	<u>9:18:15</u>	<u>8.56</u>	<u>13.8</u>
21			
24			
0.5 above bottom	<u>9:18:42</u>	<u>8.57</u>	<u>13.8</u>

*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Lower

Hydroelectric Project - FERC # 2421

Date: 7-18-18

Pre-Sampling Data:

HWL 417.30 TWL 448.60 CFS 820

Sample Location: N45° 54.828' W90° 2.822'

Performed by:

Stine Wambroe

Time: 9:00 Barometer: 30.1

Air Temp: 65 °F Wind Speed: SW 2 mph

Sky Conditions: Clear

Precipitation within Last 24 Hours: NO

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed? Yes No

If yes, when were they changed: _____

Battery Status: 40 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 17 Feet

Secchi Depth (± 0.1)		
Time	<u>9:12</u>	<u>3.8</u> Feet

Comments:

Chlorophyll a (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>9:00</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO ₃	

True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>9:00</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>9:00</u>	Preservative
	H ₂ SO ₄

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>9:05</u>	Preservative
	H ₂ SO ₄

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>8:57:20</u>	<u>6.87</u>	<u>23.5</u>
3	<u>8:57:58</u>	<u>6.84</u>	<u>23.7</u>
6	<u>8:58:53</u>	<u>6.73</u>	<u>23.7</u>
9	<u>8:59:21</u>	<u>6.57</u>	<u>23.7</u>
12	<u>8:59:49</u>	<u>6.55</u>	<u>23.8</u>
15	<u>9:00:22</u>	<u>6.40</u>	<u>23.8</u>
<u>18:17</u>	<u>9:01:03</u>	<u>6.36</u>	<u>23.8</u>
21			
24			
0.5 above bottom	<u>9:01:40</u>	<u>6.37</u>	<u>23.8</u>

*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Lower Flambeau

Hydroelectric Project - FERC # 2421

Date: 8-21-18

Pre-Sampling Data:

HWL 1467.34 TWL 1448.6 CFS 504

Sample Location: N45° 54.828 W 90° 26.282

Performed by:

Angie Stine Warmbier, Ryan

Time: 10:12 Barometer: 30

Air Temp: 61°F Wind Speed: N 9 mph

Sky Conditions: 100% clouds

Precipitation within Last 24 Hours: yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed? Yes No

If yes, when were they changed: _____

Battery Status: 85 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 19 Feet

Secchi Depth (± 0.1)		
Time	<u>10:31</u>	<u>4.3</u> Feet

Comments:

Chlorophyll a (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>10:35</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO ₃	

True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>10:35</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>10:35</u>	Preservative
	H ₂ SO ₄

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>10:40</u>	Preservative
	H ₂ SO ₄

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>10:22:38</u>	<u>6.93</u>	<u>22.6</u>
3	<u>10:23:01</u>	<u>6.91</u>	<u>22.6</u>
6	<u>10:23:26</u>	<u>6.89</u>	<u>22.6</u>
9	<u>10:23:52</u>	<u>6.89</u>	<u>22.6</u>
12	<u>10:24:20</u>	<u>6.86</u>	<u>22.6</u>
15	<u>10:24:44</u>	<u>6.85</u>	<u>22.7</u>
18	<u>10:25:07</u>	<u>6.83</u>	<u>22.6</u>
21/19.0	<u>10:25:48</u>	<u>6.82</u>	<u>22.7</u>
24			
0.5 above bottom/19	<u>10:25:48</u>	<u>6.82</u>	<u>22.7</u>

*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



**Appendix D – Flambeau (Lower) Hydroelectric Project Lab Reports and
Chains of Custody**



**WHITE WATER
ASSOCIATES, INC.**

429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Cover Page

Client: RWE

WWA Job #: 75738

Project: Monitoring

Date Received: 5/9/2018

Date Reported: 6/5/2018

Sample Number	Client Sample ID	Date Sampled	Sample Matrix
75738-001	Upper Flambeau Surface	05/09/18	Water
75738-002	Upper Flambeau Bottom	05/09/18	Water
75738-003	Lower Flambeau Surface	05/09/18	Water
75738-004	Lower Flambeau Bottom	05/09/18	Water
75738-005	Pixley Surface	05/09/18	Water
75738-006	Pixley Bottom	05/09/18	Water
75738-007	Crowley Surface	05/09/18	Water
75738-008	Crowley Bottom	05/09/18	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Cover Page..continued

Client: RWE

WWA Job #: 75738

Comments (if any):

Key to Laboratory Flags:

- *: RPD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.
- U: The analyte was analyzed for, but not detected.
- P: A manual peak selection or manual integration was performed to correct an erroneous software selection.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)
For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

Sample Types:

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

Approved By:

WI DNR Lab Certification Number: 999971280
MI DEQ Certification Number: 9306
DoD-ELAP Accreditation Number: 65802
ISO/IEC 17025:2005 Accredited



WHITE WATER ASSOCIATES, INC.

429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 75738

Project: Monitoring

Date Received: 5/9/2018

Date Reported: 6/5/2018

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
75738-001 / Upper Flambeau Surface / Water								
General Chemistry Parameters								
Chlorophyll a	0.69		mg/m3	6/1/2018 8:30	10200H	NA	NA	CA
Color	50		CU	5/10/2018 13:10	2120B	5	5	AH
Total Phosphorus LL (t)	0.022	J	mg/L	5/25/2018 16:55	365.4	0.008	0.050	NK
75738-002 / Upper Flambeau Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.022	J	mg/L	5/25/2018 16:56	365.4	0.008	0.050	NK
75738-003 / Lower Flambeau Surface / Water								
General Chemistry Parameters								
Chlorophyll a	2.1		mg/m3	6/1/2018 8:30	10200H	NA	NA	CA
Color	55		CU	5/10/2018 13:10	2120B	5	5	AH
Total Phosphorus LL (t)	0.038	J	mg/L	5/25/2018 16:57	365.4	0.008	0.050	NK
75738-004 / Lower Flambeau Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.030	J	mg/L	5/25/2018 16:57	365.4	0.008	0.050	NK



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 75738

Project: Monitoring

Date Received: 5/9/2018


Date Reported: 6/5/2018

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
75738-005 / Pixley Surface / Water								
General Chemistry Parameters								
Chlorophyll a	8.0		mg/m3	6/1/2018 8:30	10200H	NA	NA	CA
Color	45		CU	5/10/2018 13:10	2120B	5	5	AH
Total Phosphorus LL (t)	0.038	J	mg/L	5/25/2018 16:58	365.4	0.008	0.050	NK
75738-006 / Pixley Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.033	J	mg/L	5/25/2018 16:59	365.4	0.008	0.050	NK
75738-007 / Crowley Surface / Water								
General Chemistry Parameters								
Chlorophyll a	5.2		mg/m3	6/1/2018 8:30	10200H	NA	NA	CA
Color	40		CU	5/10/2018 13:10	2120B	5	5	AH
Total Phosphorus LL (t)	0.036	J	mg/L	5/25/2018 16:59	365.4	0.008	0.050	NK
75738-008 / Crowley Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.032	J	mg/L	5/25/2018 17:01	365.4	0.008	0.050	NK

✓ 6/15/11/18

Job # (WWA office use): 75738 CHAIN-OF-CUSTODY RECORD



429 River Lane, P.O. Box 27
Amasa, Michigan 49903
Phone: (906) 822-7888, Fax -7977
Web: white-water-associates.com

CLIENT NAME / BILL TO RWE		EMAIL ADDRESS																		
ADDRESS		TELEPHONE																		
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN#																	
SAMPLER NAME (print first/last name) Ryan Warmboe		COUNTY OF LOCATION Monitaring	PAGE 1 OF 1																	
SAMPLER'S SIGNATURE <i>Ryan Warmboe</i>		Indicate if more than one page of COC records used																		
SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	Total Number of Containers	Check off preservatives for each bottle and indicate total number of bottles. WWA database contains bottle preservation details.																
				Drinking water	Aqueous	Sed.	Soil	Other:	None	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Na Thio					
1 Upper Flambeau Surface	5-9-18	8:05	3	X																
2 Upper Flambeau Bottom	"	8:10	1																	
3 Lower Flambeau Surface	"	9:13	3	X																
4 Lower Flambeau Bottom	"	9:18	1																	
5 Pixley Surface	"	10:41	3	X																
6 Pixley Bottom	"	10:47	1																	
7 Crawley Surface	"	13:07	3	X																
8 Crawley Bottom	"	13:14	1																	

ANALYSIS TYPE REQUESTED (Attach list if needed)

Chla (ug/L)	X																			
TPHOS	X																			
Colo	X																			

Instructions to White Water
Send my report by:
— email
— mail

REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

Comments / Sample temperature on receipt:

1°C
Cooler / ice
WWA

Relinquished by: Ryan Warmboe	Date: 5/9/18	Time: 17:10	Received by:	Date:	Time:
Relinquished by:	Date:	Time:	Received by: <i>Erin</i>	Date: 5-10-18	Time: 11:48



WHITE WATER ASSOCIATES, INC.

429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Cover Page

Client: RWE

WWA Job #: 77698

Project: Monitoring

Date Received: 7/18/2018

Date Reported: 8/6/2018

Sample Number	Client Sample ID	Date Sampled	Sample Matrix
77698-001	Upper Flambeau	07/18/18	Water
77698-002	Upper Flambeau	07/18/18	Water
77698-003	Lower Flambeau	07/18/18	Water
77698-004	Lower Flambeau	07/18/18	Water
77698-005	Pixley	07/18/18	Water
77698-006	Pixley	07/18/18	Water
77698-007	Crowley	07/18/18	Water
77698-008	Crowley	07/18/18	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Cover Page..continued

Client: RWE

WWA Job #: 77698

Comments (if any):

Key to Laboratory Flags:

- *: RPD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.
- U: The analyte was analyzed for, but not detected.
- P: A manual peak selection or manual integration was performed to correct an erroneous software selection.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)
For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected


Sample Types:

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

Approved By: 

WI DNR Lab Certification Number: 999971280
MI DEQ Certification Number: 9306
DoD-ELAP Accreditation Number: 65802
ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 77698

Project: Monitoring

Date Received: 7/18/2018

Date Reported: 8/6/2018

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
77698-001 / Upper Flambeau / Surface / Water								
General Chemistry Parameters								
Chlorophyll a	4.9		mg/m3	7/27/2018 13:45	10200H	NA	NA	CA
Color	40		CU	7/19/2018 14:00	2120B	5	5	AH
Total Phosphorus LL (t)	0.030	J	mg/L	8/3/2018 10:31	365.4	0.008	0.050	NK
77698-002 / Upper Flambeau / Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.026	J	mg/L	8/3/2018 10:35	365.4	0.008	0.050	NK
77698-003 / Lower Flambeau / Surface / Water								
General Chemistry Parameters								
Chlorophyll a	5.6		mg/m3	7/27/2018 13:45	10200H	NA	NA	CA
Color	45		CU	7/19/2018 14:00	2120B	5	5	AH
Total Phosphorus LL (t)	0.031	J	mg/L	8/3/2018 10:35	365.4	0.008	0.050	NK
77698-004 / Lower Flambeau / Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.029	J	mg/L	8/3/2018 10:36	365.4	0.008	0.050	NK

 ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



WHITE WATER ASSOCIATES, INC.

429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 77698

Project: Monitoring

Date Received: 7/18/2018

Date Reported: 8/6/2018

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	ML	Analyst
77698-005 / Pixley / Surface / Water								
General Chemistry Parameters								
Chlorophyll a	6.3		mg/m3	7/27/2018 13:45	10200H	NA	NA	CA
Color	45		CU	7/19/2018 14:00	2120B	5	5	AH
Total Phosphorus LL (t)	0.045	J	mg/L	8/3/2018 10:36	365.4	0.008	0.050	NK
77698-006 / Pixley / Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.036	J	mg/L	8/3/2018 10:37	365.4	0.008	0.050	NK
77698-007 / Crowley / Surface / Water								
General Chemistry Parameters								
Chlorophyll a	10		mg/m3	7/27/2018 13:45	10200H	NA	NA	CA
Color	35		CU	7/19/2018 14:00	2120B	5	5	AH
Total Phosphorus LL (t)	0.061		mg/L	8/3/2018 10:37	365.4	0.008	0.050	NK
77698-008 / Crowley / Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.043	J	mg/L	8/3/2018 10:38	365.4	0.008	0.050	NK

Job # (WWA office use): 77698 CHAIN-OF-CUSTODY RECORD

Version 160504



429 River Lane, P.O. Box 27
Amasa, Michigan 49903

Phone: (906) 822-7889, Fax -7977
Web: white-water-associates.com

CLIENT NAME / BILL TO: RWE
 ADDRESS: _____
 CITY: _____ STATE: _____ ZIP: _____
 TELEPHONE: _____
 EMAIL ADDRESS: _____

SAMPLER NAME (print first/last name): Marie Shire
 SAMPLER'S SIGNATURE:

CONTRACT / PO / PROJECT NAME / WSSN#: _____
 COUNTY OF LOCATION: Monitoring PAGE 1 OF 1
Indicate if more than one page of COC records used

Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.

SAMPLE ID AND LOCATION <small>Containers for each sample may be combined on one line.</small>	DATE	TIME	SAMPLE MATRIX							CONTAINERS / PRESERVATIVES					Total Number of Containers		
			Drinking Water	Aqueous	Sed.	Soil	Other	None	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Na Thio			
1 Upper Flambeau Surface	7/18/18	7:51	X							X							5
2 Upper Flambeau Bottom	7/18/18	7:56								X							1
3 Lower Flambeau Surface	"	9:00								X							3
4 Lower Flambeau Bottom	"	9:05								X							1
5 Pixley Surface	"	10:55								X							3
6 Pixley Bottom	"	10:58								X							1
7 Crowley Surface	"	13:11								X							3
8 Crowley Bottom	"	13:16								X							1

Handwritten notes in table:
 (Mg Co.)
 T Phos
 Color

Relinquished by: _____ Date: _____ Time: _____
 Received by: Nicola A. Kungak Date: 7/18/18 Time: 16:58
 Relinquished by: Marie Shire Date: 7/18/18 Time: 16:58

ANALYSIS TYPE REQUESTED (Attach list if needed)

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Instructions to White Water
 Send my report by:
 _____ email
 _____ mail

Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.

REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

Comments/Sample temp. on receipt: _____
 Packing: Ice Cooler

UPS FedEx USPS Client Other WWA

Handwritten note: T = 20

CANARY - W/ SAMPLES
 PINK - CUSTOMER

WHITE - RETURN W/ REPORT



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 78452

Project: Monitoring

Date Received: 8/22/2018

Date Reported: 9/4/2018

Sample Number	Client Sample ID	Date Sampled	Sample Matrix
78452-001	Upper Flambeau	08/21/18	Water
78452-002	Upper Flambeau	08/21/18	Water
78452-003	Lower Flambeau	08/21/18	Water
78452-004	Lower Flambeau	08/21/18	Water
78452-005	Pixley	08/21/18	Water
78452-006	Pixley	08/21/18	Water
78452-007	Crowley	08/21/18	Water
78452-008	Crowley	08/21/18	Water

Client: RWE

WWA Job #: 78452

Comments (if any):

Key to Laboratory Flags:

*: RPD exceeds limits.

B: The analyte was found in the associated blank as well as in the sample.

J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.

M: A matrix effect was present.

Q: Batch QC data associated with the analysis does not meet the stated objectives

H: Indicates analytical holding time exceedance.

U: The analyte was analyzed for, but not detected.

P: A manual peak selection or manual integration was performed to correct an erroneous software selection.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit

ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)

For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

Sample Types:


S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

Approved By: _____



WI DNR Lab Certification Number: 999971280

MI DEQ Certification Number: 9306

DoD-ELAP Accreditation Number: 65802

ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 78452

Project: Monitoring

Date Received: 8/22/2018

Date Reported: 9/20/2018

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
78452-001 / Upper Flambeau / Surface / Water								
General Chemistry Parameters								
Chlorophyll a	7.3		mg/m3	8/29/2018 15:30	10200H	NA	NA	CA
Color	50		CU	8/23/2018 11:10	2120B	5	5	AH
Total Phosphorus LL (t)	0.023	J	mg/L	8/31/2018 18:03	365.4	0.008	0.050	NK
78452-002 / Upper Flambeau / Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.024	J	mg/L	8/31/2018 18:04	365.4	0.008	0.050	NK
78452-003 / Lower Flambeau / Surface / Water								
General Chemistry Parameters								
Chlorophyll a	12		mg/m3	8/29/2018 15:30	10200H	NA	NA	CA
Color	45		CU	8/23/2018 11:10	2120B	5	5	AH
Total Phosphorus LL (t)	0.027	J	mg/L	8/31/2018 18:05	365.4	0.008	0.050	NK
78452-004 / Lower Flambeau / Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.033	J	mg/L	8/31/2018 18:05	365.4	0.008	0.050	NK

 ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



WHITE WATER ASSOCIATES, INC.

429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 78452

Project: Monitoring

Date Received: 8/22/2018

Date Reported: 9/20/2018

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
78452-005 / Pixley / Surface / Water								
General Chemistry Parameters								
Chlorophyll a	19		mg/m3	8/29/2018 15:30	10200H	NA	NA	CA
Color	50		CU	8/23/2018 11:10	2120B	5	5	AH
Total Phosphorus LL (t)	0.040	J	mg/L	8/31/2018 18:06	365.4	0.008	0.050	NK
78452-006 / Pixley / Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.040	J	mg/L	8/31/2018 18:09	365.4	0.008	0.050	NK
78452-007 / Crowley / Surface / Water								
General Chemistry Parameters								
Chlorophyll a	10		mg/m3	8/29/2018 15:30	10200H	NA	NA	CA
Color	45		CU	8/23/2018 11:10	2120B	5	5	AH
Total Phosphorus LL (t)	0.033	J	mg/L	8/31/2018 18:11	365.4	0.008	0.050	NK
78452-008 / Crowley / Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.036	J	mg/L	8/31/2018 18:11	365.4	0.008	0.050	NK

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)

Job # (WWA office use): 78452

CHAIN-OF-CUSTODY RECORD

CLIENT NAME / BILL TO <i>RWE</i>		EMAIL ADDRESS	
ADDRESS		TELEPHONE	
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN#
SAMPLER NAME (print first/last name) <i>Ryan Wamba</i>		PAGE 1	OF 1
SAMPLER'S SIGNATURE <i>Ryan Wamba</i>		COUNTY OF LOCATION	Indicate if more than one page of COC records used
SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.
	CONTAINERS / PRESERVATIVES		
	Drinking Water		
	Aqueous		
	Sed.		
	Soil		
	Other:		
	None		
	H2SO4		
	HNO3		
	HCl		
	NaOH		
	ZnAc/NaOH		
	Na Thio		
1 Upper Flambeau Surface	8/24/18	7:55	3
2 Upper Flambeau Bottom	"	8:00	1
3 Lower Flambeau Sedg	"	10:35	3
4 Lower Flambeau Bottom	"	11:40	1
5 Pivley Surface	"	12:20	3
6 Pivley Bottom	"	12:25	1
7 Crowley Surface	"	14:11	3
8 Crowley Bottom	"	14:15	1

Version 160504



429 River Lane, P.O. Box 27
Amasa, Michigan 49903
Phone: (906) 822-7889, Fax -7977
Web: white-water-associates.com

ANALYSIS TYPE REQUESTED (Attach list if needed)		Packing: ice <input checked="" type="checkbox"/> Cooler <input type="checkbox"/>
Instructions to White Water Send my report by: _____ email _____ mail		
REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)		Comments/Sample temp. on receipt: _____ Time: _____
Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.		
Total Number of Containers		Date: _____
Chla (mg/L)		Date: 8-27-18
T Phos		Time: 1550
Odor		

Relinquished by:
Ryan Wamba

Relinquished by:
RW