

Report

2019 Water Quality Monitoring Data

For the

Flambeau (Upper) Hydroelectric Project

FERC Project #2640

Flambeau Hydro, LLC

North Fork of the Flambeau River, Price County, Wisconsin

Respectfully Submitted by:

Angie Stine



429 River Lane, P.O. Box 27
Amasa, Michigan 49903

Phone: 906-822-7889

Summary Flambeau (Upper) Hydroelectric Project – FERC #2640

2019 marked the sixteenth year of water quality sampling under FERC approved “Water Quality Monitoring Plan Per License Article 406 for the Flambeau (Upper) Hydroelectric Project – FERC Project # 2640 – Flambeau Hydro, LLC. Monitoring was conducted on April 23, July 24, and August 14, 2019. This document contains all of the associated records for the 2019 monitoring along with summary figures and tables in four appendices: (1) Appendix A (Figures 1-4), (2) Appendix B (Tables 1-3), (3) Appendix C (sampling logs by date), and (4) Appendix D (laboratory reports and chains of custody).

A map of the Flambeau (Upper) Hydroelectric Project is shown in Figure 1 indicating the water quality sampling location.

Monitoring results for 2019 are shown in Table 1. No unusual Temperature (Figure 2) or Dissolved Oxygen (Figure 3) readings were observed. The Secchi depths are shown in Figure 4.

In general, the weather (temperature and rainfall) during 2019 monitoring season appeared slightly warmer in May, June, and July, & August, with lower than normal precipitation in January, March, April, June, July and August, and normal to high precipitation in the months of October, December, February, May, and September (Table 2).

Ice-Out occurred between Agenda and Nine Mile Landing on the North Fork of the Flambeau River sometime during the week beginning April 14, 2019. The Ice-Out sampling event occurred on April 23, 2019. River flow, based on the Flambeau (Upper) Hydroelectric Project records was approximately 4447 cubic feet per second. Sampling occurred between 8:10 a.m. and 8:33 a.m. Samples were taken without incident. No unusual D.O. or temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on April 24, 2019. White Water Associates, Inc. issued a laboratory report on May 21, 2019. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Flambeau (Upper) Hydroelectric Project records, was approximately 760 cubic feet per second during the July 24, 2019 sampling event. Sampling occurred between 7:48 a.m. and 7:53 a.m. Samples were taken without incident. No unusual Temperature or D.O. readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on July 24, 2019. White Water Associates, Inc. issued a laboratory report on August 27, 2019. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Flambeau (Upper) Hydroelectric Project records, was approximately 671 cubic feet per second during the August 14, 2019 sampling event. Sampling occurred between 7:40 a.m. and 7:55 a.m. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on August 15, 2019. White Water Associates, Inc. issued a laboratory report on September 13, 2019. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.


A summary of a comparison between the 2012 thru 2019 (Table 3) sampling results are as follows:

1. Water Clarity – Secchi decreased Ice Out and August and increased in July
2. Chlorophyll a – Increased Ice Out, July and August
3. Color – Decreased Ice Out, July and August
4. Total Phosphorus – Increased Ice Out, and decreased July and August
5. Overall, D.O. – Increased Ice Out, July and August
6. Water Temperatures – Decreased Ice Out, July and August


The next scheduled Water Quality Monitoring at the Flambeau (Upper) Hydroelectric Project is set to take place in 2020 beginning with the Ice-Out sampling event.

Appendix A – Flambeau (Upper) Hydroelectric Project Figures

Figure 1. Flambeau (Upper) Hydroelectric Project Map



**Figure 2. Upper Impoundment - FERC #2640
2019 Temperature Profile**



**Figure 3. Upper Impoundment - FERC #2640
2019 Dissolved Oxygen Profile**





Figure 4. Upper Impoundment - FERC# 2640 2019 Secchi Depths



Appendix B – Flambeau (Upper) Hydroelectric Project Tables

Table 1. Flambeau (Upper) Hydroelectric Project – FERC Project # 2640: 2019 Water Quality Sampling Data

	Ice Out April 23, 2019			July 24, 2019			August 14, 2019		
Project Flow (c.f.s)	4447			760			671		
Dissolved Oxygen	Time	D.O. (mg/L)	Water Temp. (°C)	Time	D.O. (mg/L)	Water Temp. (°C)	Time	D.O. (mg/L)	Water Temp. (°C)
0.5 feet below surface	8:28:0	11.57	3.2	7:49:50	7.98	22.8	7:42:43	8.00	21.8
3 feet below surface	8:29:15	11.57	3.1	7:50:27	7.90	23.0	7:43:17	7.93	21.9
6 feet below surface	8:30:13	11.58	3.0	7:50:58	7.85	23.1	7:43:50	7.88	22.0
9 feet below surface	8:30:46	11.56	3.0	7:51:29	7.80	23.2	7:44:47	7.85	22.1
12 feet below surface	8:31:09	11.55	3.0	7:52:05	7.77	23.2	7:45:20	7.81	22.1
15 feet below surface	8:31:59	11.54	3.0	7:52:33	7.74	23.2	7:45:55	7.79	22.1
18 feet below surface	8:32:47	11.51	3.0	7:53:19	7.72	23.2	7:46:56	7.75	22.2
0.5 meter above bottom	8:33:01	11.51	3.1	7:53:52	7.70	23.3	7:47:35	7.74	22.2
Secchi Disk	Time	Depth (ft)		Time	Depth (ft)		Time	Depth (ft)	
Feet below surface	8:25	4		7:58	5.4		7:45	3.8	
Chlorophyll <i>a</i>	Time	µg/L		Time	µg/L		Time	µg/L	
3 feet below surface	8:23	2.9		7:52	5.9		7:45	18	
Color (True)	Time	C.P.U. Units	LOD	Time	C.P.U. Units	LOD	Time	C.P.U. Units	LOD
3 feet below surface	8:23	40	5*	7:52	25	5*	7:45	30	5*
Total Phosphorus	Time	mg/L	LOD	Time	mg/L	LOD	Time	mg/L	LOD
3 feet below surface	8:23	0.028	0.008*	7:52	0.017	0.008*	7:45	0.018	0.008*
3 feet above bottom	8:15	0.026	0.008*	7:56	0.016	0.008*	7:55	0.017	0.008*

* Considered Method Detection Limit N/A = Not Applicable ND = No Detection

Table 2. 2018/19 Water Year Monthly Temperature and Precipitation for Park Falls, Wisconsin

Month	Highest Temp.	Lowest Temp.	Average Temp.	Departure From Normal	Heating Degree Days	Normal Degree Days	Total Precip.	Total Snowfall	Normal Precip.	% of Normal Precipitation
October - 18	66	26	41.0	-2.2	738	678	4.67	1.5	2.85	72
November - 18	44	-7	23.2	-5.6	1247	1088	1.67	12.2	2.09	75
December - 18	44	-9	21.6	6.8	1338	1556	1.77	19.8	1.21	78
January - 19	40	-31	7.6	-2.6	1772	1699	0.80	10.4	0.96	70
February - 19	31	-19	10.6	-4.5	1515	1399	1.88	36.4	0.81	73
March - 19	58	-19	24.9	-1.0	1237	1210	1.19	6.7	1.49	64
April - 19	74	16	40.2	0.06	737	762	2.19	6.5	2.43	65
May - 19	82	28	49.3	-2.1	478	426	3.87	13.3	3.23	65
June - 19	87	40	61.7	1.6	126	179	4.10	0.00	4.23	64
July - 19	89	49	71.1	5.3	4	63	2.63	0.00	3.85	66
August - 19	87	46	66.1	1.8	44	86	2.51	0.00	3.70	66
September - 19	83	37	59.6	4.0	172	298	5.76	0.00	4.11	74

Source: NOAA/Duluth, MN

Table 3. Flambeau (Upper) Project Sampling Comparison Table 2012 Thru Current Year

Year	Month	Secchi Depth	Chlorophyll <i>a</i>	Color (True)	Total Phosphorus	Total Phosphorus	Low D.O.	High D.O.	Low Water Temp.	High Water Temp.
		Feet	µg/L	C.P.U. Units	Below Surface mg/L	Above Bottom mg/L	mg/L	mg/L	° C	° C
2012	April	3.50	1.00	100.00	0.027	*	12.01	11.71	8.50	8.90
2013	May	*	*	*	*	*	*	*	*	*
2014	June	3.20	1.90	130.00	0.024	*	7.09	7.37	17.60	17.80
2015	April	3.60	2.90	130.00	0.026	*	9.80	10.04	9.20	9.60
2016	March	3.50	ND	30.00	0.020	0.010	11.88	12.13	2.50	2.60
2017	April	4.90	4.00	30.00	0.018	0.029	10.92	11.08	6.10	6.70
2018	May	4.70	0.69	50.00	0.022	0.022	8.79	8.95	13.1	13.2
2019	April	4.00	2.90	40.00	0.028	0.029	11.51	12.13	3.00	3.20
Minimum	March/April/May/June	3.20	0.69	30.00	0.018	0.010	7.09	7.37	2.50	2.60
Maximum	March/April/May/June	4.90	4.00	130.00	0.028	0.029	12.01	12.13	17.60	17.80
Average	March/April/May/June	3.91	2.23	72.86	0.024	0.022	10.29	10.41	8.57	8.86
2012	July	3.50	5.90	70.00	0.036	*	6.56	6.91	24.30	24.80
2013	July	3.10	1.60	150.00	0.026	*	6.35	6.41	24.00	24.20
2014	July	3.50	3.20	100.00	0.035	*	7.19	7.35	21.00	21.30
2015	July	3.90	3.50	80.00	0.017	*	6.91	7.10	20.30	20.70
2016	July	3.70	6.30	40.00	0.022	0.019	7.29	7.49	22.50	22.70
2017	July	5.40	3.10	35.00	0.023	0.019	7.02	7.23	24.40	25.20
2018	July	3.60	4.90	40.00	0.030	0.026	6.77	6.95	22.90	23.30
2019	July	5.40	5.90	25.00	0.017	0.016	7.70	7.98	22.80	23.30
Minimum	July	3.10	1.60	25.00	0.017	0.016	6.35	6.41	20.30	20.70
Maximum	July	5.40	6.30	150.00	0.036	0.026	7.70	7.98	24.30	24.80
Average	July	4.01	4.30	67.50	0.026	0.020	6.97	7.18	25.53	22.80
2012	August	2.70	12.00	70.00	0.037	*	7.61	8.08	22.70	22.86
2013	August	3.30	6.00	130.00	0.066	*	7.45	7.69	19.50	19.70
2014	August	3.10	5.60	100.00	0.024	*	6.88	7.12	21.00	21.60
2015	August	3.50	16.00	70.00	0.029	*	7.40	7.79	20.70	21.70
2016	August	4.70	8.50	35.00	0.022	0.022	6.52	7.31	23.70	23.80
2017	August	4.60	4.90	35.00	0.018	0.015	7.33	7.53	19.80	19.90
2018	August	4.70	7.30	50.00	0.023	0.024	6.98	7.25	21.80	22.40
2019	August	3.80	18.00	30.00	0.018	0.017	7.74	8.00	21.80	22.20
Minimum	August	2.70	4.90	30.00	0.018	0.015	6.52	7.12	19.50	19.70
Maximum	August	4.70	18.00	130.00	0.066	0.024	7.74	8.08	23.70	23.80
Average	August	3.80	9.79	65.00	0.030	0.020	7.24	7.60	21.38	21.78

*no sample taken

Appendix C – Flambeau (Upper) Impoundment Project Sampling Logs

IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Upper Flambo

Hydroelectric Project - FERC # 2640

Date: 4-23-19

Pre-Sampling Data:

HWL 1486.51 TWL 1467.6 CFS 4447

Sample Location: N45° 26.609
W90° 26.299

Performed by: A. Skini

Time: 8:10 Barometer: 30.14

Air Temp: 38°F Wind Speed: NW 6 mph

Sky Conditions: 3.33°C Clear

Precipitation within Last 24 Hours: yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed? Yes No

If yes, when were they changed: _____

Battery Status: 100 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 17 Feet

Secchi Depth (± 0.1)	
Time <u>8:25</u>	<u>4</u> Feet

Comments:

Chlorophyll a (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>8:23</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO ₃ <input checked="" type="checkbox"/>	

True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>8:23</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>8:23</u>	Preservative
	H ₂ SO ₄

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>8:15</u>	Preservative
	H ₂ SO ₄

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>8:28</u>	<u>11.57</u>	<u>3.2</u>
3	<u>8:29.13</u>	<u>11.57</u>	<u>3.1</u>
6	<u>8:30.13</u>	<u>11.58</u>	<u>3.0</u>
9	<u>8:30.46</u>	<u>11.56</u>	<u>3.0</u>
12	<u>8:31.09</u>	<u>11.55</u>	<u>3.0</u>
15	<u>8:31.59</u>	<u>11.54</u>	<u>3.0</u>
18 <u>17</u>	<u>8:32.47</u>	<u>11.51</u>	<u>3.0</u>
21			
24			
0.5 above bottom	<u>8:33.01</u>	<u>11.51</u>	<u>3.1</u>

*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Upper Flambeau

Hydroelectric Project – FERC # 2640

Date: 7-24-19

Pre-Sampling Data:

HWL 1486.62 TWL 1467.5 CFS 760

Sample Location: 45° Slat 604 W90' 26.2.199

Performed by:

Angie Stone Ryan Wornbue

Time: 7:48 Barometer: 30.14

Air Temp: 96 °F Wind Speed: E 0 mph

Sky Conditions: Clear

Precipitation within Last 24 Hours: 30.14

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed? Yes No

If yes, when were they changed: _____

Battery Status: 80 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 17 Feet

Secchi Depth (± 0.1)	
Time <u>7:58</u>	<u>5.4</u> Feet

Comments:

Chlorophyll a (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>7:52</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO ₃	

True Color (3 feet below surface horizontal sampler)
Lab Sample I.D. #:
Time: <u>7:52</u>

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>7:52</u>	Preservative
	H ₂ SO ₄

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>7:50</u>	Preservative
	H ₂ SO ₄

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>7:49:50</u>	<u>7.98</u>	<u>22.8</u>
3	<u>7:50:22</u>	<u>7.90</u>	<u>23.0</u>
6	<u>7:50:58</u>	<u>7.85</u>	<u>23.1</u>
9	<u>7:51:29</u>	<u>7.80</u>	<u>23.2</u>
12	<u>7:52:05</u>	<u>7.77</u>	<u>23.2</u>
15	<u>7:52:33</u>	<u>7.74</u>	<u>23.2</u>
<u>18.17</u>	<u>7:53:19</u>	<u>7.72</u>	<u>23.3</u>
21			
24			
0.5 above bottom	<u>7:53:52</u>	<u>7.70</u>	<u>23.3</u>

*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Upper Flambeau

Hydroelectric Project – FERC # 2640

Date: 8-14-2019

Pre-Sampling Data:

HWL 1486.56 TWL 1467.5 CFS 671

Sample Location: N45° 56.609 W90° 26.279

Performed by:

Angie Stine Emma

Time: 7:40 Barometer: 30.06

Air Temp: 54 °F Wind Speed: NE 4 mp 14

Sky Conditions: Clear

Precipitation within Last 24 Hours: NO

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed? Yes No

If yes, when were they changed: _____

Battery Status: 70 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 14 Feet

Secchi Depth (± 0.1)	
Time <u>7:45</u>	<u>3.8</u> Feet

Comments:

Chlorophyll <i>a</i> (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>7:45</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO ₃	


True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>7:45</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>7:45</u>	Preservative
	H ₂ SO ₄

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>7:55</u>	Preservative
	H ₂ SO ₄

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>7:42:43</u>	<u>8.00</u>	<u>21.8</u>
3	<u>7:43:17</u>	<u>7.93</u>	<u>21.9</u>
6	<u>7:43:50</u>	<u>7.88</u>	<u>22.0</u>
9	<u>7:44:47</u>	<u>7.85</u>	<u>22.1</u>
12	<u>7:45:20</u>	<u>7.81</u>	<u>22.1</u>
15	<u>7:45:55</u>	<u>7.79</u>	<u>22.1</u>
<u>18/6</u>	<u>7:46:36</u>	<u>7.75</u>	<u>22.2</u>
21			
24			
0.5 above bottom	<u>7:47:35</u>	<u>7.74</u>	<u>22.2</u>

*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



**Appendix D – Flambeau (Upper) Hydroelectric Project Lab Reports and
Chains of Custody**



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 82125

Project: Monitoring

Date Received: 4/24/2019

Date Reported: 5/21/2019

Sample Number	Client Sample ID	Date Sampled	Sample Matrix
82125-001	Upper Flambeau Surface	04/23/19	Water
82125-002	Upper Flambeau Bottom	04/23/19	Water
82125-003	Lower Flambeau Surface	04/23/19	Water
82125-004	Lower Flambeau Bottom	04/23/19	Water
82125-005	Pixley Surface	04/23/19	Water
82125-006	Pixley Bottom	04/23/19	Water
82125-007	Crowley Surface	04/23/19	Water
82125-008	Crowley Bottom	04/23/19	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 82125

Comments (if any):**Key to Laboratory Flags:**

*: RPD exceeds limits.

B: The analyte was found in the associated blank as well as in the sample.

J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.

M: A matrix effect was present.

Q: Batch QC data associated with the analysis does not meet the stated objectives

H: Indicates analytical holding time exceedance.

U: The analyte was analyzed for, but not detected.

P: A manual peak selection or manual integration was performed to correct an erroneous software selection.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit

ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)

For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

Sample Types:

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

Approved By: _____

WI DNR Lab Certification Number: 999971280

MI DEQ Certification Number: 9306

DoD-ELAP Accreditation Number: 65802

ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 82125

Project: Monitoring

Date Received: 4/24/2019

Date Reported: 5/21/2019

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
82125-001 / Upper Flambeau Surface / Water								
General Chemistry Parameters								
Chlorophyll a	2.9		mg/m3	4/25/2019 13:30	10200H	NA	NA	CA
Color	40		CU	4/24/2019 11:05	2120B	5	5	AH
Total Phosphorus LL (t)	0.028	J	mg/L	5/15/2019 12:29	365.4	0.008	0.050	NK
82125-002 / Upper Flambeau Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.026	J	mg/L	5/15/2019 12:31	365.4	0.008	0.050	NK
82125-003 / Lower Flambeau Surface / Water								
General Chemistry Parameters								
Chlorophyll a	4.5		mg/m3	4/25/2019 13:30	10200H	NA	NA	CA
Color	55		CU	4/24/2019 11:05	2120B	5	5	AH
Total Phosphorus LL (t)	0.036	J	mg/L	5/15/2019 12:32	365.4	0.008	0.050	NK
82125-004 / Lower Flambeau Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.039	J	mg/L	5/15/2019 12:32	365.4	0.008	0.050	NK
82125-005 / Pixley Surface / Water								
General Chemistry Parameters								
Chlorophyll a	2.5		mg/m3	4/25/2019 13:30	10200H	NA	NA	CA
Color	45		CU	4/24/2019 11:05	2120B	5	5	AH
Total Phosphorus LL (t)	0.036	J	mg/L	5/15/2019 12:33	365.4	0.008	0.050	NK



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 82125

Project: Monitoring

Date Received: 4/24/2019

Date Reported: 5/21/2019

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
82125-006 / Pixley Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.048	J	mg/L	5/15/2019 12:33	365.4	0.008	0.050	NK
82125-007 / Crowley Surface / Water								
General Chemistry Parameters								
Chlorophyll a	2.7		mg/m3	4/25/2019 13:30	10200H	NA	NA	CA
Color	45		CU	4/24/2019 11:05	2120B	5	5	AH
Total Phosphorus LL (t)	0.038	J	mg/L	5/15/2019 12:34	365.4	0.008	0.050	NK
82125-008 / Crowley Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.036	J	mg/L	5/15/2019 12:35	365.4	0.008	0.050	NK



Project No.: 82125 Date logged in.: 4/24/2019 Login person's initials: ER
Client: RWE Number of coolers: 1
Project name: Monitoring Courier/shipper: WWA

- 1. Custody seals/original packing tape were intact (if applicable).
- 2. Samples are in good condition, i.e. not broken or leaking.
- 3. Samples were received within holding times.
- 4. Samples were received on ice (ice in direct contact with the samples).
- 5. Temperature of the samples was between 0-6°C. Temp.: -1

NOTE: Samples not between 0-6°C that are received at the laboratory on the day of sample collections do not require client notification.

- 6. Samples matched the Chain of Custody (COC).
- 7. Proper containers were used.
- 8. Samples were collected in White Water lab containers.
- 9. There is adequate sample volume for requested analyses and QC.
- 10. For water VOC samples, headspace is less than the size of a pea.
- 11. Samples are preserved to the proper pH. Sample bottles and preservation are noted in LIMS Sample Container Section.
- 12. The COC is signed. (either Sampler or Relinquished by)
- 13. Sub-sampling (SS) is required. Bottles created are noted in sample containers section of log-in form.
- 14. For Dissolved Analysis (when applicable), samples were filtered in the lab.
- 15. For soil VOCs, methanol preserved samples were received.
- 16. For Soil VOCs, samples were preserved with methanol in the lab.
- 17. Client contact is necessary. Provide documentation below.

COMMENTS/CORRECTIVE ACTION

CLIENT RESPONSE

Note: If hold time, volume, and received on ice or temperature criteria are not met when required by the method, results may not be able to be used for regulatory purposes. Check with your reporting agency for more information.



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 84252

Project: Monitoring

Date Received: 7/25/2019

Date Reported: 8/27/2019

Sample Number	Client Sample ID	Date Sampled	Sample Matrix
84252-001	Upper Flambeau Surface	07/24/19	Water
84252-002	Upper Flambeau Bottom	07/24/19	Water
84252-003	Lower Flambeau Surface	07/24/19	Water
84252-004	Lower Flambeau Bottom	07/24/19	Water
84252-005	Pixley Surface	07/24/19	Water
84252-006	Pixley Bottom	07/24/19	Water
84252-007	Crowley Surface	07/24/19	Water
84252-008	Crowley Bottom	07/24/19	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 84252

Comments (if any):

Key to Laboratory Flags:

- *: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.
- P: A manual peak selection or manual integration was performed to correct an erroneous software selection.
- N: For reporting results that are non-target analytes, when requested by client for Mass Spec reporting.
- T: Tentatively Identified Compound.
- ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit
- ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)
- For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected


Sample Types:

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

Approved By:  _____

WI DNR Lab Certification Number: 999971280
MI EGLE Certification Number: 9306
DoD-ELAP Accreditation Number: 65802
ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 84252

Project: Monitoring

Date Received: 7/25/2019

Date Reported: 8/27/2019

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	SQL	Analyst
84252-001 / Upper Flambeau Surface / Water								
General Chemistry Parameters								
Chlorophyll a	5.9		mg/m3	7/25/2019 15:20	10200H	NA	NA	CA
Color	25		CU	7/25/2019 13:00	2120B	5	5	GG
Total Phosphorus LL (t)	0.017	J	mg/L	8/20/2019 12:40	365.4	0.008	0.050	NK
84252-002 / Upper Flambeau Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.016	J	mg/L	8/20/2019 12:49	365.4	0.008	0.050	NK
84252-003 / Lower Flambeau Surface / Water								
General Chemistry Parameters								
Chlorophyll a	3.9		mg/m3	7/25/2019 15:20	10200H	NA	NA	CA
Color	20		CU	7/25/2019 13:00	2120B	5	5	GG
Total Phosphorus LL (t)	0.030	J	mg/L	8/20/2019 12:50	365.4	0.008	0.050	NK
84252-004 / Lower Flambeau Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.026	J	mg/L	8/20/2019 12:50	365.4	0.008	0.050	NK
84252-005 / Pixley Surface / Water								
General Chemistry Parameters								
Chlorophyll a	12		mg/m3	7/25/2019 15:20	10200H	NA	NA	CA
Color	25		CU	7/25/2019 13:00	2120B	5	5	GG
Total Phosphorus LL (t)	0.041	J	mg/L	8/20/2019 12:51	365.4	0.008	0.050	NK

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 84252

Project: Monitoring

Date Received: 7/25/2019

Date Reported: 8/27/2019

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
84252-006 / Pixley Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.034	J	mg/L	8/20/2019 12:52	365.4	0.008	0.050	NK
84252-007 / Crowley Surface / Water								
General Chemistry Parameters								
Chlorophyll a	15		mg/m3	7/25/2019 15:20	10200H	NA	NA	CA
Color	25		CU	7/25/2019 13:00	2120B	5	5	GG
Total Phosphorus LL (t)	0.032	J	mg/L	8/20/2019 12:54	365.4	0.008	0.050	NK
84252-008 / Crowley Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.040	J	mg/L	8/20/2019 12:54	365.4	0.008	0.050	NK

Login Checklist



Project No.: 84252 Date logged in.: 7/25/2019 Login person's initials: ER

Client: RWE Number of coolers: 1

Project name: Monitoring Courier/shipper: WWA

- 1. Custody seals/original packing tape were intact (if applicable).
- 2. Samples are in good condition, i.e. not broken or leaking.
- 3. Samples were received within holding times.
- 4. Samples were received on ice (in direct contact with the samples).
- 5. Temperature of the samples was between 0-6°C. Temp.:

NOTES on #4:

--

NOTE: Samples not between 0-6°C that are received at the laboratory on the day of sample collections do not require client notification.

- 6. Samples matched the Chain of Custody (COC).
- 7. Proper containers were used.
- 8. Samples were collected in White Water lab containers.
- 9. There is adequate sample volume for requested analyses and QC.
- 10. For water VOC samples, headspace is less than the size of a pea.
- 11. Samples are preserved to the proper pH. Sample bottles and preservation are noted in LIMS Sample Container Section.
- 12. The COC is signed. (either Sampler or Relinquished by)
- 13. Sub-sampling (SS) is required. Bottles created are noted in sample containers section of log-in form.
- 14. For Dissolved Analysis (when applicable), samples were filtered in the lab.
- 15. For soil VOCs, methanol preserved samples were received.
- 16. For Soil VOCs, samples were preserved with methanol in the lab.
- 17. Client contact is necessary. Provide documentation below.

COMMENTS/CORRECTIVE ACTION

CLIENT RESPONSE

Note: If hold time, volume, and received on ice or temperature criteria are not met when required by the method, results may not be able to be used for regulatory purposes. Check with your reporting agency for more information.



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 84707

Project: Monitoring

Date Received: 8/15/2019

Date Reported: 9/13/2019

Sample Number	Client Sample ID	Date Sampled	Sample Matrix
84707-001	Upper Flambeau Surface	08/14/19	Water
84707-002	Upper Flambeau Bottom	08/14/19	Water
84707-003	Lower Flambeau Surface	08/14/19	Water
84707-004	Lower Flambeau Bottom	08/14/19	Water
84707-005	Pixley Surface	08/14/19	Water
84707-006	Pixley Bottom	08/14/19	Water
84707-007	Crowley Surface	08/14/19	Water
84707-008	Crowley Bottom	08/14/19	Water



429 River Lane • PO Box 27 Amasa, MI 49803 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 84707

Comments (if any):

Key to Laboratory Flags:

- *: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.
- P: A manual peak selection or manual integration was performed to correct an erroneous software selection.
- N: For reporting results that are non-target analytes, when requested by client for Mass Spec reporting.
- T: Tentatively Identified Compound.
- ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit
- ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)
- For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected


Sample Types:

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

Approved By:  _____

WI DNR Lab Certification Number: 999971280
 MI EGLE Certification Number: 9306
 DoD-ELAP Accreditation Number: 65802
 ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 84707

Project: Monitoring

Date Received: 8/15/2019

Date Reported: 9/13/2019

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
84707-001 / Upper Flambeau Surface / Water								
General Chemistry Parameters								
Chlorophyll a	18		mg/m3	8/22/2019 15:10	10200H	NA	NA	AH
Color	30		CU	8/15/2019 13:45	2120B	5	5	AH
Total Phosphorus LL (t)	0.018	J	mg/L	8/20/2019 13:26	365.4	0.008	0.050	NK
84707-002 / Upper Flambeau Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.017	J	mg/L	8/20/2019 13:28	365.4	0.008	0.050	NK
84707-003 / Lower Flambeau Surface / Water								
General Chemistry Parameters								
Chlorophyll a	6.9		mg/m3	8/22/2019 15:10	10200H	NA	NA	AH
Color	35		CU	8/15/2019 13:45	2120B	5	5	AH
Total Phosphorus LL (t)	0.031	J	mg/L	8/20/2019 13:28	365.4	0.008	0.050	NK
84707-004 / Lower Flambeau Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.027	J	mg/L	8/20/2019 13:29	365.4	0.008	0.050	NK
84707-005 / Pixley Surface / Water								
General Chemistry Parameters								
Chlorophyll a	7.4		mg/m3	8/22/2019 15:10	10200H	NA	NA	AH
Color	40		CU	8/15/2019 13:45	2120B	5	5	AH
Total Phosphorus LL (t)	0.025	J	mg/L	8/20/2019 13:29	365.4	0.008	0.050	NK

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 84707

Project: Monitoring

Date Received: 8/15/2019

Date Reported: 9/13/2019

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
84707-006 / Pixley Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.025	J	mg/L	8/20/2019 13:30	365.4	0.008	0.050	NK
84707-007 / Crowley Surface / Water								
General Chemistry Parameters								
Chlorophyll a	11		mg/m3	8/22/2019 15:10	10200H	NA	NA	AH
Color	30		CU	8/15/2019 13:45	2120B	5	5	AH
Total Phosphorus LL (t)	0.028	J	mg/L	8/20/2019 13:30	365.4	0.008	0.050	NK
84707-008 / Crowley Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.025	J	mg/L	8/20/2019 13:32	365.4	0.008	0.050	NK



Project No.: 84707 **Date logged in.:** 8/15/2019 **Login person's initials:** ER
Client: RWE **Number of coolers:** 1
Project name: Monitoring **Courier/shipper:** WWA

- 1. Custody seals/original packing tape were intact (if applicable).
- 2. Samples are in good condition, i.e. not broken or leaking.
- 3. Samples were received within holding times.
- 4. Samples were received on ice (in direct contact with the samples).
- 5. Temperature of the samples was between 0-6°C. Temp.:

NOTES on #4:

--

NOTE: Samples not between 0-6°C that are received at the laboratory on the day of sample collections do not require client notification.

- 6. Samples matched the Chain of Custody (COC).
- 7. Proper containers were used.
- 8. Samples were collected in White Water lab containers.
- 9. There is adequate sample volume for requested analyses and QC.
- 10. For water VOC samples, headspace is less than the size of a pea.
- 11. Samples are preserved to the proper pH. Sample bottles and preservation are noted in LIMS Sample Container Section.
- 12. The COC is signed. (either Sampler or Relinquished by)
- 13. Sub-sampling (SS) is required. Bottles created are noted in sample containers section of log-in form.
- 14. For Dissolved Analysis (when applicable), samples were filtered in the lab.
- 15. For soil VOCs, methanol preserved samples were received.
- 16. For Soil VOCs, samples were preserved with methanol in the lab.
- 17. Client contact is necessary. Provide documentation below.

COMMENTS/CORRECTIVE ACTION

#3. 190815 8:50ER color received past hold time

CLIENT RESPONSE

Note: If hold time, volume, and received on ice or temperature criteria are not met when required by the method, results may not be able to be used for regulatory purposes. Check with your reporting agency for more information.

