



February 22, 2021

Kimberly D. Bose, Secretary
Federal Energy Regulatory Commission
888 First Street, N.E.
Washington, DC 20426

**RE: Danbury Hydroelectric Project
FERC Project Number 9184
Flambeau Hydro LLC
Final Report 2020 Water Quality Monitoring Data**

Dear Ms. Bose:

On behalf of Flambeau Hydro LLC, "Flambeau" (Licensee), Renewable World Energies, LLC (RWE) is submitting a copy of the *Final Report 2020 Water Quality Monitoring Data* for the Danbury Hydroelectric Project. The Federal Energy Regulatory Commission "FERC" issued a License to Flambeau on September 5, 2006. This report is submitted as a requirement of that License pursuant to License Article 401 WQC, Condition K. 2020 was the 14th year monitoring was conducted since the license was issued, but is the 9th year of submittal by RWE on the behalf of the Licensee.


Monitoring was conducted on April 8, July 21, and August 10, 2020. No issues were encountered during the 2020 monitoring season. All data has been given to the DNR to be entered into the SWIMS Data Base. The draft report was sent to the agencies by an attachment to an email on December 11, 2020 for review and comment. Cheryl Laatsch of the DNR did send a reply with a comment toward an error which was addressed in the Final Report, and a note regarding discussing upcoming changes to protocols. The next scheduled monitoring event will be conducted in 2021.

If you have any questions concerning this submittal, please contact Brian Kreuzscher at the Renewable World Energies, LLC offices @ 855-994-9376 Ext 230. He can also be reached by e-mail at bkreuscher@rwehydro.com.

Corporate Office
P.O. Box 264
100 S. State Street
Neshkoro, WI 54960
Fax: 920-293-4100

Phone: 855-99HYDRO
(855-994-9376)
www.renewableworldenergies.com

Administrative Office
1001 Stephenson Street
Norway, MI 49870
Fax: 906-563-9344



Sincerely,
Renewable World Energies, LLC
Agent for Licensee

A handwritten signature in black ink, appearing to read "B. / h".

Handwritten initials "FJC" inside a hand-drawn diamond shape.

Mr. Jason Kreuzer
Vice President, Operations

Attachment: Final Report 2020 Water Quality Monitoring Report
Draft 2020 Water Quality Monitoring Report
Correspondence

Cc: Ms. Cheryl Laatsch, WDNR
Mr. Nick Utrup, USFWS

Report

2020 Water Quality Monitoring Data

for the

Danbury Hydroelectric Project

FERC Project #9184

Flambeau Hydro, LLC

Yellow River,
Burnett County, Wisconsin

Respectfully Submitted by:

Angie Stine



429 River Lane, P.O. Box 27
Amasa, Michigan 49903

Phone: 906-822-7889

Summary Danbury Hydroelectric Project – FERC #9184

2020 marked the fourteenth year of water quality sampling under FERC License issued on September 5, 2006 to Flambeau Hydro, LLC for the Danbury Hydroelectric Project – FERC Project # 9184 and specifically License Article 401 WQC, Condition K. Monitoring was conducted on April 8, July 21, and August 10, 2020. This document contains all of the associated records for the 2020 monitoring along with summary figures and tables in four appendices: (1) Appendix A (Figures 1-4), (2) Appendix B (Tables 1-3), (3) Appendix C (sampling logs by date), and (4) Appendix D (laboratory reports and chains of custody).

A map of the Danbury Hydroelectric Project is shown in Figure 1 indicating the water quality sampling location.

Monitoring results for 2020 are shown in Table 1. No unusual Temperature (Figure 2) or Dissolved Oxygen (Figure 3) readings were observed in May or July but in August the D.O. was below 5.0 mg/L at 13 feet with 4.85 mg/L. The Secchi depths are shown in Figure 4.

In general, the weather (temperature and rainfall) during 2020 monitoring season appeared slightly warmer in October, December, January, March, May to August, with lower than normal precipitation in February, April, May, June, August, and September, and normal to high precipitation in the months of October, November, December, January, and March (Table 2).

Ice-Out occurred between Yellow River sometime during the week beginning April 1, 2020. The Ice-Out sampling event occurred on April 8, 2020. River flow, based on the Danbury Hydroelectric Project records, was approximately 400 cubic feet per second. Sampling occurred between 1308 and 1318. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on April 9, 2020. White Water Associates, Inc. issued a laboratory report on August 31, 2020. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Danbury Hydroelectric Project records, was approximately 123 cubic feet per second during the July 21, 2020 sampling event. Sampling occurred between 1300 and 1309. Samples were taken without incident. No unusual Temperature or D.O. readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on July 23, 2020. White Water Associates, Inc. issued a laboratory report on August 31, 2020. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Danbury Hydroelectric Project records, was approximately 123 cubic feet per second during the August 10, 2020 sampling event. Sampling occurred between 1510 and 1520. Samples were taken without incident. No unusual Temperature readings were observed but the D.O. was below 5.0 mg/L at 13 feet (4.85 mg/L). Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on August 14, 2020. White Water Associates, Inc. issued a

laboratory report on September 11, 2020. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.


A summary of a comparison between the 2013 thru 2020 (Table 3) sampling results are as follows:

1. Water Clarity – Secchi Decreased Ice Out and July, Increased August
2. Chlorophyll *a* – Decreased Ice Out, increase July and August
3. Color – Increased Ice Out, July, and August
4. Total Phosphorus – Decreased Ice Out, July, and August
5. Overall, D.O. –Increased Ice Out, July, and August
6. Water Temperatures – Decreased Ice Out and August, Increased July


The next scheduled Water Quality Monitoring at the Danbury Hydroelectric Project is set to take place in 2021 beginning with the Ice-Out sampling event.

Appendix A - Danbury Hydroelectric Project Figures

Figure 1. Danbury Hydroelectric Project Map



**Figure 2. Danbury Impoundment - FERC #9184
2020 Temperature Profiles**



**Figure 3. Danbury Impoundment - FERC #9184
2020 Dissolved Oxygen Profiles**





Figure 4. Danbury Impoundement - FERC# 9184 2020 Secchi



Appendix B - Danbury Hydroelectric Project Tables

Table 1. Danbury Hydroelectric Project – FERC Project # 9184: 2020 Water Quality Sampling Data

	Ice Out April 8, 2020			July 21, 2020			August 10, 2020		
Project Flow (c.f.s)	400			123			123		
Dissolved Oxygen	Time	D.O. (mg/L)	Water Temp. (°C)	Time	D.O. (mg/L)	Water Temp. (°C)	Time	D.O. (mg/L)	Water Temp. (°C)
0.5 meter below surface	13:06:15	12.26	7.1	13:02:41	8.20	24.6	15:07:20	6.72	25.2
1 meter below surface	13:06:53	12.48	6.8	13:03:47	7.96	24.9	15:09:04	6.49	24.6
2 meters below surface	13:07:21	12.57	6.4	13:03:58	7.54	24.9	15:12:42	5.93	24.2
3 meters below surface	13:07:55	12.61	6.3	13:04:44	6.98	24.9	15:14:13	5.32	24.1
4 meters below surface	13:08:31	12.63	6.2	13:05:37	6.72	24.8	15:16:14	5.00	23.9
5 meters below surface	13:08:58	12.62	6.2	13:06:41	6.25	24.6	15:17:59	4.71	23.8
6 meters below surface	13:10:22	12.49	6.1	13:07:51	5.79	24.4	15:20:01	4.25	23.7
0.5 meter above bottom	13:10:56	12.59	6.1	13:09:12	5.65	24.3	15:20:01	4.29	23.7
Secchi Disk	Time	Depth (m)		Time	Depth (m)		Time	Depth (m)	
Meters below surface	13:11	2.19		13:03	1.37		15:12	2.44	
Chlorophyll <i>a</i>	Time	µg/L		Time	µg/L		Time	µg/L	
1 meter below surface	13:11	13.0		13:03	6.40		15:20	5.9	
Color (True)	Time	C.P.U. Units	LOD	Time	C.P.U. Units	LOD	Time	C.P.U. Units	LOD
1 meter below surface	13:11	25.0	5*	13:03	20.00	5*	15:20	20.00	5*
Total Phosphorus	Time	mg/L	LOD	Time	mg/L	LOD	Time	mg/L	LOD
1 meter below surface	13:11	ND	0.008*	13:03	0.040	0.008*	15:20	0.022	0.008*
1 meter above bottom	13:27	ND	0.008*	13:06	0.045	0.008*	15:23	0.019	0.008*

*Considered Method Detection Limit N/A = Not Applicable

Table 2. 2019/20 Water Year Monthly Temperature and Precipitation for Danbury, Wisconsin

Month	Highest Temp.	Lowest Temp.	Average Temp.	Departure From Normal	Heating Degree Days	Normal Degree Days	Total Precip.	Total Snowfall	Normal Precip.	% of Normal Precipitation
October - 19	72	19	44.5	1.3	625	678	4.42	0.9	2.85	64
November - 19	47	-2	26.3	-2.5	1156	1088	2.30	27.7	2.09	91
December - 19	39	-16	17.4	2.6	1470	1556	2.69	22.7	1.21	45
January - 20	32	-16	16.1	5.9	1509	1699	1.37	17.7	0.96	70
February - 20	43	-21	14.4	-2.2	1461	1399	0.18	5.4	0.81	22
March - 20	51	3	29.4	3.5	1098	1210	1.74	10.1	1.49	86
April - 20	66	14	37.2	-2.4	824	762	1.30	50.8	2.43	53
May - 20	81	25	51.6	0.2	412	426	0.94	0.00	3.23	29
June - 20	89	38	64.2	4.1	89	179	0.69	0.00	4.23	16
July - 20	93	47	69.9	4.1	22	63	5.25	0.00	3.85	73
August - 20	86	48	67.0	2.7	24	86	2.72	0.00	3.70	74
September - 20	81	28	54.6	-1.0	305	298	0.85	0.00	4.11	21

Source: NOAA/Duluth, MN

Table 3. Danbury Project Sampling Comparison Table: 2013 Thru Current Year

Year	Month	Secchi Depth	Chlorophyll <i>a</i>	Color (True)	Total Phosphorus	Total Phosphorus	Low D.O.	High D.O.	Low Water Temp.	High Water Temp.
		meters	µg/L	C.P.U. Units	Below Surface mg/L	Above Bottom mg/L	mg/L	mg/L	° C	° C
2013	May	2.00	9.60	25.00	0.036	0.034	11.05	11.19	10.20	11.60
2014	June	2.00	5.50	30.00	0.026	0.026	10.42	10.62	7.90	8.70
2015	April	2.10	11.00	20.00	0.045	0.033	10.32	10.43	11.00	13.40
2016	March	2.23	9.50	15.00	0.020	0.020	12.36	12.64	3.40	3.70
2017	April	2.50	7.10	10.00	0.010	0.012	11.08	11.19	8.40	10.00
2018	May	2.53	7.80	20.00	0.028	0.025	9.82	13.39	13.00	16.30
2019	April	2.46	9.70	25.00	0.021	0.028	10.72	11.08	8.30	9.60
2020	April	2.19	13.0	25.00	ND	ND	12.26	12.63	6.10	7.10
Minimum	March-June	2.00	5.00	10.00	0.010	0.012	9.82	10.43	3.40	3.70
Maximum	March-June	2.53	13.00	30.00	0.045	0.034	12.36	13.39	13.00	16.30
Average	March-June	2.25	9.15	21.25	0.027	0.025	11.00	11.65	8.54	10.05
2013	July	2.50	1.70	40.00	0.062	0.065	4.37	5.24	24.10	25.10
2014	July	2.20	3.30	50.00	0.044	0.044	6.85	20.80	7.86	22.00
2015	July	1.80	5.10	25.00	0.058	0.043	6.24	7.50	22.50	23.50
2016	July	2.38	10.00	20.00	0.022	0.022	5.72	6.77	25.30	27.50
2017	July	2.90	6.30	20.00	0.046	0.032	3.02	6.63	7.86	22.00
2018	July	1.80	14.00	20.00	0.067	0.064	2.87	6.64	25.50	28.00
2019	July	2.74	3.50	15.00	0.045	0.044	5.66	7.16	26.60	24.20
2020	July	1.37	6.40	20.00	0.040	0.045	5.65	8.20	24.30	24.90
Minimum	July	1.37	1.70	15.00	0.022	0.022	2.87	5.24	7.86	22.00
Maximum	July	2.90	14.00	50.00	0.067	0.065	6.85	20.80	26.60	28.00
Average	July	2.21	6.29	26.25	0.048	0.045	5.05	8.62	22.28	25.10
2013	August	2.80	4.80	35.00	0.060	0.120	1.90	6.33	19.60	22.70
2014	August	1.60	4.50	50.00	0.063	0.052	4.20	5.18	23.40	24.20
2015	August	2.20	7.60	30.00	0.042	0.036	5.89	8.02	23.10	25.40
2016	August	3.02	5.20	20.00	0.037	0.040	2.18	4.15	24.70	26.80
2017	August	3.40	11.00	20.00	0.034	0.034	5.25	6.27	21.00	23.00
2018	August	3.20	2.10	25.00	0.076	0.079	1.50	2.70	23.90	25.80
2019	August	2.23	4.50	25.00	0.045	0.046	1.63	5.67	23.40	25.30
2020	August	2.44	5.90	20.00	0.022	0.019	4.25	6.72	23.70	25.20
Minimum	August	1.60	2.10	20.00	0.022	0.019	1.50	2.70	19.60	22.70
Maximum	August	3.40	11.00	50.00	0.076	0.120	5.89	8.02	24.70	26.80
Average	August	2.61	5.70	28.13	0.047	0.053	3.35	5.63	22.85	24.80

*no sample taken

Appendix C – Danbury Impoundment Project Sampling Logs

IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Danbury

Hydroelectric Project - FERC # 9184

Date: 5-8-2020

Pre-Sampling Data:

HWL 928.23 TWL 881.95 CFS 400

Sample Location: N45° 41.70
W92° 22.5041

Performed by: Angie Stino Sean Caron

Time: 13:08 Barometer: 29.79

Air Temp: 52 °F Wind Speed: 11/15 mph

Sky Conditions: 30 clouds

Precipitation within Last 24 Hours: no

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed? Yes No

If yes, when were they changed: _____

Battery Status: 50 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 175 Meters JA

Secchi Depth (± 0.1)		
Time <u>13:11</u>	<u>22</u> Feet	Meters

Comments:

Eagle Painted turtle Mallard

Chlorophyll a (1 Meter below surface horizontal sampler)		
Time <u>13:11</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO ₃	

True Color (1 Meter below surface horizontal sampler)	
Time <u>13:11</u>	

Total Phosphorus (1 Meter below surface horizontal sampler)	
Time <u>13:11</u>	Preservative
	H ₂ SO ₄

Total Phosphorus (1 Meter above bottom horizontal sampler)	
Time <u>13:28</u>	Preservative
	H ₂ SO ₄

D.O. and Temperature Profile			
Depth (Meters)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>13:06:15</u>	<u>12.20</u>	<u>7.1</u>
1	<u>13:06:53</u>	<u>12.48</u>	<u>6.6</u>
2	<u>13:07:21</u>	<u>12.57</u>	<u>6.4</u>
3	<u>13:07:55</u>	<u>12.61</u>	<u>6.3</u>
4	<u>13:08:31</u>	<u>12.63</u>	<u>6.2</u>
5	<u>13:08:58</u>	<u>12.62</u>	<u>6.2</u>
6.5.1	<u>13:10:22</u>	<u>12.49</u>	<u>6.1</u>
7			
8			
0.5 above bottom	<u>13:10:50</u>	<u>12.59</u>	<u>6.1</u>

*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Danbury

Hydroelectric Project – FERC # 9184

Date: 7-21-2020

Pre-Sampling Data:

HWL 929.20 TWL 889.95 CFS 123

Sample Location: N49° 59.70
W92° 42.311

Performed by: Breonna Kempainen Sean Caron

Time: 13:00 Barometer: 29.91 in

Air Temp: 64°F Wind Speed: SE 4mph

Sky Conditions: 100% Clouds

Precipitation within Last 24 Hours: Yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed? Yes No

If yes, when were they changed: _____

Battery Status: 40 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 17 Meters feet

Secchi Depth (± 0.1)		
Time	<u>13:00</u>	Meters
	<u>4.5</u>	Feet

Comments:

Chlorophyll a (1 Meter below surface horizontal sampler)		
Time	<u>13:03</u>	Quantity (ml)
		1000
		Filtered
		In Lab
Preservative	MgCO ₃	

True Color (1 Meter below surface horizontal sampler)	
Time	<u>13:03</u>

Total Phosphorus (1 Meter below surface horizontal sampler)	
Time	<u>13:04</u>
	Preservative
	H ₂ SO ₄

Total Phosphorus (1 Meter above bottom horizontal sampler)	
Time	<u>13:06</u>
	Preservative
	H ₂ SO ₄

D.O. and Temperature Profile			
Depth (Meters)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>13:02:41</u>	<u>8.20</u>	<u>24.6</u>
1	<u>13:03:47</u>	<u>7.96</u>	<u>24.9</u>
2	<u>13:03:58</u>	<u>7.54</u>	<u>24.9</u>
3	<u>13:04:44</u>	<u>6.98</u>	<u>24.9</u>
4	<u>13:05:37</u>	<u>6.72</u>	<u>24.8</u>
5	<u>13:06:41</u>	<u>6.25</u>	<u>24.6</u>
<u>6.2</u>	<u>13:07:51</u>	<u>5.79</u>	<u>24.4</u>
7			
8			
0.5 above bottom	<u>13:09:12</u>	<u>5.65</u>	<u>24.3</u>

*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Danbury

Hydroelectric Project – FERC # 9184

Date: 8-10-20

Pre-Sampling Data:

HWL 929.19 TW 858.95 CFS 123

Sample Location: N45 9373D W012 22941

Angio Stine Sean Coran

Performed by: Stine Coran

Time: 15:10 Barometer: 29.92

Air Temp: 83 °F Wind Speed: W 8 mph

Sky Conditions: 50% clouds

Precipitation within Last 24 Hours: yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed? Yes No

If yes, when were they changed: _____

Battery Status: _____ % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 17.5 Meters JK

Secchi Depth (+ 0.1)		
Time	<u>15:12</u>	Feet <u>8</u> Meters

Comments:

Chlorophyll α (1 Meter below surface horizontal sampler)		
Time <u>15:20</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative		MgCO ₃


True Color (1 Meter below surface horizontal sampler)	
Time	<u>15:20</u>

Total Phosphorus (1 Meter below surface horizontal sampler)	
Time <u>15:20</u>	Preservative
	H ₂ SO ₄

Total Phosphorus (1 Meter above bottom horizontal sampler)	
Time <u>15:23</u>	Preservative
	H ₂ SO ₄

D.O. and Temperature Profile			
Depth (Meters)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface			
1			
2			
3			
4			
5			
6			
7			
8			
0.5 above bottom			

*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



Water Quality Location:

Danbury

Date: 8-10-20

*D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	15.07.20	6.72	25.2
1	15.07.35	6.61	24.9
2	15.08.32	6.57	24.8
3	15.09.01	6.49	24.6
4	15.09.46	6.42	24.5
5	15.10.17	6.31	24.4
6	15.11.42	5.93	24.3
7	15.12.21	5.70	24.2
8	15.13.18	5.42	24.1
9	15.14.13	5.32	24.1
10	15.15.01	5.27	24.0
11	15.15.41	5.05	24.0
12	15.16.14	5.00	23.9
13	15.16.57	4.85	23.9
14	15.17.26	4.76	23.9
15	15.17.59	4.71	23.8
16	15.18.30	4.57	23.8
17	15.19.19	4.42	23.7
18.75	15.20.01	4.25	23.7
19			
20			
21			
22			
23			
24			
25			
0.5 above bottom	15.20.01	4.29	23.7

Appendix D – Danbury Hydroelectric Project Lab Reports and Chains of Custody



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 88428

Project: Monitoring

Date Received: 4/9/2020

Date Reported: 8/31/2020

Sample Number	Client Sample ID	Date/Time Sampled	Sample Matrix
88428-001	Clam River	4/8/2020 11:02	Water
88428-002	Clam River	4/8/2020 11:10	Water
88428-003	Danbury	4/8/2020 13:11	Water
88428-004	Danbury	4/8/2020 13:18	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 88428

Comments (if any):

TAL Cert. 9937, 9925

Key to Laboratory Flags:

*: RPD/RSD exceeds limits.

B: The analyte was found in the associated blank as well as in the sample.

J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.

M: A matrix effect was present.

Q: Batch QC data associated with the analysis does not meet the stated objectives

H: Indicates analytical holding time exceedance.

P: A manual peak selection or manual integration was performed to correct an erroneous software selection.

N: For reporting results that are non-target analytes, when requested by client for Mass Spec reporting.

T: Tentatively Identified Compound.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit

ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)

For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

Sample Types:

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

Approved By: Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280
 MI EGLE Certification Number: 9306
 DoD-ELAP Accreditation Number: 65802 by PJLA
 for Environmental Testing
 ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 88428

Project: Monitoring

Date Received: 4/9/2020

Date Reported: 8/31/2020

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
88428-001 / Clam River / Surface / Water								
General Chemistry Parameters								
Chlorophyll a	14		mg/m3	4/10/2020 13:20	10200H	NA	NA	AH
Color	35		CU	4/13/2020 12:00	2120B	5	5	WS
Total Phosphorus LL (t)	0.066	J	mg/L	5/6/2020 10:15	4500-P E	0.041	0.10	OL
88428-002 / Clam River / Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.048	J	mg/L	5/6/2020 10:14	4500-P E	0.041	0.10	OL
88428-003 / Danbury / Surface / Water								
General Chemistry Parameters								
Chlorophyll a	13		mg/m3	4/10/2020 13:20	10200H	NA	NA	AH
Color	25		CU	4/13/2020 12:00	2120B	5	5	WS
Total Phosphorus LL (t)	ND		mg/L	5/6/2020 10:18	4500-P E	0.041	0.10	OL
88428-004 / Danbury / Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	ND		mg/L	5/6/2020 10:16	4500-P E	0.041	0.10	OL

TAL Cert. 9937, 9925

CHAIN-OF-CUSTODY RECORD

Job # (WWA office use): 88428



429 River Lane, P.O. Box 27
 Amasa, Michigan 49903
 Phone: (906) 822-7889, Fax -7977
 Web: white-water-associates.com

CLIENT NAME / BILL TO SWE		EMAIL ADDRESS															
ADDRESS		TELEPHONE															
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN#														
SAMPLER NAME (print first/last name) <i>Angie...</i>		COUNTY OF LOCATION	PAGE <u>1</u> OF <u>1</u> <i>Monitoring</i>														
SAMPLER'S SIGNATURE <i>Angie...</i>		Indicate if more than one page of COC records used															
SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.										Total Number of Containers				
			Drinking water	Aqueous	Sed.	Soil	Other	None	H2SO4	HNO3	HCl	NaOH		ZnAc/NaOH	Na Thio		
1 Clam River Surface	4-9-20	17:02	X	X													3
2 Clam River Bottom	"	11:10	X	X													1
3 Danbury Surface	"	13:11	X	X													3
4 Danbury Bottom	"	13:18	X	X													1

ANALYSIS TYPE REQUESTED (Attach list if needed)

Chlor	X																
T Phos	X																
Color	X																

Instructions to White Water
 Send my report by:
 _____ email
 _____ mail

Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.
REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

Relinquished by:	Date: 4-9-20	Time: 15:47	Received by:	Date:	Time:
Relinquished by:	Date:	Time:	Received by:	Date: 4-9-20	Time: 15:50

Comments/Sample temp. on receipt: _____
 Packing: Ice
 Cooler



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 90258

Project: Monitoring

Date Received: 7/23/2020

Date Reported: 8/31/2020

Sample Number	Client Sample ID	Date/Time Sampled	Sample Matrix
90258-001	Clam River Surface	7/21/2020 10:15	Water
90258-002	Clam River Bottom	7/21/2020 10:20	Water
90258-003	Danbury Surface	7/21/2020 13:04	Water
90258-004	Danbury Bottom	7/21/2020 13:06	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 90258

Comments (if any):

Key to Laboratory Flags:

- *: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.
- P: A manual peak selection or manual integration was performed to correct an erroneous software selection.
- N: For reporting results that are non-target analytes, when requested by client for Mass Spec reporting.
- T: Tentatively Identified Compound.
- ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit
- ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)
- For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

Sample Types:

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

Approved By: Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280
 MI EGLE Certification Number: 9306
 DoD-ELAP Accreditation Number: 65802 by PJLA
 for Environmental Testing
 ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 90258

Project: Monitoring

Date Received: 7/23/2020

Date Reported: 8/31/2020

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
90258-001 / Clam River Surface / Water								
General Chemistry Parameters								
Chlorophyll a	17		mg/m3	7/27/2020 12:50	10200H	NA	NA	AH
Color	25		CU	7/23/2020 15:30	2120B	5	5	WS
Total Phosphorus (t)	0.057		mg/L	7/31/2020 14:19	365.4	0.008	0.050	NK
90258-002 / Clam River Bottom / Water								
General Chemistry Parameters								
Total Phosphorus (t)	0.059		mg/L	7/31/2020 14:20	365.4	0.008	0.050	NK
90258-003 / Danbury Surface / Water								
General Chemistry Parameters								
Chlorophyll a	6.4		mg/m3	7/27/2020 12:50	10200H	NA	NA	AH
Color	20		CU	7/23/2020 15:30	2120B	5	5	WS
Total Phosphorus (t)	0.040	J	mg/L	7/31/2020 14:20	365.4	0.008	0.050	NK
90258-004 / Danbury Bottom / Water								
General Chemistry Parameters								
Total Phosphorus (t)	0.045	J	mg/L	7/31/2020 14:21	365.4	0.008	0.050	NK

CHAIN-OF-CUSTODY RECORD



429 River Lane, P.O. Box 27
 Amasa, Michigan 49903
 Phone: (906) 822-7889, Fax -7977
 Web: white-water-associates.com

CLIENT NAME / BILL TO: RWE
 ADDRESS: _____
 TELEPHONE: _____
 CONTRACT / PO / PROJECT NAME / WSSN#: _____
 COUNTY OF LOCATION: Monitoring
 PAGE: 1 OF 1
 INDICATE IF MORE THAN ONE PAGE OF COC RECORDS USED

SAMPLER'S SIGNATURE	DATE	TIME	SAMPLE MATRIX							Total Number of Containers	REMARKS (Note any special instructions provided by client or WWA lab staff. Also note any residual chlorine.)				
			Drinking water	Aqueous	Sed.	Soil	Other	None	H2SO4			HNO3	HCl	NaOH	ZnAc/NaOH
	7-21-20	10:15	X							X				3	Chlor T Phos color
	7-21-20	10:20	X							X				1	
	7-21-20	13:04	X							X				3	
	7-21-20	13:06	X							X				1	

ANALYSIS TYPE REQUESTED (Attach list if needed)

Instructions to White Water: _____
 Send my report by: _____ email _____ mail _____

Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.

Relinquished by: John Cam Date: 7-22-20 Time: 16:56
 Relinquished by: _____ Date: _____ Time: _____

Comments/Sample temp. on receipt: _____
 Packing: Ice Cooler

Time: 8:50
 Date: 7/23/20
 Time: 8:50
 Date: 7/23/20



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 90678

Project: Monitoring

Date Received: 8/14/2020

Date Reported: 9/11/2020

Sample Number	Client Sample ID	Date/Time Sampled	Sample Matrix
90678-001	Clam River Surface	8/11/2020 10:11	Water
90678-002	Clam River Bottom	8/11/2020 10:16	Water
90678-003	Danbury Surface	8/10/2020 15:20	Water
90678-004	Danbury Bottom	8/10/2020 15:23	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 90678

Comments (if any):

Key to Laboratory Flags:

- *: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.
- P: A manual peak selection or manual integration was performed to correct an erroneous software selection.
- N: For reporting results that are non-target analytes, when requested by client for Mass Spec reporting.
- T: Tentatively Identified Compound.
- ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit
- ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)
- For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

Sample Types:

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

Approved By: Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280
 MI EGLE Certification Number: 9306
 DoD-ELAP Accreditation Number: 65802 by PJLA
 for Environmental Testing
 ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 90678

Project: Monitoring


Date Received: 8/14/2020

Date Reported: 9/11/2020

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
90678-001 / Clam River Surface / Water								
General Chemistry Parameters								
Chlorophyll a	27		mg/m3	8/18/2020 10:00	10200H	NA	NA	AH
Color	28		CU	8/14/2020 14:05	2120B	5	5	NK
Total Phosphorus (t)	0.022		mg/L	9/9/2020 17:51	4500-P E	0.005	0.010	OL
90678-002 / Clam River Bottom / Water								
General Chemistry Parameters								
Total Phosphorus (t)	0.026		mg/L	9/9/2020 17:51	4500-P E	0.005	0.010	OL
90678-003 / Danbury Surface / Water								
General Chemistry Parameters								
Chlorophyll a	5.9		mg/m3	8/18/2020 10:00	10200H	NA	NA	AH
Color	20		CU	8/14/2020 14:10	2120B	5	5	NK
Total Phosphorus (t)	0.022		mg/L	9/9/2020 17:51	4500-P E	0.005	0.010	OL
90678-004 / Danbury Bottom / Water								
General Chemistry Parameters								
Total Phosphorus (t)	0.019		mg/L	9/9/2020 17:51	4500-P E	0.005	0.010	OL

Job # (WWA office use): 96678 - CHAIN-OF-CUSTODY RECORD



429 River Lane, P.O. Box 27
Amasa, Michigan 49903
Phone: (906) 822-7889, Fax -7977
Web: white-water-associates.com

CLIENT NAME / BILL TO: FWF
 ADDRESS: _____
 CITY: _____ STATE: _____ ZIP: _____
 TELEPHONE: _____
 EMAIL ADDRESS: _____

CONTRACT / PO / PROJECT NAME / WSSN#: _____
 COUNTY OF LOCATION: Monitoring
 PAGE: 1 OF 1
 Indicate if more than one page of COC records used

SAMPLER NAME (print first/last name): Sean Caron
 SAMPLER'S SIGNATURE: [Signature]

SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	SAMPLE MATRIX						Total Number of Containers	REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)									
			Drinking Water	Aqueous	Sed.	Soil	Other:	None			H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Na Thio			
1 Clam River Surface	8-11-20	10:11	X						X								X	Ch/a	
2 Clam River Bottom	11	10:16	X						X								X	T Phos	
3 Danbury Surface	8-10-20	15:20	X						X								X		
4 Danbury Bottom	8-10-20	15:23	X						X								X		

Relinquished by: [Signature] Date: 8-13-20 Time: 16:15
 Relinquished by: _____ Date: _____ Time: _____

ANALYSIS TYPE REQUESTED (Attach list if needed)

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Instructions to White Water
 Send my report by:
 _____ email
 _____ mail

Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.

REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

Comments/Sample temp. on receipt: _____
 Date: _____ Time: _____
 Date: 8/13/20 Time: 4:30
 Date: _____ Time: _____

Report

2020 Water Quality Monitoring Data

for the

Danbury Hydroelectric Project

FERC Project #9184

Flambeau Hydro, LLC

Yellow River,
Burnett County, Wisconsin

Respectfully Submitted by:

Angie Stine



429 River Lane, P.O. Box 27
Amasa, Michigan 49903

Phone: 906-822-7889

Summary Danbury Hydroelectric Project – FERC #9184

2020 marked the fourteenth year of water quality sampling under FERC License issued on September 5, 2006 to Flambeau Hydro, LLC for the Danbury Hydroelectric Project – FERC Project # 9184 and specifically License Article 401 WQC, Condition K. Monitoring was conducted on April 8, July 21, and August 10, 2020. This document contains all of the associated records for the 2020 monitoring along with summary figures and tables in four appendices: (1) Appendix A (Figures 1-4), (2) Appendix B (Tables 1-3), (3) Appendix C (sampling logs by date), and (4) Appendix D (laboratory reports and chains of custody).

A map of the Danbury Hydroelectric Project is shown in Figure 1 indicating the water quality sampling location.

Monitoring results for 2020 are shown in Table 1. No unusual Temperature (Figure 2) or Dissolved Oxygen (Figure 3) readings were observed in May or July but in August the D.O. was below 5.0 mg/L at 13 feet with 4.85 mg/L. The Secchi depths are shown in Figure 4.

In general, the weather (temperature and rainfall) during 2020 monitoring season appeared slightly warmer in October, December, January, March, May to August, with lower than normal precipitation in February, April, May, June, August, and September, and normal to high precipitation in the months of October, November, December, January, and March (Table 2).

Ice-Out occurred between Yellow River sometime during the week beginning April 1, 2020. The Ice-Out sampling event occurred on April 8, 2020. River flow, based on the Danbury Hydroelectric Project records, was approximately 400 cubic feet per second. Sampling occurred between 1308 and 1318. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on April 9, 2020. White Water Associates, Inc. issued a laboratory report on August 31, 2020. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Danbury Hydroelectric Project records, was approximately 123 cubic feet per second during the July 21, 2020 sampling event. Sampling occurred between 1300 and 1309. Samples were taken without incident. No unusual Temperature or D.O. readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on July 23, 2020. White Water Associates, Inc. issued a laboratory report on August 31, 2020. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Danbury Hydroelectric Project records, was approximately 123 cubic feet per second during the August 10, 2020 sampling event. Sampling occurred between 1510 and 1520. Samples were taken without incident. No unusual Temperature readings were observed but the D.O. was below 5.0 mg/L at 13 feet (4.85 mg/L). Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on August 14, 2020. White Water Associates, Inc. issued a

laboratory report on September 11, 2020. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.


A summary of a comparison between the 2012 thru 2020 (Table 3) sampling results are as follows:

1. Water Clarity – Secchi Decreased Ice Out and July, Increased August
2. Chlorophyll *a* – Decreased Ice Out, increase July and August
3. Color – Increased Ice Out, July, and August
4. Total Phosphorus – Decreased Ice Out, July, and August
5. Overall, D.O. –Increased Ice Out, July, and August
6. Water Temperatures – Decreased Ice Out and August, Increased July


The next scheduled Water Quality Monitoring at the Danbury Hydroelectric Project is set to take place in 2021 beginning with the Ice-Out sampling event.

Appendix A - Danbury Hydroelectric Project Figures

Figure 1. Danbury Hydroelectric Project Map



**Figure 2. Danbury Impoundment - FERC #9184
2020 Temperature Profiles**



**Figure 3. Danbury Impoundment - FERC #9184
2020 Dissolved Oxygen Profiles**





Figure 4. Danbury Impoundement - FERC# 9184 2020 Secchi



Appendix B - Danbury Hydroelectric Project Tables

Table 1. Danbury Hydroelectric Project – FERC Project # 9184: 2020 Water Quality Sampling Data

	Ice Out April 8, 2020			July 21, 2020			August 10, 2020		
Project Flow (c.f.s)	400			123			123		
Dissolved Oxygen	Time	D.O. (mg/L)	Water Temp. (°C)	Time	D.O. (mg/L)	Water Temp. (°C)	Time	D.O. (mg/L)	Water Temp. (°C)
0.5 meter below surface	13:06:15	12.26	7.1	13:02:41	8.20	24.6	15:07:20	6.72	25.2
1 meter below surface	13:06:53	12.48	6.8	13:03:47	7.96	7.96	15:09:04	6.49	24.6
2 meters below surface	13:07:21	12.57	6.4	13:03:58	7.54	24.9	15:12:42	5.93	24.2
3 meters below surface	13:07:55	12.61	6.3	13:04:44	6.98	24.9	15:14:13	5.32	24.1
4 meters below surface	13:08:31	12.63	6.2	13:05:37	6.72	24.8	15:16:14	5.00	23.9
5 meters below surface	13:08:58	12.62	6.2	13:06:41	6.25	24.6	15:17:59	4.71	23.8
6 meters below surface	13:10:22	12.49	6.1	13:07:51	5.79	24.4	15:20:01	4.25	23.7
0.5 meter above bottom	13:10:56	12.59	6.1	13:09:12	5.65	24.3	15:20:01	4.29	23.7
Secchi Disk	Time	Depth (m)		Time	Depth (m)		Time	Depth (m)	
Meters below surface	13:11	2.19		13:03	1.37		15:12	2.44	
Chlorophyll <i>a</i>	Time	µg/L		Time	µg/L		Time	µg/L	
1 meter below surface	13:11	13.0		13:03	6.40		15:20	5.9	
Color (True)	Time	C.P.U. Units	LOD	Time	C.P.U. Units	LOD	Time	C.P.U. Units	LOD
1 meter below surface	13:11	25.0	5*	13:03	20.00	5*	15:20	20.00	5*
Total Phosphorus	Time	mg/L	LOD	Time	mg/L	LOD	Time	mg/L	LOD
1 meter below surface	13:11	ND	0.008*	13:03	0.040	0.008*	15:20	0.022	0.008*
1 meter above bottom	13:27	ND	0.008*	13:06	0.045	0.008*	15:23	0.019	0.008*

*Considered Method Detection Limit N/A = Not Applicable

Table 2. 2019/20 Water Year Monthly Temperature and Precipitation for Danbury, Wisconsin

Month	Highest Temp.	Lowest Temp.	Average Temp.	Departure From Normal	Heating Degree Days	Normal Degree Days	Total Precip.	Total Snowfall	Normal Precip.	% of Normal Precipitation
October - 19	72	19	44.5	1.3	625	678	4.42	0.9	2.85	64
November - 19	47	-2	26.3	-2.5	1156	1088	2.30	27.7	2.09	91
December - 19	39	-16	17.4	2.6	1470	1556	2.69	22.7	1.21	45
January - 20	32	-16	16.1	5.9	1509	1699	1.37	17.7	0.96	70
February - 20	43	-21	14.4	-2.2	1461	1399	0.18	5.4	0.81	22
March - 20	51	3	29.4	3.5	1098	1210	1.74	10.1	1.49	86
April - 20	66	14	37.2	-2.4	824	762	1.30	50.8	2.43	53
May - 20	81	25	51.6	0.2	412	426	0.94	0.00	3.23	29
June - 20	89	38	64.2	4.1	89	179	0.69	0.00	4.23	16
July - 20	93	47	69.9	4.1	22	63	5.25	0.00	3.85	73
August - 20	86	48	67.0	2.7	24	86	2.72	0.00	3.70	74
September - 20	81	28	54.6	-1.0	305	298	0.85	0.00	4.11	21

Source: NOAA/Duluth, MN

Table 3. Danbury Project Sampling Comparison Table: 2013 Thru Current Year

Year	Month	Secchi Depth	Chlorophyll <i>a</i>	Color (True)	Total Phosphorus	Total Phosphorus	Low D.O.	High D.O.	Low Water Temp.	High Water Temp.
		meters	µg/L	C.P.U. Units	Below Surface mg/L	Above Bottom mg/L	mg/L	mg/L	° C	° C
2013	May	2.00	9.60	25.00	0.036	0.034	11.05	11.19	10.20	11.60
2014	June	2.00	5.50	30.00	0.026	0.026	10.42	10.62	7.90	8.70
2015	April	2.10	11.00	20.00	0.045	0.033	10.32	10.43	11.00	13.40
2016	March	2.23	9.50	15.00	0.020	0.020	12.36	12.64	3.40	3.70
2017	April	2.50	7.10	10.00	0.010	0.012	11.08	11.19	8.40	10.00
2018	May	2.53	7.80	20.00	0.028	0.025	9.82	13.39	13.00	16.30
2019	April	2.46	9.70	25.00	0.021	0.028	10.72	11.08	8.30	9.60
2020	April	2.19	13.0	25.00	ND	ND	12.26	12.63	6.10	7.10
Minimum	March-June	2.00	5.00	10.00	0.010	0.012	9.82	10.43	3.40	3.70
Maximum	March-June	2.53	13.00	30.00	0.045	0.034	12.36	13.39	13.00	16.30
Average	March-June	2.25	9.15	21.25	0.027	0.025	11.00	11.65	8.54	10.05
2013	July	2.50	1.70	40.00	0.062	0.065	4.37	5.24	24.10	25.10
2014	July	2.20	3.30	50.00	0.044	0.044	6.85	20.80	7.86	22.00
2015	July	1.80	5.10	25.00	0.058	0.043	6.24	7.50	22.50	23.50
2016	July	2.38	10.00	20.00	0.022	0.022	5.72	6.77	25.30	27.50
2017	July	2.90	6.30	20.00	0.046	0.032	3.02	6.63	7.86	22.00
2018	July	1.80	14.00	20.00	0.067	0.064	2.87	6.64	25.50	28.00
2019	July	2.74	3.50	15.00	0.045	0.044	5.66	7.16	26.60	24.20
2020	July	1.37	6.40	20.00	0.040	0.045	5.65	8.20	24.30	24.90
Minimum	July	1.37	1.70	15.00	0.022	0.022	2.87	5.24	7.86	22.00
Maximum	July	2.90	14.00	50.00	0.067	0.065	6.85	20.80	26.60	28.00
Average	July	2.21	6.29	26.25	0.048	0.045	5.05	8.62	22.28	25.10
2013	August	2.80	4.80	35.00	0.060	0.120	1.90	6.33	19.60	22.70
2014	August	1.60	4.50	50.00	0.063	0.052	4.20	5.18	23.40	24.20
2015	August	2.20	7.60	30.00	0.042	0.036	5.89	8.02	23.10	25.40
2016	August	3.02	5.20	20.00	0.037	0.040	2.18	4.15	24.70	26.80
2017	August	3.40	11.00	20.00	0.034	0.034	5.25	6.27	21.00	23.00
2018	August	3.20	2.10	25.00	0.076	0.079	1.50	2.70	23.90	25.80
2019	August	2.23	4.50	25.00	0.045	0.046	1.63	5.67	23.40	25.30
2020	August	2.44	5.90	20.00	0.022	0.019	4.25	6.72	23.70	25.20
Minimum	August	1.60	2.10	20.00	0.022	0.019	1.50	2.70	19.60	22.70
Maximum	August	3.40	11.00	50.00	0.076	0.120	5.89	8.02	24.70	26.80
Average	August	2.61	5.70	28.13	0.047	0.053	3.35	5.63	22.85	24.80

*no sample taken

Appendix C – Danbury Impoundment Project Sampling Logs

IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Danbury

Hydroelectric Project - FERC # 9184

Date: 5-8-2020

Pre-Sampling Data:

HWL 928.23 TWL 881.95 CFS 400

Sample Location: N45° 41.70
W92° 22.5041

Performed by: Angie Stino Sean Caron

Time: 13:08 Barometer: 29.79

Air Temp: 52 °F Wind Speed: 11/15 mph

Sky Conditions: 30 clouds

Precipitation within Last 24 Hours: no

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed? Yes No

If yes, when were they changed: _____

Battery Status: 50 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 17.5 Meters 57

Secchi Depth (± 0.1)		
Time <u>13:11</u>	<u>22</u> Feet	Meters

Comments:

Eagle Painted turtle Mallard

Chlorophyll a (1 Meter below surface horizontal sampler)		
Time <u>13:11</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO ₃	

True Color (1 Meter below surface horizontal sampler)	
Time <u>13:11</u>	

Total Phosphorus (1 Meter below surface horizontal sampler)	
Time <u>13:11</u>	Preservative
	H ₂ SO ₄

Total Phosphorus (1 Meter above bottom horizontal sampler)	
Time <u>13:28</u>	Preservative
	H ₂ SO ₄

D.O. and Temperature Profile			
Depth (Meters)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>13:06:15</u>	<u>12.20</u>	<u>7.1</u>
1	<u>13:06:53</u>	<u>12.48</u>	<u>6.6</u>
2	<u>13:07:21</u>	<u>12.57</u>	<u>6.4</u>
3	<u>13:07:55</u>	<u>12.61</u>	<u>6.3</u>
4	<u>13:08:31</u>	<u>12.63</u>	<u>6.2</u>
5	<u>13:08:58</u>	<u>12.62</u>	<u>6.2</u>
6.5.1	<u>13:10:22</u>	<u>12.49</u>	<u>6.1</u>
7			
8			
0.5 above bottom	<u>13:10:50</u>	<u>12.59</u>	<u>6.1</u>

*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Danbury

Hydroelectric Project – FERC # 9184

Date: 7-21-2020

Pre-Sampling Data:

HWL 929.20 TWL 889.95 CFS 123

Sample Location: W92° 42.311
W92° 42.311

Performed by: Breonna Kempainen Sean Caron

Time: 13:00 Barometer: 29.91 in

Air Temp: 64°F Wind Speed: SE 4mph

Sky Conditions: 100% Clouds

Precipitation within Last 24 Hours: Yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed? Yes No

If yes, when were they changed: _____

Battery Status: 40 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 17 Meters feet

Secchi Depth (± 0.1)		
Time	Feet	Meters
<u>13:00</u>	<u>4.5</u>	

Comments:

Chlorophyll a (1 Meter below surface horizontal sampler)		
Time <u>13:03</u>	Quantity (ml)	Filtered
	<u>1000</u>	In Lab
Preservative		<u>MgCO₃</u>

True Color (1 Meter below surface horizontal sampler)	
Time	<u>13:03</u>

Total Phosphorus (1 Meter below surface horizontal sampler)	
Time <u>13:04</u>	Preservative
	<u>H₂SO₄</u>

Total Phosphorus (1 Meter above bottom horizontal sampler)	
Time <u>13:06</u>	Preservative
	<u>H₂SO₄</u>

D.O. and Temperature Profile			
Depth (Meters)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>13:02:41</u>	<u>8.20</u>	<u>24.6</u>
1	<u>13:03:47</u>	<u>7.96</u>	<u>24.9</u>
2	<u>13:03:58</u>	<u>7.54</u>	<u>24.9</u>
3	<u>13:04:44</u>	<u>6.98</u>	<u>24.9</u>
4	<u>13:05:37</u>	<u>6.72</u>	<u>24.8</u>
5	<u>13:06:41</u>	<u>6.25</u>	<u>24.6</u>
<u>6.2</u>	<u>13:07:51</u>	<u>5.79</u>	<u>24.4</u>
7			
8			
0.5 above bottom	<u>13:09:12</u>	<u>5.65</u>	<u>24.3</u>

*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Danbury

Hydroelectric Project – FERC # 9184

Date: 8-10-20

Pre-Sampling Data:

HWL 929.19 TW 858.95 CFS 123

Sample Location: N45 9373D W012 22941

Angio Stine Sean Coran

Performed by: Stine Coran

Time: 15:10 Barometer: 29.92

Air Temp: 83 °F Wind Speed: W 8 mph

Sky Conditions: 50% clouds

Precipitation within Last 24 Hours: yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed? Yes No

If yes, when were they changed: _____

Battery Status: _____ % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 17.5 Meters JK

Secchi Depth (+ 0.1)		
Time	<u>15:12</u>	Feet <u>8</u> Meters

Comments:

Chlorophyll α (1 Meter below surface horizontal sampler)		
Time <u>15:20</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative		MgCO ₃


True Color (1 Meter below surface horizontal sampler)	
Time <u>15:20</u>	

Total Phosphorus (1 Meter below surface horizontal sampler)	
Time <u>15:20</u>	Preservative
	H ₂ SO ₄

Total Phosphorus (1 Meter above bottom horizontal sampler)	
Time <u>15:23</u>	Preservative
	H ₂ SO ₄

D.O. and Temperature Profile			
Depth (Meters)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface			
1			
2			
3			
4			
5			
6			
7			
8			
0.5 above bottom			

*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



Water Quality Location:

Danbury

Date: 8-10-20

*D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	15.07.20	6.72	25.2
1	15.07.35	6.61	24.9
2	15.08.32	6.57	24.8
3	15.09.01	6.49	24.6
4	15.09.46	6.42	24.5
5	15.10.17	6.31	24.4
6	15.11.42	5.93	24.3
7	15.12.21	5.70	24.2
8	15.13.18	5.42	24.1
9	15.14.13	5.32	24.1
10	15.15.01	5.27	24.0
11	15.15.41	5.05	24.0
12	15.16.14	5.00	23.9
13	15.16.57	4.85	23.9
14	15.17.26	4.76	23.9
15	15.17.59	4.71	23.8
16	15.18.30	4.57	23.8
17	15.19.19	4.42	23.7
18.75	15.20.01	4.25	23.7
19			
20			
21			
22			
23			
24			
25			
0.5 above bottom	15.20.01	4.29	23.7

Appendix D – Danbury Hydroelectric Project Lab Reports and Chains of Custody



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 88428

Project: Monitoring

Date Received: 4/9/2020

Date Reported: 8/31/2020

Sample Number	Client Sample ID	Date/Time Sampled	Sample Matrix
88428-001	Clam River	4/8/2020 11:02	Water
88428-002	Clam River	4/8/2020 11:10	Water
88428-003	Danbury	4/8/2020 13:11	Water
88428-004	Danbury	4/8/2020 13:18	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 88428

Comments (if any):

TAL Cert. 9937, 9925

Key to Laboratory Flags:

*: RPD/RSD exceeds limits.

B: The analyte was found in the associated blank as well as in the sample.

J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.

M: A matrix effect was present.

Q: Batch QC data associated with the analysis does not meet the stated objectives

H: Indicates analytical holding time exceedance.

P: A manual peak selection or manual integration was performed to correct an erroneous software selection.

N: For reporting results that are non-target analytes, when requested by client for Mass Spec reporting.

T: Tentatively Identified Compound.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit

ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)

For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

Sample Types:

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

Approved By: Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280
 MI EGLE Certification Number: 9306
 DoD-ELAP Accreditation Number: 65802 by PJLA
 for Environmental Testing
 ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 88428

Project: Monitoring

Date Received: 4/9/2020

Date Reported: 8/31/2020

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
88428-001 / Clam River / Surface / Water								
General Chemistry Parameters								
Chlorophyll a	14		mg/m3	4/10/2020 13:20	10200H	NA	NA	AH
Color	35		CU	4/13/2020 12:00	2120B	5	5	WS
Total Phosphorus LL (t)	0.066	J	mg/L	5/6/2020 10:15	4500-P E	0.041	0.10	OL
88428-002 / Clam River / Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	0.048	J	mg/L	5/6/2020 10:14	4500-P E	0.041	0.10	OL
88428-003 / Danbury / Surface / Water								
General Chemistry Parameters								
Chlorophyll a	13		mg/m3	4/10/2020 13:20	10200H	NA	NA	AH
Color	25		CU	4/13/2020 12:00	2120B	5	5	WS
Total Phosphorus LL (t)	ND		mg/L	5/6/2020 10:18	4500-P E	0.041	0.10	OL
88428-004 / Danbury / Bottom / Water								
General Chemistry Parameters								
Total Phosphorus LL (t)	ND		mg/L	5/6/2020 10:16	4500-P E	0.041	0.10	OL

TAL Cert. 9937, 9925

CHAIN-OF-CUSTODY RECORD

Job # (WWA office use): 88428



429 River Lane, P.O. Box 27
 Amasa, Michigan 49903
 Phone: (906) 822-7889, Fax -7977
 Web: white-water-associates.com

CLIENT NAME / BILL TO SWE		EMAIL ADDRESS															
ADDRESS		TELEPHONE															
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN#														
SAMPLER NAME (print first/last name) <i>Angie Smith</i>		COUNTY OF LOCATION	PAGE 1 OF 1														
SAMPLER'S SIGNATURE <i>Angie Smith</i>		Indicate if more than one page of COC records used															
SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.										Total Number of Containers				
			Drinking water	Aqueous	Sed.	Soil	Other	None	H2SO4	HNO3	HCl	NaOH		ZnAc/NaOH	Na Thio		
1 Clam River Surface	4-9-20	17:02		X													3
2 Clam River Bottom	"	11:10		X													1
3 Danbury Surface	"	13:11		X													3
4 Danbury Bottom	"	13:18		X													1

ANALYSIS TYPE REQUESTED (Attach list if needed)

Chlor	X																	
T Phos	X																	
Color	X																	

Instructions to White Water
 Send my report by:
 _____ email
 _____ mail

Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.
REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

Relinquished by:	Date: 4-9-20	Time: 15:47	Received by:	Date:	Time:
Relinquished by:	Date:	Time:	Received by:	Date: 4-9-20	Time: 15:50

Comments/Sample temp. on receipt:
 Packing: Ice
 Cooler



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 90258

Project: Monitoring

Date Received: 7/23/2020

Date Reported: 8/31/2020

Sample Number	Client Sample ID	Date/Time Sampled	Sample Matrix
90258-001	Clam River Surface	7/21/2020 10:15	Water
90258-002	Clam River Bottom	7/21/2020 10:20	Water
90258-003	Danbury Surface	7/21/2020 13:04	Water
90258-004	Danbury Bottom	7/21/2020 13:06	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 90258

Comments (if any):

Key to Laboratory Flags:

- *: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.
- P: A manual peak selection or manual integration was performed to correct an erroneous software selection.
- N: For reporting results that are non-target analytes, when requested by client for Mass Spec reporting.
- T: Tentatively Identified Compound.
- ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit
- ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)
- For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

Sample Types:

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

Approved By: Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280
 MI EGLE Certification Number: 9306
 DoD-ELAP Accreditation Number: 65802 by PJLA
 for Environmental Testing
 ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 90258

Project: Monitoring


Date Received: 7/23/2020

Date Reported: 8/31/2020

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MLQ	Analyst
90258-001 / Clam River Surface / Water								
General Chemistry Parameters								
Chlorophyll a	17		mg/m3	7/27/2020 12:50	10200H	NA	NA	AH
Color	25		CU	7/23/2020 15:30	2120B	5	5	WS
Total Phosphorus (t)	0.057		mg/L	7/31/2020 14:19	365.4	0.008	0.050	NK
90258-002 / Clam River Bottom / Water								
General Chemistry Parameters								
Total Phosphorus (t)	0.059		mg/L	7/31/2020 14:20	365.4	0.008	0.050	NK
90258-003 / Danbury Surface / Water								
General Chemistry Parameters								
Chlorophyll a	6.4		mg/m3	7/27/2020 12:50	10200H	NA	NA	AH
Color	20		CU	7/23/2020 15:30	2120B	5	5	WS
Total Phosphorus (t)	0.040	J	mg/L	7/31/2020 14:20	365.4	0.008	0.050	NK
90258-004 / Danbury Bottom / Water								
General Chemistry Parameters								
Total Phosphorus (t)	0.045	J	mg/L	7/31/2020 14:21	365.4	0.008	0.050	NK

Job # (WWA office use): 90257-90258 CHAIN-OF-CUSTODY RECORD



429 River Lane, P.O. Box 27 Amasa, Michigan 49903
Phone: (906) 822-7889, Fax -7977
Web: white-water-associates.com

CLIENT NAME / BILL TO <i>RWE</i>		EMAIL ADDRESS															
ADDRESS		TELEPHONE															
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN#														
SAMPLER NAME (print first/last name) <i>Monitoring</i>		PAGE <i>1</i> OF <i>1</i> records used															
SAMPLER'S SIGNATURE		Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.															
SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	SAMPLE MATRIX							Total Number of Containers	ANALYSIS TYPE REQUESTED (Attach list if needed)	Instruments to White Water Send my report by: email _____ mail _____					
			Drinking Water	Aqueous	Sed.	Soil	Other	None	H2SO4				HNO3	HCl	NaOH	ZnAc/NaOH	Na Thio
1 Clam River Surface	7-21-20	10:15	X					X	X						X	Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept. REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)	
2 Clam River Bottom	7-21-20	10:20	X					X	X						X		
3 Danbury Surface	7-21-20	13:04	X					X	X						X		
4 Danbury Bottom	7-21-20	13:06	X					X	X						X		
Relinquished by: <i>John Cam</i>	Date:	7-22-20	Time:	16:56	Received by:		Date:										
Relinquished by:	Date:		Time:		Received by:	<i>John Cam</i>	Date:	7/23/20	Time:	8:50							

Packing: Ice Cooler

Comments/Sample temp. on receipt: *50*

UPS FedEx USPS Client Other *WWT*

WHITE - RETURN W/ REPORT CANARY - W/ SAMPLES PINK - CUSTOMER



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 90678

Project: Monitoring

Date Received: 8/14/2020

Date Reported: 9/11/2020

Sample Number	Client Sample ID	Date/Time Sampled	Sample Matrix
90678-001	Clam River Surface	8/11/2020 10:11	Water
90678-002	Clam River Bottom	8/11/2020 10:16	Water
90678-003	Danbury Surface	8/10/2020 15:20	Water
90678-004	Danbury Bottom	8/10/2020 15:23	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 90678

Comments (if any):

Key to Laboratory Flags:

- *: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.
- P: A manual peak selection or manual integration was performed to correct an erroneous software selection.
- N: For reporting results that are non-target analytes, when requested by client for Mass Spec reporting.
- T: Tentatively Identified Compound.
- ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit
- ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)
- For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

Sample Types:

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

Approved By: Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280
 MI EGLE Certification Number: 9306
 DoD-ELAP Accreditation Number: 65802 by PJLA
 for Environmental Testing
 ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 90678

Project: Monitoring

Date Received: 8/14/2020


Date Reported: 9/11/2020

Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
90678-001 / Clam River Surface / Water								
General Chemistry Parameters								
Chlorophyll a	27		mg/m3	8/18/2020 10:00	10200H	NA	NA	AH
Color	28		CU	8/14/2020 14:05	2120B	5	5	NK
Total Phosphorus (t)	0.022		mg/L	9/9/2020 17:51	4500-P E	0.005	0.010	OL
90678-002 / Clam River Bottom / Water								
General Chemistry Parameters								
Total Phosphorus (t)	0.026		mg/L	9/9/2020 17:51	4500-P E	0.005	0.010	OL
90678-003 / Danbury Surface / Water								
General Chemistry Parameters								
Chlorophyll a	5.9		mg/m3	8/18/2020 10:00	10200H	NA	NA	AH
Color	20		CU	8/14/2020 14:10	2120B	5	5	NK
Total Phosphorus (t)	0.022		mg/L	9/9/2020 17:51	4500-P E	0.005	0.010	OL
90678-004 / Danbury Bottom / Water								
General Chemistry Parameters								
Total Phosphorus (t)	0.019		mg/L	9/9/2020 17:51	4500-P E	0.005	0.010	OL

Job # (WWA office use): 96678 CHAIN-OF-CUSTODY RECORD

Version 8/17/20
160504



Phone: (906) 822-7889, Fax -7977
Web: white-water-associates.com

429 River Lane, P.O. Box 27
Amasa, Michigan 49903

CLIENT NAME / BILL TO: FWF
 ADDRESS: _____
 TELEPHONE: _____
 EMAIL ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____
 CONTRACT / PO / PROJECT NAME / WSSN#: _____
 COUNTY OF LOCATION: Monitoring
 PAGES: 1 OF 1
 Indicate if more than one page of COC records used

SAMPLER NAME (print first/last name): Sean Caron
 SAMPLER'S SIGNATURE: [Signature]
 Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.

SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	SAMPLE MATRIX										Total Number of Containers				
			Drinking Water	Aqueous	Sed.	Soil	Other:	None	H2SO4	HNO3	HCl	NaOH		ZnAc/NaOH	Na Thio		
1 Clam River Surface	8-11-20	10:11	X								X						3
2 Clam River Bottom	11	10:16	X								X						1
3 Danbury Surface	8-10-20	15:20	X								X						3
4 Danbury Bottom	8-10-20	15:23	X								X						1

INSTRUCTIONS TO WHITE WATER
 Send my report by: _____ email _____ mail _____
 Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.
 REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

Relinquished by: [Signature] Date: 8-13-20 Time: 16:15
 Relinquished by: _____ Date: _____ Time: _____
 Received by: _____ Date: 8/13/20 Time: 4:30
 Comments/Sample temp. on receipt: _____
 Packing: Ice _____ Cooler _____
 UPS FedEx USPS Client Other WWA

RE: Danbury (P-9184) Clam River (P-9185) Draft Water Quality Reports

Haller, Macaulay G - DNR <macaulay.haller@wisconsin.gov>

Mon 1/4/2021 4:53 PM

To: Brian Kreuzscher <bkreuscher@rwehydro.com>

Cc: Laatsch, Cheryl - DNR <Cheryl.Laatsch@wisconsin.gov>; Nick Utrup <nick_utrup@fws.gov>; Haller, Macaulay G - DNR <macaulay.haller@wisconsin.gov>

Hi Brian,

The department offers the following comments on the 2020 Draft Water Quality Reports for Danbury and Clam River Hydro Projects, received December 11, 2020:

- In the Danbury report, it appears that the August temperature profile in Figure 2 may mistakenly represent August D.O. values (from Table 1). Please confirm and update as appropriate.
- The department is currently reviewing water quality monitoring protocols for statewide FERC projects. The department may reach out to RWE in the future to discuss updating RWE's water quality monitoring protocols for their applicable projects.

Thank you for the opportunity to comment,

Macaulay Haller

Wisconsin Department of Natural Resources

Macaulay.Haller@wisconsin.gov

From: Brian Kreuzscher <bkreuscher@rwehydro.com>

Sent: Friday, December 11, 2020 11:42 AM

To: Laatsch, Cheryl - DNR <Cheryl.Laatsch@wisconsin.gov>; Nick Utrup <nick_utrup@fws.gov>

Subject: Danbury (P-9184) Clam River (P-9185) Draft Water Quality Reports

Cheryl and Nick,

Attached are the Draft Water Quality Reports for Danbury and Clam River. Please review and provide any comments you may have to me within 60 days for FERC submittal.

Thanks

Brian Kreuzscher

Renewable World Energies

Regulatory & Compliance

855-994-9376 x230