

February 2, 2022

Kimberly D. Bose, Secretary  
Federal Energy Regulatory Commission  
888 First Street, N.E.  
Washington, DC 20426

**RE: Flambeau Hydroelectric Projects  
FERC Project Number 2640 FERC Project Number 2421  
FERC Project Number 2395 FERC Project Number 2473  
Flambeau Hydro LLC  
Final Report 2021 Water Quality Monitoring Data**

Dear Ms. Bose:

On behalf of Flambeau Hydro LLC, "Flambeau" (Licensee), Renewable World Energies, LLC (RWE) is submitting a copy of the Final Report 2021 Water Quality Monitoring Data for each of the (4) Flambeau Hydroelectric Projects (Flambeau Upper, Flambeau Lower, Flambeau Pixley, and Flambeau Crowley). The report is a requirement of Flambeau's Federal license pursuant to articles 406 and 408 and the approved Water Quality Monitoring Plans for each. 2021 was the 18<sup>th</sup> year monitoring was conducted since the license was issued, but is the 10<sup>th</sup> year of submittal by RWE on the behalf of the Licensee.

Monitoring was conducted on April 7, July 14, and August 5, 2021. No issues were encountered during the 2021 monitoring season. All data has been given to the DNR to be entered into the SWIMS Data Base. The draft reports were sent to the agencies by attachment to an email dated November 16, 2021 for review and comment. A comment of no comment was received from the DNR. The DNR also asked for the water quality data in excel format, which was provided. The next scheduled monitoring event will be conducted in 2022.

**Corporate Office**  
P.O. Box 264  
100 S. State Street  
Neshkoro, WI 54960  
Fax: 920-293-4100

Phone: 855-99HYDRO  
(855-994-9376)  
[www.renewableworldenergies.com](http://www.renewableworldenergies.com)

**Administrative Office**  
1001 Stephenson Street  
Norway, MI 49870  
Fax: 906-563-9344



If you have any questions concerning this submittal, please contact Brian Kreuzscher at the Renewable World Energies, LLC offices @ 855-994-9376 Ext 230. He can also be reached by e-mail at [bkreuscher@rwehydro.com](mailto:bkreuscher@rwehydro.com).

Sincerely,  
Renewable World Energies, LLC  
Agent for Licensee

A handwritten signature in blue ink, appearing to read "Brian", is written above the typed name.

Handwritten initials "JK" in blue ink, positioned to the left of the typed name.

Mr. Jason Kreuzscher  
Vice President, Operations

Attachments: Flambeau Upper Final Rpt 2021 W Q Mon Data  
Flambeau Lower Final Rpt 2021 W Q Mon Data  
Flambeau Pixley Final Rpt 2021 W Q Mon Data  
Flambeau Crowley Final Rpt 2021 W Q Mon Data  
Correspondence

Cc: Cheryl Laatsch, WDNR  
Darin Simpkins, USFWS

# **Report**

2021 Water Quality Monitoring Data

For the

Flambeau (Upper) Hydroelectric Project

FERC Project #2640

Flambeau Hydro, LLC

North Fork of the Flambeau River, Price County, Wisconsin

Respectfully Submitted by:

Angie Stine



429 River Lane, P.O. Box 27  
Amasa, Michigan 49903

Phone: 906-822-7889

## Summary Flambeau (Upper) Hydroelectric Project – FERC #2640

2021 marked the eighteenth year of water quality sampling under FERC approved “Water Quality Monitoring Plan Per License Article 406 for the Flambeau (Upper) Hydroelectric Project – FERC Project # 2640 – Flambeau Hydro, LLC. Monitoring was conducted on April 7, July 14, and August 5, 2021. This document contains all of the associated records for the 2021 monitoring along with summary figures and tables in four appendices: (1) Appendix A (Figures 1-4), (2) Appendix B (Tables 1-3), (3) Appendix C (sampling logs by date), and (4) Appendix D (laboratory reports and chains of custody).

A map of the Flambeau (Upper) Hydroelectric Project is shown in Figure 1 indicating the water quality sampling location.

Monitoring results for 2021 are shown in Table 1. No unusual Temperature (Figure 2) or Dissolved Oxygen (Figure 3) readings were observed. The Secchi depths are shown in Figure 4.

In general, the weather (temperature and rainfall) during 2020-2021 monitoring season appeared slightly warmer December, February, and April through December with lower-than-normal precipitation in October, November, January, February, June, July, August, and September, and normal to high precipitation in the months of December, April, and May (Table 2).

Ice-Out occurred between Agenda and Nine Mile Landing on the North Fork of the Flambeau River sometime during the week beginning March 22, 2021. The Ice-Out sampling event occurred on April 7, 2021. River flow, based on the Flambeau (Upper) Hydroelectric Project records was approximately 733 cubic feet per second. Sampling occurred between 7:46 a.m. and 8:01 a.m. Samples were taken without incident. No unusual D.O. or temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on April 7, 2021. White Water Associates, Inc. issued a laboratory report on May 12, 2021. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Flambeau (Upper) Hydroelectric Project records, was approximately 672 cubic feet per second during the July 14, 2021 sampling event. Sampling occurred between 7:40 a.m. and 7:45 a.m. Samples were taken without incident. No unusual Temperature or D.O. readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on July 14, 2021. White Water Associates, Inc. issued a laboratory report on August 2, 2021. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Flambeau (Upper) Hydroelectric Project records, was approximately 500 cubic feet per second during the August 5, 2021 sampling event. Sampling occurred between 7:46 a.m. and 7:51 a.m. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on August 5, 2021. White Water Associates, Inc. issued a laboratory report on September 12, 2021. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.


A summary of a comparison between the 2014 thru 2021 (Table 3) sampling results are as follows:

1. Water Clarity – Secchi decreased Ice Out and August and increased in July
2. Chlorophyll a – Decreased Ice Out, July and August
3. Color – Increased Ice Out and July, decreased August
4. Total Phosphorus – Decreased Ice Out, July, and August
5. Overall, D.O. – Decreased Ice Out and August and increased in July
6. Water Temperatures – Increased Ice Out, July, and August


The next scheduled Water Quality Monitoring at the Flambeau (Upper) Hydroelectric Project is set to take place in 2022 beginning with the Ice-Out sampling event.

## **Appendix A – Flambeau (Upper) Hydroelectric Project Figures**

Figure 1. Flambeau (Upper) Hydroelectric Project Map




**Figure 2. Upper Impoundment - FERC #2640  
2021 Temperature Profile**






**Figure 3. Upper Impoundment - FERC #2640  
2021 Dissolved Oxygen Profile**



**Figure 4. Upper Impoundment - FERC# 2640  
2021 Secchi Depths**



## **Appendix B – Flambeau (Upper) Hydroelectric Project Tables**

Table 1. Flambeau (Upper) Hydroelectric Project – FERC Project # 2640: 2021 Water Quality Sampling Data

	Ice Out April 7, 2021			July 14, 2021			August 5, 2021		
Project Flow (c.f.s)	733			672			500		
Dissolved Oxygen	Time	D.O. (mg/L)	Water Temp. (°C)	Time	D.O. (mg/L)	Water Temp. (°C)	Time	D.O. (mg/L)	Water Temp. (°C)
0.5 feet below surface	7:54.01	11.37	10.4	7:41.42	8.17	23.6	7:45.05	8.55	22.4
3 feet below surface	7:56.40	11.24	10.7	7:42.15	8.09	23.8	7:49.31	8.42	22.6
6 feet below surface	7:57.05	11.22	10.7	7:42.49	8.05	23.9	7:49.52	8.28	22.6
9 feet below surface	7:57.42	11.20	10.7	7:43.19	8.01	24.0	7:50.10	8.14	22.6
12 feet below surface	7:58.13	11.17	10.7	7:43.52	8.00	24.0	7:50.32	8.10	22.7
15 feet below surface	7:58.49	11.16	10.7	7:44.23	7.97	24.0	7:50.54	8.04	22.7
18 feet below surface	7:59.50	11.11	10.7	7:45.12	7.95	24.0	7:51.14	7.99	22.7
0.5 meter above bottom	8:00.15	11.10	10.7	7:45.35	7.94	24.0	7:51.44	7.99	22.7
Secchi Disk	Time	Depth (ft)		Time	Depth (ft)		Time	Depth (ft)	
Feet below surface	7:55	3.10		7:43	5.0		7:47	4.2	
Chlorophyll <i>a</i>	Time	µg/L		Time	µg/L		Time	µg/L	
3 feet below surface	7:57	1.6		7:45	3.6		7:48	4.6	
Color (True)	Time	C.P.U. Units	LOD	Time	C.P.U. Units	LOD	Time	C.P.U. Units	LOD
3 feet below surface	7:57	50.00	5*	7:45	25.00	5*	7:48	40.00	5*
Total Phosphorus	Time	mg/L	LOD	Time	mg/L	LOD	Time	mg/L	LOD
3 feet below surface	7:57	0.021	0.008*	7:45	0.015	0.008*	7:48	0.028	0.008*
3 feet above bottom	8:02	0.017	0.008*	7:48	0.024	0.008*	7:51	0.028	0.008*

\* Considered Method Detection Limit N/A = Not Applicable ND = No Detection

Table 2. 2020/21 Water Year Monthly Temperature and Precipitation for Park Falls, Wisconsin

Month	Highest Temp.	Lowest Temp.	Average Temp.	Departure From Normal	Heating Degree Days	Normal Degree Days	Total Precip.	Total Snowfall	Normal Precip.	% of Normal Precipitation
October - 20	81	28	54.6	-1.0	305	298	0.85	0.00	4.11	69
November - 20	80	13	38.0	-5.2	831	678	2.78	12.0	2.85	66
December - 20	75	11	33.3	4.5	948	1088	2.45	19.2	2.09	70
January – 21	44	-12	19.7	-0.22	1394	1556	0.99	16.5	1.21	75
February – 21	38	-14	17.9	7.7	1453	1699	0.61	9.1	0.96	75
March – 21	42	-35	7.2	-7.9	1612	1399	0.53	8.6	0.81	65
April – 21	61	0	33.2	7.3	979	1210	2.64	8.7	2.64	64
May – 21	66	12	41	1.4	713	762	2.91	2.3	2.43	67
June – 21	83	26	53.5	1.5	372	410	1.88	0.00	3.37	60
July – 21	94	41	66.6	5.4	54	152	1.79	0.00	4.39	67
August – 21	92	40	68.2	1.2	41	50	2.75	0.00	3.92	67
September - 21	89	46	68.6	3.1	24	64	2.44	0.00	3.73	70

Source: NOAA/Duluth, MN

Table 3. Flambeau (Upper) Project Sampling Comparison Table 2014 Thru Current Year

Year	Month	Secchi Depth	Chlorophyll <i>a</i>	Color (True)	Total Phosphorus	Total Phosphorus	Low D.O.	High D.O.	Low Water Temp.	High Water Temp.
		Feet	µg/L	C.P.U. Units	Below Surface mg/L	Above Bottom mg/L	mg/L	mg/L	° C	° C
2014	June	3.20	1.90	130.00	0.024	*	7.09	7.37	17.60	17.80
2015	April	3.60	2.90	130.00	0.026	*	9.80	10.04	9.20	9.60
2016	March	3.50	ND	30.00	0.020	0.010	11.88	12.13	2.50	2.60
2017	April	4.90	4.00	30.00	0.018	0.029	10.92	11.08	6.10	6.70
2018	May	4.70	0.69	50.00	0.022	0.022	8.79	8.95	13.1	13.2
2019	April	4.00	2.90	40.00	0.028	0.029	11.51	12.13	3.00	3.20
2020	April	5.40	1.60	60.00	ND	ND	11:38	11:49	5.4	5.4
2021	April	3.10	1.60	50.00	0.021	0.017	11.10	11.37	10.4	10.7
<b>Minimum</b>	March/April/May/June	3.10	0.69	30.00	0.018	0.010	7.09	7.37	2.50	2.60
<b>Maximum</b>	March/April/May/June	5.40	4.00	130.0	0.028	0.029	11.88	12.13	17.60	17.80
<b>Average</b>	March/April/May/June	4.05	2.23	65.00	0.023	0.021	10.31	10.50	8.41	8.65
2014	July	3.50	3.20	100.00	0.035	*	7.19	7.35	21.00	21.30
2015	July	3.90	3.50	80.00	0.017	*	6.91	7.10	20.30	20.70
2016	July	3.70	6.30	40.00	0.022	0.019	7.29	7.49	22.50	22.70
2017	July	5.40	3.10	35.00	0.023	0.019	7.02	7.23	24.40	25.20
2018	July	3.60	4.90	40.00	0.030	0.026	6.77	6.95	22.90	23.30
2019	July	5.40	5.90	25.00	0.017	0.016	7.70	7.98	22.80	23.30
2020	July	3.00	2.90	35.00	0.026	0.025	7.68	7.90	21.30	21.9
2021	July	5.00	3.60	25.00	0.015	0.024	7.94	8.17	23.6	24.0
<b>Minimum</b>	July	3.00	2.90	25.00	0.015	0.016	6.77	6.95	20.30	20.70
<b>Maximum</b>	July	5.40	6.30	100.00	0.035	0.026	7.94	8.17	23.60	24.00
<b>Average</b>	July	4.19	4.18	47.50	0.023	0.021	7.31	7.52	22.10	22.48
2014	August	3.10	5.60	100.00	0.024	*	6.88	7.12	21.00	21.60
2015	August	3.50	16.00	70.00	0.029	*	7.40	7.79	20.70	21.70
2016	August	4.70	8.50	35.00	0.022	0.022	6.52	7.31	23.70	23.80
2017	August	4.60	4.90	35.00	0.018	0.015	7.33	7.53	19.80	19.90
2018	August	4.70	7.30	50.00	0.023	0.024	6.98	7.25	21.80	22.40
2019	August	3.80	18.00	30.00	0.018	0.017	7.74	8.00	21.80	22.20
2020	August	4.00	5.70	52.00	ND	ND	8.32	8.57	22.1	22.5
2021	August	4.20	4.60	40.00	0.016	0.028	7.49	8.55	22.4	22.7
<b>Minimum</b>	August	3.10	4.60	30.00	0.016	0.015	6.52	7.12	19.80	19.90
<b>Maximum</b>	August	4.70	18.00	100.00	0.029	0.028	8.32	8.57	23.70	23.80
<b>Average</b>	August	4.08	8.83	51.50	0.021	0.021	7.40	7.77	21.66	22.10

\*no sample taken

## **Appendix C – Flambeau (Upper) Impoundment Project Sampling Logs**

# IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Upper Flambeau

Hydroelectric Project -- FERC # 2640

Date: 7-14-21

Pre-Sampling Data:

HWL 148.56 TWL 146.73 CFS 672

Sample Location: N 45° 56.609  
W 90° 26.299

Performed by: Angie Strain Sean Cron

Time: 7:40 Barometer: 30.03

Air Temp: 61 °F Wind Speed: ESE 0

Sky Conditions: 5/8 Clouds

Precipitation within Last 24 Hours: yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed?  Yes  No

If yes, when were they changed: \_\_\_\_\_

Battery Status: 95 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 17.5 Feet

Secchi Depth (± 0.1)	
Time <u>7:43 a.m.</u>	<u>5.0</u> Feet

Comments:

Chlorophyll $\alpha$ (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>7:45</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO <sub>3</sub>	

True Color (3 feet below surface horizontal sampler)
Lab Sample I.D. #:
Time: <u>7:45</u>

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>7:45</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>7:48</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>7:41:42</u>	<u>8.17</u>	<u>23.6</u>
3	<u>7:42:15</u>	<u>8.09</u>	<u>23.8</u>
6	<u>7:42:49</u>	<u>8.05</u>	<u>23.9</u>
9	<u>7:43:19</u>	<u>8.01</u>	<u>24.0</u>
12	<u>7:43:52</u>	<u>8.00</u>	<u>24.0</u>
15	<u>7:44:22</u>	<u>7.97</u>	<u>24.0</u>
<u>18.5</u>	<u>7:45:12</u>	<u>7.95</u>	<u>24.0</u>
21			
24			
0.5 above bottom	<u>7:45:35</u>	<u>7.94</u>	<u>24.0</u>

\*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.





# IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Upper Flambeau  
 Hydroelectric Project - FERC # 2640  
 Date: 8-5-21

Pre-Sampling Data:

HWL 1484.46 TWL 1467.2 CFS 500  
 Sample Location: N 45° E, 609  
W 90° E, 299

Performed by: Kemppainen Caron

Time: 7:46 Barometer: 29.98

Air Temp: 65 °F Wind Speed: 56

Sky Conditions: 50% cloudy

Precipitation within Last 24 Hours: NO

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed?  Yes  No

If yes, when were they changed: 50

Battery Status: 50 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 16.5 Feet

Secchi Depth (± 0.1)		
Time	<u>7:47</u>	<u>4.2</u> (Feet)

Comments:

Chlorophyll $\alpha$ (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time	Quantity (ml)	Filtered
<u>7:48</u>	1000	In Lab
Preservative		MgCO <sub>3</sub>

True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>7:48</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>7:48</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>7:51</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>7:48:05</u>	<u>8.55</u>	<u>22.4</u>
3	<u>7:49:31</u>	<u>8.42</u>	<u>22.6</u>
6	<u>7:49:52</u>	<u>8.28</u>	<u>22.6</u>
9	<u>7:50:10</u>	<u>8.14</u>	<u>22.6</u>
12	<u>7:50:32</u>	<u>8.10</u>	<u>22.7</u>
15	<u>7:50:54</u>	<u>8.04</u>	<u>22.7</u>
<u>18/16.5</u>	<u>7:51:14</u>	<u>7.99</u>	<u>22.7</u>
21			
24			
0.5 above bottom	<u>7:51:44</u>	<u>7.99</u>	<u>22.7</u>

\*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



# IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Upper  
 Hydroelectric Project - FERC # 2640  
 Date: 4-7-21

Pre-Sampling Data:

HWL 1486.82 TWL 1469.4 CFS 733

Sample Location: N 45° 36.609

Performed by: W 90° 26.299  
A. Stine, S. Caron

Time: 7:16 Barometer: 29.79

Air Temp: 50 °F Wind Speed: ENE 4 mph

Sky Conditions: 100% clouds

Precipitation within Last 24 Hours: yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed?  Yes  No

If yes, when were they changed: \_\_\_\_\_

Battery Status: 20 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 16 Feet

Secchi Depth (± 0.1)		
Time	<u>7:55</u>	<u>3.10</u> Feet

Comments:

Chlorophyll a (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>7:57</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO <sub>3</sub>	

True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>7:57</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>7:57</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>8:02</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>7:54.01</u>	<u>11.37</u>	<u>10.4</u>
3	<u>7:56.40</u>	<u>11.24</u>	<u>10.7</u>
6	<u>7:57.05</u>	<u>11.22</u>	<u>10.7</u>
9	<u>7:57.42</u>	<u>11.20</u>	<u>10.7</u>
12	<u>7:58.13</u>	<u>11.17</u>	<u>10.7</u>
15	<u>7:58.51</u>	<u>11.16</u>	<u>10.7</u>
<del>18</del> <u>16</u>	<u>7:59.50</u>	<u>11.11</u>	<u>10.7</u>
21			
24			
0.5 above bottom	<u>8:00.15</u>	<u>11.10</u>	<u>10.7</u>

\*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



**Appendix D – Flambeau (Upper) Hydroelectric Project Lab Reports and  
Chains of Custody**



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE

**WWA Job #:** 93994

---

**Project:** Monitoring

**Date Received:** 4/8/2021

**Date Reported:** 5/12/2021

---

<b>Sample Number</b>	<b>Client Sample ID</b>	<b>Date/Time Sampled</b>	<b>Sample Matrix</b>
93994-001	Upper Flambeau Surface	4/7/2021 7:57	Water
93994-002	Upper Flambeau Bottom	4/7/2021 8:02	Water
93994-003	Lower Flambeau Surface	4/7/2021 8:37	Water
93994-004	Lower Flambeau Bottom	4/7/2021 8:35	Water
93994-005	Pixley Surface	4/7/2021 11:04	Water
93994-006	Pixley Bottom	4/7/2021 11:08	Water
93994-007	Crowley Surface	4/7/2021 12:00	Water
93994-008	Crowley Bottom	4/7/2021 12:04	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

Client: RWE

WWA Job #: 93994

---

**Comments (if any):**

**Key to Laboratory Flags:**

- \*: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit  
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)  
For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

**Sample Types:**


S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

**Approved By:** Electronically signed by Bette J. Premo



---

WI DNR Lab Certification Number: 999971280  
MI EGLE Certification Number: 9306  
DoD-ELAP Accreditation Number: 65802 by PJLA  
for Environmental Testing  
ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 93994

Project: Monitoring

Date Received: 4/8/2021

Date Reported: 5/12/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>93994-001 / Upper Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	1.6		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	50	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.021	J	mg/L	4/14/2021 11:49	365.4	0.008	0.050	NK
<b>93994-002 / Upper Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.017	J	mg/L	4/14/2021 11:51	365.4	0.008	0.050	NK
<b>93994-003 / Lower Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	0.80		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	50	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.022	J	mg/L	4/14/2021 11:52	365.4	0.008	0.050	NK
<b>93994-004 / Lower Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.030	J	mg/L	4/14/2021 11:52	365.4	0.008	0.050	NK
<b>93994-005 / Pixley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	2.4		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	55	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.020	J	mg/L	4/14/2021 11:54	365.4	0.008	0.050	NK

---

 ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,  
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 93994

Project: Monitoring

Date Received: 4/8/2021

Date Reported: 5/12/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>93994-006 / Pixley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.023	J	mg/L	4/14/2021 11:55	365.4	0.008	0.050	NK
<b>93994-007 / Crowley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	2.9		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	60	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.026	J	mg/L	4/14/2021 11:55	365.4	0.008	0.050	NK
<b>93994-008 / Crowley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.028	J	mg/L	4/14/2021 11:56	365.4	0.008	0.050	NK

---

Job # (WWA office use): **93994** CHAIN-OF-CUSTODY RECORD



429 River Lane, P.O. Box 27  
Amasa, Michigan 49803

Phone: (906) 822-7889, Fax -7977  
Web: white-water-associates.com

CLIENT NAME / BILL TO <b>RWE</b>			EMAIL ADDRESS		
ADDRESS			TELEPHONE		
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN#		

SAMPLER NAME (print first/last name) <b>Angie Shea</b>		COUNTY OF LOCATION	PAGE <b>1</b> OF <b>1</b>	Indicate if more than one page of COC records used
---	--	--------------------	------------------------------	--

SAMPLER'S SIGNATURE  
*[Signature]*

Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.

SAMPLE ID AND LOCATION <small>Containers for each sample may be combined on one line.</small>	DATE	TIME	SAMPLE MATRIX					CONTAINERS / PRESERVATIVES							Total Number of Containers				
			Drinking water	Aqueous	Secd.	Soil	Other:	None	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Na Thio					
1 Upper Flambeau Surface	4/21	7:57	X					X	X							3	X	X	X
2 Upper Flambeau Bottom		8:02														1	X		
3 Lower Flambeau Surface		8:37						X								3	X	X	X
4 Lower Flambeau Bottom		8:35														1	X		
5 Pixley Surface		11:04						X								3	X	X	X
6 Pixley Bottom		11:08														1	X		
7 Crowley Surface		12:00						X								3	X	X	X
8 Crowley Bottom		12:04														1	X		

ANALYSIS TYPE REQUESTED (Attach list if needed)

<i>Chl a (mg O3)</i>																			
<i>T Phos</i>																			
<i>Color</i>																			

Instructions to White Water  
Send my report by:  
\_\_\_ email  
\_\_\_ mail

Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.

REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

Relinquished by: <i>[Signature]</i>	Date: 4/21	Time: 10:49	Received by:	Date:	Time:	Comments/Sample temp. on receipt:	Packing: Ice Cooler <input checked="" type="checkbox"/>
Relinquished by:	Date:	Time:	Received by: <i>[Signature]</i>	Date: 4/8/21	Time: 8:30		





## Login Checklist

Project No.: 93994      Date logged in.: 4/8/2021      Login person's initials: JT  
Client: RWE      Number of coolers: 1  
Project name: Monitoring      Courier/shipper: WWA

- 1. Custody seals/original packing tape were intact (if applicable).
- 2. Samples are in good condition, i.e. not broken or leaking.
- 3. Samples were received within holding times.
- 4. Samples were received on ice (in direct contact with the samples).
- 5. Temperature of the samples was between 0-6°C. Temp.:

NOTES on #4:

NOTE: Samples not between 0-6°C that are received at the laboratory on the day of sample collections do not require client notification.

- 6. Samples matched the Chain of Custody (COC).
- 7. Proper containers were used.
- 8. Samples were collected in White Water lab containers.
- 9. There is adequate sample volume for requested analyses and QC.
- 10. For water VOC samples, headspace is less than the size of a pea.
- 11. Samples are preserved to the proper pH. Sample bottles and preservation are noted in LIMS Sample Container Section.
- 12. The COC is signed. (either Sampler or Relinquished by)
- 13. Sub-sampling (SS) is required. Bottles created are noted in sample containers section of log-in form.
- 14. For Dissolved Analysis (when applicable), samples were filtered in the lab.
- 15. For soil VOCs, methanol preserved samples were received.
- 16. For Soil VOCs, samples were preserved with methanol in the lab.
- 17. Client contact is necessary. Provide documentation below.

COMMENTS/CORRECTIVE ACTION

CLIENT RESPONSE

Note: If hold time, volume, and received on ice or temperature criteria are not met when required by the method, results may not be able to be used for regulatory purposes. Check with your reporting agency for more information.



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE**WWA Job #:** 95726

---

**Project:** Monitoring**Date Received:** 7/15/2021**Date Reported:** 8/2/2021

---

<b>Sample Number</b>	<b>Client Sample ID</b>	<b>Date/Time Sampled</b>	<b>Sample Matrix</b>
95726-001	Upper Flambeau Surface	7/14/2021 7:45	Water
95726-002	Upper Flambeau Bottom	7/14/2021 7:48	Water
95726-003	Lower Flambeau Surface	7/14/2021 11:25	Water
95726-004	Lower Flambeau Bottom	7/14/2021 11:29	Water
95726-005	Pixley Surface	7/14/2021 13:17	Water
95726-006	Pixley Bottom	7/14/2021 13:22	Water
95726-007	Crowley Surface	7/14/2021 14:09	Water
95726-008	Crowley Bottom	7/14/2021 14:12	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE

**WWA Job #:** 95726

---

**Comments (if any):**

**Key to Laboratory Flags:**

- \*: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit  
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)  
For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

**Sample Types:**


S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

**Approved By:** Electronically signed by Bette J. Premo



---

WI DNR Lab Certification Number: 999971280  
MI EGLE Certification Number: 9306  
DoD-ELAP Accreditation Number: 65802 by PJLA  
for Environmental Testing  
ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 95726

Project: Monitoring

Date Received: 7/15/2021

Date Reported: 8/2/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>95726-001 / Upper Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	3.6		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	25		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.015	J	mg/L	7/23/2021 14:22	365.4	0.008	0.050	NK
<b>95726-002 / Upper Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.024	J	mg/L	7/23/2021 14:23	365.4	0.008	0.050	NK
<b>95726-003 / Lower Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	4.7		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	20		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.025	J	mg/L	7/23/2021 14:23	365.4	0.008	0.050	NK
<b>95726-004 / Lower Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.023	J	mg/L	7/23/2021 14:24	365.4	0.008	0.050	NK
<b>95726-005 / Pixley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	11		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	25		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.026	J	mg/L	7/30/2021 12:58	365.4	0.008	0.050	NK

---

 ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,  
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 95726

Project: Monitoring

Date Received: 7/15/2021

Date Reported: 8/2/2021

**Sample Results**

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>95726-006 / Pixley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.021	J	mg/L	7/30/2021 13:00	365.4	0.008	0.050	NK
<b>95726-007 / Crowley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	8.9		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	30		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.031	J	mg/L	7/30/2021 13:01	365.4	0.008	0.050	NK
<b>95726-008 / Crowley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.027	J	mg/L	7/30/2021 13:01	365.4	0.008	0.050	NK

Job # (WWA office use): **95 726** CHAIN-OF-CUSTODY RECORD



429 River Lane, P.O. Box 27  
Amasa, Michigan 49903  
Phone: (906) 822-7869, Fax -7977  
Web: white-water-associates.com

CLIENT NAME / BILL TO <b>RWE</b>			EMAIL ADDRESS		
ADDRESS			TELEPHONE		
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN# <b>Monitoring</b>		
SAMPLER NAME (print first/last name) <b>Angie Smith</b>			COUNTY OF LOCATION	PAGE <b>1</b> OF <b>1</b> <small>Indicate if more than one page of COC records used</small>	
SAMPLER'S SIGNATURE <i>Angie Smith</i>			Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.		

ANALYSIS TYPE REQUESTED (Attach list if needed)

Instructions to White Water  
Send my report by:  
 email  
 mail

Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.

REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

SAMPLE ID AND LOCATION <small>Containers for each sample may be combined on one line.</small>	DATE	TIME	SAMPLE MATRIX						CONTAINERS / PRESERVATIVES						Total Number of Containers				
			Drinking water	Aqueous	Sed.	Soil	Other	None	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Na Thio					
1 Upper Plumbum Surface	7/14/21	7:45	X					X	X							3	Chl a	TPH	Color
2 Upper Plumbum Bottom		7:48														1			
3 Lower Plumbum Surface		11:25						X								3			
4 Lower Plumbum Bottom		11:29														1			
5 Kiley Surface		13:17						X								3			
6 Kiley Bottom		13:22														1			
7 Crawley Surface		14:09						X								3			
8 Crawley Bottom		14:12														1			

Relinquished by: <i>Angie Smith</i>	Date: 7/14/21	Time: 5:33	Received by: <i>[Signature]</i>	Date: 7/15/21	Time: 8:00	Comments/Sample temp. on receipt:	Packing: Ice <input checked="" type="checkbox"/> Cooler <input type="checkbox"/>
--	---------------	------------	------------------------------------	---------------	------------	-----------------------------------	--

WHITE - RETURN W/ REPORT

CANARY - W/ SAMPLES

PINK - CUSTOMER

UPS  FedEx  USPS  Client  Other WWA



## Login Checklist

Project No.: 95726      Date logged in.: 7/15/2021      Login person's initials: JT  
Client: RWE      Number of coolers: 1  
Project name: Monitoring      Courier/shipper: WWA

- 1. Custody seals/original packing tape were intact (if applicable).
- 2. Samples are in good condition, i.e. not broken or leaking.
- 3. Samples were received within holding times.
- 4. Samples were received on ice (in direct contact with the samples).
- 5. Temperature of the samples was between 0-6°C. Temp.:
- 6. Samples matched the Chain of Custody (COC).
- 7. Proper containers were used.
- 8. Samples were collected in White Water lab containers.
- 9. There is adequate sample volume for requested analyses and QC.
- 10. For water VOC samples, headspace is less than the size of a pea.
- 11. Samples are preserved to the proper pH. Sample bottles and preservation are noted in LIMS Sample Container Section.
- 12. The COC is signed. (either Sampler or Relinquished by)
- 13. Sub-sampling (SS) is required. Bottles created are noted in sample containers section of log-in form.
- 14. For Dissolved Analysis (when applicable), samples were filtered in the lab.
- 15. For soil VOCs, methanol preserved samples were received.
- 16. For Soil VOCs, samples were preserved with methanol in the lab.
- 17. Client contact is necessary. Provide documentation below.

NOTES on #4:

--

NOTE: Samples not between 0-6°C that are received at the laboratory on the day of sample collections do not require client notification.

COMMENTS/CORRECTIVE ACTION

CLIENT RESPONSE

Note: If hold time, volume, and received on ice or temperature criteria are not met when required by the method, results may not be able to be used for regulatory purposes. Check with your reporting agency for more information.



429 River Lane • PO Box 27 Amasa, MI 49803 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE**WWA Job #:** 96118

---

**Project:** Monitoring**Date Received:** 8/5/2021**Date Reported:** 9/12/2021

---

<b>Sample Number</b>	<b>Client Sample ID</b>	<b>Date/Time Sampled</b>	<b>Sample Matrix</b>
96118-001	Upper Flambeau Surface	8/5/2021 7:48	Water
96118-002	Upper Flambeau Bottom	8/5/2021 7:51	Water
96118-003	Lower Flambeau Surface	8/5/2021 8:20	Water
96118-004	Lower Flambeau Bottom	8/5/2021 8:23	Water
96118-005	Pixley Surface	8/5/2021 10:34	Water
96118-006	Pixley Bottom	8/5/2021 10:38	Water
96118-007	Crowley Surface	8/5/2021 12:31	Water
96118-008	Crowley Bottom	8/5/2021 12:35	Water





429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 96118

**Comments (if any):**

**Key to Laboratory Flags:**

- \*: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit  
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)  
 For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

**Sample Types:**

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

**Approved By:** Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280  
 MI EGLE Certification Number: 9306  
 DoD-ELAP Accreditation Number: 65802 by PJLA  
 for Environmental Testing  
 ISO/IEC 17025:2005 Accredited



Client: RWE

WWA Job #: 96118

Project: Monitoring

Date Received: 8/5/2021

Date Reported: 9/12/2021

### Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>96118-001 / Upper Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	4.6		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	40		CU	9/8/2021 15:45	2120B	5	5	NK
Total Phosphorus LL (t)	0.016	J	mg/L	8/10/2021 15:44	365.4	0.008	0.050	NK
<b>96118-002 / Upper Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.028	JM	mg/L	8/10/2021 15:47	365.4	0.008	0.050	NK
<b>96118-003 / Lower Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	4.8		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	40		CU	9/8/2021 15:47	2120B	5	5	NK
Total Phosphorus LL (t)	0.028	J	mg/L	8/10/2021 15:49	365.4	0.008	0.050	NK
<b>96118-004 / Lower Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	ND		mg/L	8/10/2021 15:51	365.4	0.008	0.050	NK
<b>96118-005 / Pixley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	6.9		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	35		CU	9/8/2021 15:48	2120B	5	5	NK
Total Phosphorus LL (t)	0.025	J	mg/L	8/10/2021 15:51	365.4	0.008	0.050	NK

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,  
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 96118

Project: Monitoring

Date Received: 8/5/2021

Date Reported: 9/12/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>96118-006 / Pixley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	ND		mg/L	8/10/2021 15:52	365.4	0.008	0.050	NK
<b>96118-007 / Crowley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	6.8		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	45		CU	9/8/2021 15:49	2120B	5	5	NK
Total Phosphorus LL (t)	0.024	J	mg/L	8/10/2021 15:52	365.4	0.008	0.050	NK
<b>96118-008 / Crowley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.027	J	mg/L	8/10/2021 15:54	365.4	0.008	0.050	NK

---

**CHAIN-OF-CUSTODY RECORD**

Job # (WWA office use): **96118**



428 River Lane, P.O. Box 27  
Amasa, Michigan 49903

Phone: (906) 822-7889, Fax -7977  
Web: white-water-associates.com

CLIENT NAME / BILL TO <b>LUSE</b>		EMAIL ADDRESS				
ADDRESS		TELEPHONE				
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN#			
SAMPLER NAME (print first/last name) <b>Breana Kempner</b>	COUNTY OF LOCATION		PAGE <b>1</b> OF <b>1</b>			
SAMPLER'S SIGNATURE <i>Breana Kempner</i>		Indicate if more than one page of COC records used				
SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.			Total Number of Containers
			Drinking water	Aqueous	Soil	
1 Upper Floridan Surface	8-5-21	7:48	X	X		3
2 Upper Floridan Bottom	8-5-21	7:51				1
3 Lower Floridan Surface	8-5-21	8:20	X			3
4 Lower Floridan Bottom	8-5-21	8:23				1
5 Vicksburg Surface	8-5-21	10:34	X			3
6 Vicksburg Bottom	8-5-21	10:38				1
7 Columbus Surface	8-5-21	12:31	X			3
8 Columbus Bottom	8-5-21	12:35	X			1

ANALYSIS TYPE REQUESTED (Attach list if needed)

Instructions to White Water  
Send my report by:  
\_\_\_\_ email  
\_\_\_\_ mail

Unless otherwise noted, drinking water report copies are sent to EGLLE and Health Dept.

REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

Chl a  
T Phas  
color  
X  
X  
X  
X  
X  
X  
X  
X

Relinquished by: <i>[Signature]</i>	Date: 8-5-21	Time: 9:29	Received by: <i>[Signature]</i>	Date: 8/5/21	Time: 14:30
Relinquished by:	Date:	Time:	Received by:	Date:	Time:

Comments/sample temp on receipt: **3**

Packing: Ice  Cooler

WHITE - RETURN W/ REPORT      CANARY - W/ SAMPLES      PINK - CUSTOMER

UPS  FedEx  USPS  Client  Other **WWA**

# Report

2021 Water Quality Monitoring Data

for the

Flambeau (Lower) Hydroelectric Project

FERC Project #2421

Flambeau Hydro, LLC

North Fork of the Flambeau River, Price County, Wisconsin

Respectfully Submitted by:

Angie Stine



429 River Lane, P.O. Box 27  
Amasa, Michigan 49903

Phone: 906-822-7889

## Summary Flambeau (Lower) Hydroelectric Project – FERC #2421

2021 marked the eighteenth year of water quality sampling under FERC approved “Water Quality Monitoring Plan Per License Article 406 for the Flambeau (Lower) Hydroelectric Project – FERC Project # 2421 – Flambeau Hydro, LLC. Monitoring was conducted on April 7, July 14, and August 5, 2020. This document contains all of the associated records for the 2021 monitoring along with summary figures and tables in four appendices: (1) Appendix A (Figures 1-4), (2) Appendix B (Tables 1-3), (3) Appendix C (sampling logs by date), and (4) Appendix D (laboratory reports and chains of custody).

A map of the Flambeau (Lower) Hydroelectric Project is shown in Figure 1 indicating the water quality sampling location.

Monitoring results for 2021 are shown in Table 1. No unusual Temperature (Figure 2) or Dissolved Oxygen (Figure 3) readings were observed. The Secchi depths are shown in Figure 4.

In general, the weather (temperature and rainfall) during 2020-2021 monitoring season appeared slightly warmer December, February, and April through December with lower-than-normal precipitation in October, November, January, February, June, July, August, and September, and normal to high precipitation in the months of December, April, and May (Table 2).

Ice-Out occurred between Agenda and Nine Mile Landing on the North Fork of the Flambeau River sometime during the week beginning March 22, 2021. The Ice-Out sampling event occurred on April 7, 2021. River flow, based on the Flambeau (Lower) Hydroelectric Project records was approximately 607 cubic feet per second. Sampling occurred between 8:30 a.m. and 8:30 a.m. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on April 7, 2021. White Water Associates, Inc. issued a laboratory report on May 12, 2021. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Flambeau (Lower) Hydroelectric Project records, was approximately 448 cubic feet per second during the July 14, 2021 sampling event. Sampling occurred between 11:23 a.m. and 11:27 a.m. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on July 14, 2021. White Water Associates, Inc. issued a laboratory report on August 2, 2021. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Flambeau (Lower) Hydroelectric Project records, was approximately 410 cubic feet per second during the August 5, 2021 sampling event. Sampling occurred between 8:15 a.m. and 8:23 a.m. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on August 5, 2021. White Water Associates, Inc. issued a laboratory report on September 12, 2021. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

A summary of a comparison between the 2014 thru 2021 (Table 3) sampling results are as follows:


1. Water Clarity – Secchi decreased Ice Out, increased in July and August
2. Chlorophyll a – Decreased Ice Out, increased July and August
3. Color – Decreased Ice Out, July and August
4. Total Phosphorus – Increased Ice Out and August, decreased July
5. Overall, D.O. – Decreased Ice Out, July, and August
6. Water Temperatures – Increased Ice Out and July and stayed the same August

The next scheduled Water Quality Monitoring at the Flambeau (Lower) Hydroelectric Project is set to take place in 2022 beginning with the Ice-Out sampling event.


## **Appendix A – Flambeau (Lower) Hydroelectric Project Figures**




Figure 1. Flambeau (Lower) Hydroelectric Project Map




**Figure 2. Lower Impoundment - FERC #2421  
2021 Temperature Profile**



**Figure 3. Lower Impoundment - FERC #2421  
2021 Dissolved Oxygen Profile**



**Figure 4. Flambeau Lower - FERC# 2421  
2021 Secchi Depths**



## **Appendix B – Flambeau (Lower) Hydroelectric Project Tables**

**Table 1. Flambeau (Lower) Hydroelectric Project – FERC Project # 2421: 2021 Water Quality Sampling Data**

	Ice Out April 7, 2021			July 14, 2021			August 5, 2021		
<b>Project Flow (c.f.s)</b>	607			448			410		
<b>Dissolved Oxygen</b>	<b>Time</b>	<b>D.O. (mg/L)</b>	<b>Water Temp. (°C)</b>	<b>Time</b>	<b>D.O. (mg/L)</b>	<b>Water Temp. (°C)</b>	<b>Time</b>	<b>D.O. (mg/L)</b>	<b>Water Temp. (°C)</b>
0.5 feet below surface	8:32.07	11.04	11.0	11:27.47	7.49	24.4	8:19.26	7.59	22.3
3 feet below surface	8:34.02	11.01	10.9	11:23.19	7.93	24.2	8:20.05	7.53	22.3
6 feet below surface	8:35.35	10.99	10.9	11:24.05	7.24	24.1	8:20.32	7.51	22.4
9 feet below surface	8:35.55	11.00	10.9	11:24.32	7.21	24.1	8:20.52	7.50	22.4
12 feet below surface	8:36.23	10.96	10.9	11:25.05	7.17	24.0	8:21.21	7.44	22.4
15 feet below surface	8:36.47	10.95	10.9	11:25.35	7.15	24.0	8:22.42	6.31	22.4
18 feet below surface	8:37.22	10.93	10.93	11:26.35	7.07	24.0	8:23.11	6.11	22.4
19 feet below surface	8:38.15	10.83	10.9						
0.5 meter above bottom	8:38.53	10.87	10.9	11:27.26	7.08	24.0	8:23.11	6.11	22.4
<b>Secchi Disk</b>	<b>Time</b>	<b>Depth (ft)</b>		<b>Time</b>	<b>Depth (ft)</b>		<b>Time</b>	<b>Depth (ft)</b>	
Feet below surface	8:31	3.11		11:23	5.0		8:18	4.3	
<b>Chlorophyll <i>a</i></b>	<b>Time</b>	<b>µg/L</b>		<b>Time</b>	<b>µg/L</b>		<b>Time</b>	<b>µg/L</b>	
3 feet below surface	8:37	0.80		11:25	4.7		8:20	4.8	
<b>Color (True)</b>	<b>Time</b>	<b>C.P.U. Units</b>	<b>LOD</b>	<b>Time</b>	<b>C.P.U. Units</b>	<b>LOD</b>	<b>Time</b>	<b>C.P.U. Units</b>	<b>LOD</b>
3 feet below surface	8:37	50.00	5*	11:25	20.00	5*	8:20	40.00	5*
<b>Total Phosphorus</b>	<b>Time</b>	<b>mg/L</b>	<b>LOD</b>	<b>Time</b>	<b>mg/L</b>	<b>LOD</b>	<b>Time</b>	<b>mg/L</b>	<b>LOD</b>
3 feet below surface	8:37	0.022	0.008*	11:25	0.025	0.008*	8:20	0.028	0.008*
3 feet above bottom	8:35	0.030	0.008*	11:29	0.023	0.008*	8:23	ND	0.008*

\* Considered Method Detection Limit N/A = Not Applicable ND = No Detection

Table 2. 2020/21 Water Year Monthly Temperature and Precipitation for Park Falls, Wisconsin

Month	Highest Temp.	Lowest Temp.	Average Temp.	Departure From Normal	Heating Degree Days	Normal Degree Days	Total Precip.	Total Snowfall	Normal Precip.	% of Normal Precipitation
October - 20	81	28	54.6	-1.0	305	298	0.85	0.00	4.11	69
November - 20	80	13	38.0	-5.2	831	678	2.78	12.0	2.85	66
December - 20	75	11	33.3	4.5	948	1088	2.45	19.2	2.09	70
January – 21	44	-12	19.7	-0.22	1394	1556	0.99	16.5	1.21	75
February – 21	38	-14	17.9	7.7	1453	1699	0.61	9.1	0.96	75
March – 21	42	-35	7.2	-7.9	1612	1399	0.53	8.6	0.81	65
April – 21	61	0	33.2	7.3	979	1210	2.64	8.7	2.64	64
May – 21	66	12	41	1.4	713	762	2.91	2.3	2.43	67
June – 21	83	26	53.5	1.5	372	410	1.88	0.00	3.37	60
July – 21	94	41	66.6	5.4	54	152	1.79	0.00	4.39	67
August – 21	92	40	68.2	1.2	41	50	2.75	0.00	3.92	67
September - 21	89	46	68.6	3.1	24	64	2.44	0.00	3.73	70

Source: NOAA/Duluth, MN

Table 3. Flambeau (Lower) Project Sampling Comparison Table: 2014 Thru Current Year

Year	Month	Secchi Depth	Chlorophyll <i>a</i>	Color (True)	Total Phosphorus	Total Phosphorus	Low D.O.	High D.O.	Low Water Temp.	High Water Temp.
		Feet	µg/L	C.P.U. Units	Below Surface mg/L	Above Bottom mg/L	mg/L	mg/L	° C	° C
2014	June	3.80	1.10	130.00	0.025	0.027	7.30	7.60	18.80	19.60
2015	April	3.30	3.00	130.00	0.038	0.080	9.14	9.66	9.40	9.60
2016	March	2.90	ND	35.00	0.030	0.030	11.54	11.70	3.20	3.20
2017	April	4.30	2.30	30.00	0.027	0.020	10.49	10.70	6.30	6.90
2018	May	4.70	2.10	55.00	0.038	0.030	8.56	8.80	13.60	13.80
2019	April	2.00	4.50	55.00	0.036	0.039	11.67	11.74	3.30	3.80
2020	April	5.4	1.60	60.00	ND	ND	11.61	11.75	5.20	5.30
2021	April	3.11	0.80	50.00	0.022	0.030	10.83	11.04	10.90	11.00
<b>Minimum</b>	March/April/May/June	2.00	0.80	30.00	0.022	0.020	7.30	7.60	3.20	3.20
<b>Maximum</b>	March/April/May/June	5.40	4.50	130.00	0.038	0.080	11.67	11.75	18.80	19.60
<b>Average</b>	March/April/May/June	3.69	2.20	68.13	0.031	0.037	10.14	10.37	8.84	9.15
2014	July	3.30	3.00	100.00	0.037	0.038	6.30	7.20	20.70	21.20
2015	July	3.50	4.00	80.00	0.026	0.027	6.59	6.88	20.90	21.30
2016	July	3.70	6.70	45.00	0.021	0.026	6.80	6.93	22.80	22.80
2017	July	4.00	3.50	30.00	0.028	0.029	6.43	6.94	22.90	23.30
2018	July	3.80	5.60	45.00	0.031	0.029	6.36	6.87	23.50	23.80
2019	July	5.20	3.90	20.00	0.030	0.026	7.19	7.64	23.20	25.00
2020	July	3.40	1.90	30.00	0.032	0.033	7.58	7.77	21.6	22.20
2021	July	5.00	4.70	20.00	0.025	0.023	7.07	7.49	24.00	24.40
<b>Minimum</b>	July	3.30	1.90	20.00	0.021	0.023	6.30	6.87	20.70	21.20
<b>Maximum</b>	July	5.20	6.70	100.00	0.037	0.038	7.58	7.77	24.00	25.00
<b>Average</b>	July	3.99	4.16	46.25	0.029	0.029	6.79	7.22	22.45	23.00
2014	August	3.00	5.50	100.00	0.029	0.033	6.35	6.91	21.60	21.90
2015	August	4.00	14.00	70.00	0.031	*	6.96	7.21	22.10	22.20
2016	August	4.90	7.20	30.00	0.026	0.096	5.98	6.42	24.10	24.10
2017	August	4.60	5.60	40.00	0.032	0.033	6.77	7.23	21.00	20.90
2018	August	4.30	12.00	45.00	0.027	0.033	6.82	6.93	22.60	22.70
2019	August	2.11	6.90	35.00	0.031	0.027	6.93	7.48	21.90	22.50
2020	August	3.00	4.50	55.00	0.013	0.009	8.37	8.57	22.30	22.40
2021	August	4.30	4.80	40.00	0.028	ND	6.11	7.59	22.30	22.40
<b>Minimum</b>	August	2.11	4.50	30.00	0.013	0.009	5.98	6.42	21.00	20.00
<b>Maximum</b>	August	4.90	14.00	100.00	0.032	0.096	8.37	8.57	24.10	24.10
<b>Average</b>	August	3.78	7.56	51.88	0.027	0.039	6.79	7.29	22.24	22.39

\* No sample taken



**Appendix C – Flambeau (Lower) Impoundment Project Sampling Logs**

# IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Lower Flumbean  
 Hydroelectric Project - FERC # 2421  
 Date: 7-14-21

Pre-Sampling Data:

HWL 1117.29 TWL 1118.5 CFS 448  
 Sample Location: N45°54.828' W90°26.282'

Performed by: Angie Spive Sean Caron  
 Time: 11:23 Barometer: 29.99  
 Air Temp: 77°F Wind Speed: 52 mph  
 Sky Conditions: 100% Clouds

Precipitation within Last 24 Hours: yes  
D.O. Meter Calibration:

Instrument Model Used: HQ40D  
 Were the batteries changed?  Yes  No  
 If yes, when were they changed: \_\_\_\_\_  
 Battery Status: 95 % Charge

Calibration Method: Factory  
Sampling Depth Profile: Measured depth to bottom of impoundment: 16 Feet

Secchi Depth (± 0.1)	
Time <u>11:23</u>	<u>5.0</u> Feet

Comments:

Chlorophyll $\alpha$ (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>11:25</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative		MgCO <sub>3</sub>


True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>11:25</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>11:25</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>11:29</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>11:22:47</u>	<u>7.49</u>	<u>24.4</u>
3	<u>11:23:19</u>	<u>7.43</u>	<u>24.2</u>
6	<u>11:24:05</u>	<u>7.24</u>	<u>24.1</u>
9	<u>11:24:22</u>	<u>7.21</u>	<u>24.1</u>
12	<u>11:25:05</u>	<u>7.17</u>	<u>24.0</u>
15	<u>11:25:35</u>	<u>7.15</u>	<u>24.0</u>
18/16	<u>11:26:35</u>	<u>7.07</u>	<u>24.0</u>
21			
24			
0.5 above bottom	<u>11:27:20</u>	<u>7.08</u>	<u>24.0</u>

\*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



# IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Flamborough Lower

Hydroelectric Project - FERC # 2421

Date: 4-21

Pre-Sampling Data:

HWL 1467.34 TWL 1448.6 CFS 607

Sample Location: N 45° 54.828 W 90° 26.282

Performed by: A. Shinn S. Coon

Time: 8:30 Barometer: 29.79

Air Temp: 50 °F Wind Speed: ENE 4 mph

Sky Conditions: 100 clouds

Precipitation within Last 24 Hours: up

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed?  Yes  No

If yes, when were they changed: \_\_\_\_\_

Battery Status: 70 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 19 Feet

Time	Secchi Depth (± 0.1) Feet
<u>8:31</u>	<u>3' 11"</u>

Comments:

Chlorophyll <i>a</i> (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>8:37</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO <sub>3</sub>	

True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>8:37</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>8:37</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>8:35</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>8:32.07</u>	<u>11.04</u>	<u>11.0</u>
3	<u>8:34.02</u>	<u>11.01</u>	<u>10.9</u>
6	<u>8:35.35</u>	<u>10.99</u>	<u>10.9</u>
9	<u>8:35.57</u>	<u>11.00</u>	<u>10.9</u>
12	<u>8:36.23</u>	<u>10.96</u>	<u>10.9</u>
15	<u>8:36.49</u>	<u>10.95</u>	<u>10.9</u>
18	<u>8:37.22</u>	<u>10.93</u>	<u>10.93</u>
21/19	<u>8:38.15</u>	<u>10.83</u>	<u>10.9</u>
24			
0.5 above bottom	<u>8:38.53</u>	<u>10.87</u>	<u>10.9</u>

\*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



# IMPOUNDMENT SAMPLING LOG

Water Quality Study Location lower Flambeau

Hydroelectric Project - FERC # 2421

Date: 8-5-21

Pre-Sampling Data:

HWL 447.23 TWL 448.4 CFS 410

Sample Location: N45°51.828 W90°26.282

Performed by:

B. Kemppainen Sean Caron

Time: 8:15 Barometer: 29.98

Air Temp: 66 °F Wind Speed: 5.8 mph

Sky Conditions: 50 % clouds

Precipitation within Last 24 Hours: NO

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed?  Yes  No

If yes, when were they changed: 5

Battery Status: 50 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 16 Feet

Secchi Depth (± 0.1)		
Time	<u>8:18</u>	<u>4.3</u> Feet

Comments:

Chlorophyll <i>a</i> (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time	Quantity (ml)	Filtered
<u>8:20</u>	1000	In Lab
Preservative		MgCO <sub>3</sub>

True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time:	<u>8:20</u>

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time	<u>8:20</u>
Preservative	
H <sub>2</sub> SO <sub>4</sub>	

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time	<u>8:23</u>
Preservative	
H <sub>2</sub> SO <sub>4</sub>	

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>8:19:26</u>	<u>7.59</u>	<u>22.3</u>
3	<u>8:20:05</u>	<u>7.53</u>	<u>22.2</u>
6	<u>8:20:32</u>	<u>7.51</u>	<u>22.4</u>
9	<u>8:20:58</u>	<u>7.50</u>	<u>22.4</u>
12	<u>8:21:21</u>	<u>7.44</u>	<u>22.4</u>
15	<u>8:22:43</u>	<u>6.31</u>	<u>22.4</u>
<u>18 16</u>	<u>8:23:11</u>	<u>6.11</u>	<u>22.4</u>
21			
24			
0.5 above bottom	<u>8:23:11</u>	<u>6.11</u>	<u>22.4</u>

\*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.

**Appendix D – Flambeau (Lower) Hydroelectric Project Lab Reports and  
Chains of Custody**



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE**WWA Job #:** 93994

---

**Project:** Monitoring**Date Received:** 4/8/2021**Date Reported:** 5/12/2021

---

<b>Sample Number</b>	<b>Client Sample ID</b>	<b>Date/Time Sampled</b>	<b>Sample Matrix</b>
93994-001	Upper Flambeau Surface	4/7/2021 7:57	Water
93994-002	Upper Flambeau Bottom	4/7/2021 8:02	Water
93994-003	Lower Flambeau Surface	4/7/2021 8:37	Water
93994-004	Lower Flambeau Bottom	4/7/2021 8:35	Water
93994-005	Pixley Surface	4/7/2021 11:04	Water
93994-006	Pixley Bottom	4/7/2021 11:08	Water
93994-007	Crowley Surface	4/7/2021 12:00	Water
93994-008	Crowley Bottom	4/7/2021 12:04	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE

**WWA Job #:** 93994

---

**Comments (if any):**

**Key to Laboratory Flags:**

- \*: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit  
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)  
For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

**Sample Types:**

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

**Approved By:** Electronically signed by Bette J. Premo

*Bette J. Premo*

WI DNR Lab Certification Number: 999971280  
MI EGLE Certification Number: 9306  
DoD-ELAP Accreditation Number: 65802 by PJLA  
for Environmental Testing  
ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 93994

Project: Monitoring

Date Received: 4/8/2021

Date Reported: 5/12/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>93994-001 / Upper Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	1.6		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	50	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.021	J	mg/L	4/14/2021 11:49	365.4	0.008	0.050	NK
<b>93994-002 / Upper Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.017	J	mg/L	4/14/2021 11:51	365.4	0.008	0.050	NK
<b>93994-003 / Lower Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	0.80		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	50	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.022	J	mg/L	4/14/2021 11:52	365.4	0.008	0.050	NK
<b>93994-004 / Lower Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.030	J	mg/L	4/14/2021 11:52	365.4	0.008	0.050	NK
<b>93994-005 / Pixley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	2.4		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	55	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.020	J	mg/L	4/14/2021 11:54	365.4	0.008	0.050	NK

---

 ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,  
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)





429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 93994

Project: Monitoring

Date Received: 4/8/2021

Date Reported: 5/12/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>93994-006 / Pixley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.023	J	mg/L	4/14/2021 11:55	365.4	0.008	0.050	NK
<b>93994-007 / Crowley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	2.9		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	60	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.026	J	mg/L	4/14/2021 11:55	365.4	0.008	0.050	NK
<b>93994-008 / Crowley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.028	J	mg/L	4/14/2021 11:56	365.4	0.008	0.050	NK

---

Job # (WWA office use): 93994 CHAIN-OF-CUSTODY RECORD



429 River Lane, P.O. Box 27  
Amasa, Michigan 49803  
Phone: (906) 822-7889, Fax -7977  
Web: white-water-associates.com

CLIENT NAME / BILL TO <u>RWE</u>			EMAIL ADDRESS														
ADDRESS			TELEPHONE														
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN#			ANALYSIS TYPE REQUESTED (Attach list if needed)											
SAMPLER NAME (print first/last name) <u>Angie Shea</u>		COUNTY OF LOCATION	PAGE <u>1</u> OF <u>1</u>			Indicate if more than one page of COC records used											
SAMPLER'S SIGNATURE 			Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.														
SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	SAMPLE MATRIX					CONTAINERS / PRESERVATIVES					Total Number of Containers				
			Drinking water	Aqueous	Secd.	Soil	Other:	None	H2SO4	HNO3	HCl	NaOH		ZnAc/NaOH	Na Thio		
<u>1 Upper Flambeau Surface</u>	<u>4/21</u>	<u>7:57</u>	X					X	X					<u>3</u>	X	X	X
<u>2 Upper Flambeau Bottom</u>		<u>8:02</u>												<u>1</u>		X	
<u>3 Lower Flambeau Surface</u>		<u>8:37</u>						X						<u>3</u>	X	X	X
<u>4 Lower Flambeau Bottom</u>		<u>8:35</u>												<u>1</u>		X	
<u>5 Pixley Surface</u>		<u>11:04</u>						X						<u>3</u>	X	X	X
<u>6 Pixley Bottom</u>		<u>11:08</u>												<u>1</u>		X	
<u>7 Crowley Surface</u>		<u>12:00</u>						X						<u>3</u>	X	X	X
<u>8 Crowley Bottom</u>		<u>12:04</u>												<u>1</u>		X	
Relinquished by: 	Date: <u>7/5/21</u>	Time: <u>16:49</u>	Received by: 			Date:	Time:	Comments/Sample temp. on receipt:					Packing: Ice Cooler <input checked="" type="checkbox"/>				
Relinquished by:	Date:	Time:	Received by: 			Date: <u>4/8/21</u>	Time: <u>8:30</u>										

Instructions to White Water  
Send my report by:  
 email  
 mail

Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.

REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

Chl a (mg/L)  
T Phos  
Color



## Login Checklist

Project No.: 93994      Date logged in.: 4/8/2021      Login person's initials: JT  
Client: RWE      Number of coolers: 1  
Project name: Monitoring      Courier/shipper: WWA

- 1. Custody seals/original packing tape were intact (if applicable).
- 2. Samples are in good condition, i.e. not broken or leaking.
- 3. Samples were received within holding times.
- 4. Samples were received on ice (in direct contact with the samples).
- 5. Temperature of the samples was between 0-6°C. Temp.:

NOTES on #4:

NOTE: Samples not between 0-6°C that are received at the laboratory on the day of sample collections do not require client notification.

- 6. Samples matched the Chain of Custody (COC).
- 7. Proper containers were used.
- 8. Samples were collected in White Water lab containers.
- 9. There is adequate sample volume for requested analyses and QC.
- 10. For water VOC samples, headspace is less than the size of a pea.
- 11. Samples are preserved to the proper pH. Sample bottles and preservation are noted in LIMS Sample Container Section.
- 12. The COC is signed. (either Sampler or Relinquished by)
- 13. Sub-sampling (SS) is required. Bottles created are noted in sample containers section of log-in form.
- 14. For Dissolved Analysis (when applicable), samples were filtered in the lab.
- 15. For soil VOCs, methanol preserved samples were received.
- 16. For Soil VOCs, samples were preserved with methanol in the lab.
- 17. Client contact is necessary. Provide documentation below.

**COMMENTS/CORRECTIVE ACTION**

**CLIENT RESPONSE**

Note: If hold time, volume, and received on ice or temperature criteria are not met when required by the method, results may not be able to be used for regulatory purposes. Check with your reporting agency for more information.



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE**WWA Job #:** 95726

---

**Project:** Monitoring**Date Received:** 7/15/2021**Date Reported:** 8/2/2021

---

<b>Sample Number</b>	<b>Client Sample ID</b>	<b>Date/Time Sampled</b>	<b>Sample Matrix</b>
95726-001	Upper Flambeau Surface	7/14/2021 7:45	Water
95726-002	Upper Flambeau Bottom	7/14/2021 7:48	Water
95726-003	Lower Flambeau Surface	7/14/2021 11:25	Water
95726-004	Lower Flambeau Bottom	7/14/2021 11:29	Water
95726-005	Pixley Surface	7/14/2021 13:17	Water
95726-006	Pixley Bottom	7/14/2021 13:22	Water
95726-007	Crowley Surface	7/14/2021 14:09	Water
95726-008	Crowley Bottom	7/14/2021 14:12	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE

**WWA Job #:** 95726

---

**Comments (if any):**

**Key to Laboratory Flags:**

- \*: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit  
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)  
For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

**Sample Types:**


S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

**Approved By:** Electronically signed by Bette J. Premo



---

WI DNR Lab Certification Number: 999971280  
MI EGLE Certification Number: 9306  
DoD-ELAP Accreditation Number: 65802 by PJLA  
for Environmental Testing  
ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 95726

Project: Monitoring

Date Received: 7/15/2021

Date Reported: 8/2/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>95726-001 / Upper Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	3.6		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	25		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.015	J	mg/L	7/23/2021 14:22	365.4	0.008	0.050	NK
<b>95726-002 / Upper Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.024	J	mg/L	7/23/2021 14:23	365.4	0.008	0.050	NK
<b>95726-003 / Lower Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	4.7		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	20		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.025	J	mg/L	7/23/2021 14:23	365.4	0.008	0.050	NK
<b>95726-004 / Lower Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.023	J	mg/L	7/23/2021 14:24	365.4	0.008	0.050	NK
<b>95726-005 / Pixley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	11		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	25		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.026	J	mg/L	7/30/2021 12:58	365.4	0.008	0.050	NK

---

 ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,  
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 95726

Project: Monitoring

Date Received: 7/15/2021

Date Reported: 8/2/2021

**Sample Results**

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	QL	Analyst
<b>95726-006 / Pixley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.021	J	mg/L	7/30/2021 13:00	365.4	0.008	0.050	NK
<b>95726-007 / Crowley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	8.9		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	30		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.031	J	mg/L	7/30/2021 13:01	365.4	0.008	0.050	NK
<b>95726-008 / Crowley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.027	J	mg/L	7/30/2021 13:01	365.4	0.008	0.050	NK

Job # (WWA office use): **95 726** CHAIN-OF-CUSTODY RECORD

Version  
160504



429 River Lane, P.O. Box 27  
Amasa, Michigan 49803  
Phone: (906) 822-7869, Fax -7977  
Web: white-water-associates.com

CLIENT NAME / BILL TO <b>RWE</b>			EMAIL ADDRESS		
ADDRESS			TELEPHONE		
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN# <b>Monitoring</b>		
SAMPLER NAME (print first/last name) <b>Angie Smith</b>			COUNTY OF LOCATION	PAGE <b>1</b> OF <b>1</b>	Indicate if more than one page of COC records used
SAMPLER'S SIGNATURE <i>Angie Smith</i>			Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.		

ANALYSIS TYPE REQUESTED (Attach list if needed)

Instructions to White Water  
Send my report by:  
 email  
 mail

Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.

REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	SAMPLE MATRIX						CONTAINERS / PRESERVATIVES						Total Number of Containers	CPLA	TPHOS	Color			
			Drinking water	Aqueous	Sed.	Soil	Other	None	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Na Thio							
1 Upper Plumbum Surface	7/14/21	7:45	X						X	X								3	X	X	X
2 Upper Plumbum Bottom		7:48																1	X	X	X
3 Lower Plumbum Surface		11:25							X									3	X	X	X
4 Lower Plumbum Bottom		11:29																1	X	X	X
5 Kiley Surface		13:17							X									3	X	X	X
6 Kiley Bottom		13:22																1	X	X	X
7 Crawley Surface		14:09							X									3	X	X	X
8 Crawley Bottom		14:12																1	X	X	X

Relinquished by: <i>Angie Smith</i>	Date: 7/14/21	Time: 5:33	Received by: <i>[Signature]</i>	Date: 7/15/21	Time: 8:00	Comments/Sample temp. on receipt: 1	Packing: Ice <input checked="" type="checkbox"/> Cooler <input type="checkbox"/>
--	------------------	---------------	------------------------------------	------------------	---------------	--	--

WHITE - RETURN W/ REPORT

CANARY - W/ SAMPLES

PINK - CUSTOMER

UPS  FedEx  USPS  Client  Other WWA





## Login Checklist

Project No.: 95726      Date logged in.: 7/15/2021      Login person's initials: JT  
Client: RWE      Number of coolers: 1  
Project name: Monitoring      Courier/shipper: WWA

- 1. Custody seals/original packing tape were intact (if applicable).
- 2. Samples are in good condition, i.e. not broken or leaking.
- 3. Samples were received within holding times.
- 4. Samples were received on ice (in direct contact with the samples).
- 5. Temperature of the samples was between 0-6°C. Temp.:
- 6. Samples matched the Chain of Custody (COC).
- 7. Proper containers were used.
- 8. Samples were collected in White Water lab containers.
- 9. There is adequate sample volume for requested analyses and QC.
- 10. For water VOC samples, headspace is less than the size of a pea.
- 11. Samples are preserved to the proper pH. Sample bottles and preservation are noted in LIMS Sample Container Section.
- 12. The COC is signed. (either Sampler or Relinquished by)
- 13. Sub-sampling (SS) is required. Bottles created are noted in sample containers section of log-in form.
- 14. For Dissolved Analysis (when applicable), samples were filtered in the lab.
- 15. For soil VOCs, methanol preserved samples were received.
- 16. For Soil VOCs, samples were preserved with methanol in the lab.
- 17. Client contact is necessary. Provide documentation below.

NOTES on #4:

--

NOTE: Samples not between 0-6°C that are received at the laboratory on the day of sample collections do not require client notification.

COMMENTS/CORRECTIVE ACTION

CLIENT RESPONSE

Note: If hold time, volume, and received on ice or temperature criteria are not met when required by the method, results may not be able to be used for regulatory purposes. Check with your reporting agency for more information.



429 River Lane • PO Box 27 Amasa, MI 49803 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE**WWA Job #:** 96118

---

**Project:** Monitoring**Date Received:** 8/5/2021**Date Reported:** 9/12/2021

---

<b>Sample Number</b>	<b>Client Sample ID</b>	<b>Date/Time Sampled</b>	<b>Sample Matrix</b>
96118-001	Upper Flambeau Surface	8/5/2021 7:48	Water
96118-002	Upper Flambeau Bottom	8/5/2021 7:51	Water
96118-003	Lower Flambeau Surface	8/5/2021 8:20	Water
96118-004	Lower Flambeau Bottom	8/5/2021 8:23	Water
96118-005	Pixley Surface	8/5/2021 10:34	Water
96118-006	Pixley Bottom	8/5/2021 10:38	Water
96118-007	Crowley Surface	8/5/2021 12:31	Water
96118-008	Crowley Bottom	8/5/2021 12:35	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 96118

**Comments (if any):**

**Key to Laboratory Flags:**

- \*: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit  
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)  
 For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

**Sample Types:**

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract


All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

**Approved By:** Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280  
 MI EGLE Certification Number: 9306  
 DoD-ELAP Accreditation Number: 65802 by PJLA  
 for Environmental Testing  
 ISO/IEC 17025:2005 Accredited



Client: RWE

WWA Job #: 96118

Project: Monitoring

Date Received: 8/5/2021

Date Reported: 9/12/2021

### Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>96118-001 / Upper Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	4.6		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	40		CU	9/8/2021 15:45	2120B	5	5	NK
Total Phosphorus LL (t)	0.016	J	mg/L	8/10/2021 15:44	365.4	0.008	0.050	NK
<b>96118-002 / Upper Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.028	JM	mg/L	8/10/2021 15:47	365.4	0.008	0.050	NK
<b>96118-003 / Lower Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	4.8		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	40		CU	9/8/2021 15:47	2120B	5	5	NK
Total Phosphorus LL (t)	0.028	J	mg/L	8/10/2021 15:49	365.4	0.008	0.050	NK
<b>96118-004 / Lower Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	ND		mg/L	8/10/2021 15:51	365.4	0.008	0.050	NK
<b>96118-005 / Pixley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	6.9		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	35		CU	9/8/2021 15:48	2120B	5	5	NK
Total Phosphorus LL (t)	0.025	J	mg/L	8/10/2021 15:51	365.4	0.008	0.050	NK

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,  
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 96118

Project: Monitoring

Date Received: 8/5/2021

Date Reported: 9/12/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>96118-006 / Pixley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	ND		mg/L	8/10/2021 15:52	365.4	0.008	0.050	NK
<b>96118-007 / Crowley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	6.8		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	45		CU	9/8/2021 15:49	2120B	5	5	NK
Total Phosphorus LL (t)	0.024	J	mg/L	8/10/2021 15:52	365.4	0.008	0.050	NK
<b>96118-008 / Crowley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.027	J	mg/L	8/10/2021 15:54	365.4	0.008	0.050	NK

---

CHAIN-OF-CUSTODY RECORD

Job # (WWA office use): 96118



429 River Lane, P.O. Box 27  
Amasa, Michigan 49903  
Phone: (906) 822-7889, Fax -7977  
Web: white-water-associates.com

CLIENT NAME / BILL TO: RUSE  
ADDRESS: \_\_\_\_\_  
CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_  
CONTRACT / PO / PROJECT NAME / WSSN#: \_\_\_\_\_  
COUNTY OF LOCATION: Monitoring PAGE 1 OF 1  
SAMPLER NAME (print first/last name): Breanna Kemppinen  
SAMPLER'S SIGNATURE: Breanna Kemppinen  
Indicate if more than one page of COC records used: \_\_\_\_\_  
Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.

SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	SAMPLE MATRIX						CONTAINERS / PRESERVATIVES						Total Number of Containers	REMARKS (Note any special instructions provided by client or WWA lab staff. Also note any residual chlorine.)	
			Drinking water	Aqueous	Sed.	Soil	Other:	None	H2SO4	HNO3	HCl	NaOH	Na Thio	Other:			
1 Upper Flobearum Surface	8-5-21	7:48	X								X					3	X Chl a X T Phas X color
2 Upper Flobearum Bottom	8-5-21	7:51														1	
3 Lower Flobearum Surface	8-5-21	8:20									X					3	X
4 Lower Flobearum Bottom	8-5-21	8:23									X					1	X
5 Vinkes Surface	8-5-21	10:34									X					3	X
6 Vinkes Bottom	8-5-21	10:38														1	X
7 Crinslow Surface	8-5-21	12:31									X					3	X
8 Crinslow Bottom	8-5-21	12:35														1	X

INSTRUCTIONS TO WHITE WATER  
Send my report by: \_\_\_\_\_ email \_\_\_\_\_ mail \_\_\_\_\_  
Unless otherwise noted, drinking water report copies are sent to EGLE and Health Dept.  
Packing: Ice  Cooler

Comments/sample temp on receipt: 3

Relinquished by: [Signature] Date: 8-5-21 Time: 9:29  
Relinquished by: [Signature] Date: 8/5/21 Time: 14:30

USPS  FedEx  USPS  Client  Other WWA

CANARY - WJ SAMPLES  
PINK - CUSTOMER

WHITE - RETURN W/ REPORT

# Report

2021 Water Quality Monitoring Data

for the

Flambeau (Pixley) Hydroelectric Project

FERC Project #2395

Flambeau Hydro, LLC

North Fork of the Flambeau River, Price County, Wisconsin

Respectfully Submitted by:

Angie Stine



429 River Lane, P.O. Box 27  
Amasa, Michigan 49903

Phone: 906-822-7889

## Summary Flambeau (Pixley) Hydroelectric Project – FERC #2395

2021 marked the eighteenth year of water quality sampling under FERC approved “Water Quality Monitoring Plan Per License Article 406 for the Flambeau (Pixley) Hydroelectric Project – FERC Project # 2395 – Flambeau Hydro, LLC. Monitoring was conducted on April 7, July 14, and August 5, 2021. This document contains all of the associated records for the 2021 monitoring along with summary figures and tables in four appendices: (1) Appendix A (Figures 1-4), (2) Appendix B (Tables 1-3), (3) Appendix C (sampling logs by date), and (4) Appendix D (laboratory reports and chains of custody).

A map of the Flambeau (Pixley) Hydroelectric Project is shown in Figure 1 indicating the water quality sampling location.

Monitoring results for 2021 are shown in Table 1. No unusual Temperature (Figure 2) or Dissolved Oxygen (Figure 3) readings were observed. The Secchi depths are shown in Figure 4.

In general, the weather (temperature and rainfall) during 2020-2021 monitoring season appeared slightly warmer December, February, and April through December with lower-than-normal precipitation in October, November, January, February, June, July, August, and September, and normal to high precipitation in the months of December, April, and May (Table 2).

Ice-Out occurred between Agenda and Nine Mile Landing on the North Fork of the Flambeau River sometime during the week beginning March 22, 2021. The Ice-Out sampling event occurred on April 7, 2021. River flow, based on the Flambeau (Pixley) Hydroelectric Project records was approximately 864 cubic feet per second. Sampling occurred between 10:55 a.m. and 11:08 a.m. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on April 7, 2021. White Water Associates, Inc. issued a laboratory report on August 12, 2021. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Flambeau (Pixley) Hydroelectric Project records, was approximately 506 cubic feet per second during the July 14, 2021 sampling event. Sampling occurred between 13:15 and 13:20. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on July 14, 2021. White Water Associates, Inc. issued a laboratory report on August 2, 2021. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Flambeau (Pixley) Hydroelectric Project records, was approximately 394 cubic feet per second during the August 5, 2021 sampling event. Sampling occurred between 10:32 a.m. and 10:37 p.m. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on August 5, 2021. White Water Associates, Inc. issued a laboratory report on September 12, 2021. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.




A summary of a comparison between the 2014 thru 2021 (Table 3) sampling results are as follows:


1. Water Clarity – Secchi decreased Ice Out, increased July and August
2. Chlorophyll a – Increased Ice Out and July, decreased August
3. Color – Decreased Ice Out, July, and August
4. Total Phosphorus – Increased Ice Out and August, decreased July
5. Overall, D.O. – Decreased Ice Out, increased July and August
6. Water Temperatures – Increased Ice Out and July, decreased August

The next scheduled Water Quality Monitoring at the Pixley Hydroelectric Project is set to take place in 2022 beginning with the Ice-Out sampling event.


## **Appendix A – Flambeau (Pixley) Hydroelectric Project Figures**




**Figure 2. Pixley - FERC #2395  
2021 Temperature Profiles**



**Figure 3. Pixley - FERC #2395  
2021 Dissolved Oxygen Profiles**



**Figure 4. Flambeau Pixley - FERC# 2395 Secchi Depths 2021**



**Appendix B – Flambeau (Pixley) Hydroelectric Project Tables**

Table 1. Pixley Hydroelectric Project – FERC Project # 2395: 2021 Water Quality Sampling Data

	Ice Out April 7, 2021			July 14, 2021			August 5, 2021		
<b>Project Flow (c.f.s)</b>	864			506			394		
<b>Dissolved Oxygen</b>	<b>Time</b>	<b>D.O. (mg/L)</b>	<b>Water Temp. (°C)</b>	<b>Time</b>	<b>D.O. (mg/L)</b>	<b>Water Temp. (°C)</b>	<b>Time</b>	<b>D.O. (mg/L)</b>	<b>Water Temp. (°C)</b>
0.5 feet below surface	11:04.13	11.02	11.7	13:14.33	9.20	25.4	10:34.09	8.51	23.2
3 feet below surface	11:04.45	11.04	11.0	13:15.05	8.85	25.0	10:34.30	8.50	23.2
6 feet below surface	11:05.11	11.06	10.9	13:15.58	8.53	24.7	10:34.52	8.43	23.3
9 feet below surface	11:05.38	11.06	10.7	13:16.39	8.32	24.5	10:35.23	8.07	23.2
12 feet below surface	11:06.04	11.04	10.6	13:17.23	8.01	24.4	10:35.51	7.23	23.0
15 feet below surface	11:06.31	10.97	10.4	13:17.59	7.31	24.2	10:36.01	6.66	22.6
18 feet below surface	11:07.46	10.29	9.8	13:18.39	6.02	23.8	10:36.40	6.16	22.4
20 feet below surface				13:19.33	6.04	23.7			
0.5 meter above bottom	11:08.27	10.30	9.5	13:20.25	5.94	23.7	10:37.06	6.13	22.4
<b>Secchi Disk</b>	<b>Time</b>	<b>Depth (ft)</b>		<b>Time</b>	<b>Depth (ft)</b>		<b>Time</b>	<b>Depth (ft)</b>	
Feet below surface	11:03	3.2		13:16	4.9		10:32	3.10	
<b>Chlorophyll <i>a</i></b>	<b>Time</b>	<b>µg/L</b>		<b>Time</b>	<b>µg/L</b>		<b>Time</b>	<b>µg/L</b>	
3 feet below surface	11:04	2.4		13:17	11		10:34	6.9	
<b>Color (True)</b>	<b>Time</b>	<b>C.P.U. Units</b>	<b>LOD</b>	<b>Time</b>	<b>C.P.U. Units</b>	<b>LOD</b>	<b>Time</b>	<b>C.P.U. Units</b>	<b>LOD</b>
3 feet below surface	11:04	55.00	5*	13:17	25.00	5*	10:34	35.00	5*
<b>Total Phosphorus</b>	<b>Time</b>	<b>mg/L</b>	<b>LOD</b>	<b>Time</b>	<b>mg/L</b>	<b>LOD</b>	<b>Time</b>	<b>mg/L</b>	<b>LOD</b>
3 feet below surface	11:04	0.020	0.01*	13:17	0.026	0.008*	10:34	0.025	0.008*
3 feet above bottom	11:08	0.023	0.01*	13:22	0.021	0.008*	10:38	ND	0.008*

\*Considered Method Detection Limit N/A = Not Applicable



Table 2. 2020/21 Water Year Monthly Temperature and Precipitation for Park Falls, Wisconsin

Month	Highest Temp.	Lowest Temp.	Average Temp.	Departure From Normal	Heating Degree Days	Normal Degree Days	Total Precip.	Total Snowfall	Normal Precip.	% of Normal Precipitation
October - 20	81	28	54.6	-1.0	305	298	0.85	0.00	4.11	69
November - 20	80	13	38.0	-5.2	831	678	2.78	12.0	2.85	66
December - 20	75	11	33.3	4.5	948	1088	2.45	19.2	2.09	70
January – 21	44	-12	19.7	-0.22	1394	1556	0.99	16.5	1.21	75
February – 21	38	-14	17.9	7.7	1453	1699	0.61	9.1	0.96	75
March – 21	42	-35	7.2	-7.9	1612	1399	0.53	8.6	0.81	65
April – 21	61	0	33.2	7.3	979	1210	2.64	8.7	2.64	64
May – 21	66	12	41	1.4	713	762	2.91	2.3	2.43	67
June – 21	83	26	53.5	1.5	372	410	1.88	0.00	3.37	60
July – 21	94	41	66.6	5.4	54	152	1.79	0.00	4.39	67
August – 21	92	40	68.2	1.2	41	50	2.75	0.00	3.92	67
September - 21	89	46	68.6	3.1	24	64	2.44	0.00	3.73	70

Source: NOAA/Duluth, MN

**Table 3. Flambeau Pixley Project Sampling Comparison Table: 2014 Thru Current Year**

Year	Month	Secchi Depth	Chlorophyll <i>a</i>	Color (True)	Total Phosphorus	Total Phosphorus	Low D.O.	High D.O.	Low Water Temp.	High Water Temp.
		Feet	µg/L	C.P.U. Units	Below Surface mg/L	Above Bottom mg/L	mg/L	mg/L	° C	° C
2014	June	3.00	1.40	130.00	0.030	0.031	6.70	6.94	19.00	22.30
2015	April	3.60	1.30	130.00	0.037	0.030	9.55	9.84	8.70	10.90
2016	March	3.60	0.40	35.00	0.030	0.030	11.19	11.69	3.00	3.30
2017	April	4.20	3.90	35.00	0.028	0.025	9.81	9.88	7.30	8.60
2018	May	3.7	8.00	45.00	0.038	0.033	7.92	8.25	14.4	14.5
2019	April	2.20	2.50	45.00	0.036	0.048	11.82	12.19	3.60	4.60
2020	April	4.20	1.10	60.00	ND	ND	11.39	11.66	5.30	5.50
2021	April	3.20	2.40	55.00	0.020	0.023	10.29	11.06	9.5	11.7
<b>Minimum</b>	March/April/May/June	2.20	0.40	35.00	0.028	0.025	6.70	6.94	3.00	3.30
<b>Maximum</b>	March/April/May/June	4.20	8.00	130.00	0.038	0.048	11.82	12.19	19.00	22.30
<b>Average</b>	March/April/May/June	3.46	2.63	66.88	0.033	0.033	9.83	10.19	8.85	10.18
2014	July	3.00	5.40	130.00	0.047	0.050	6.02	7.28	21.20	21.90
2015	July	3.20	4.20	80.00	0.032	0.031	5.40	6.43	21.60	21.80
2016	July	3.70	8.10	45.00	0.033	0.180	6.11	6.65	23.20	26.30
2017	July	4.00	6.30	35.00	0.036	0.110	6.00	7.32	23.50	25.10
2018	July	3.90	6.30	45.00	0.045	0.036	5.88	6.90	24.60	26.80
2019	July	4.00	12.00	25.00	0.041	0.034	6.22	8.27	23.40	26.40
2020	July	2.50	2.70	35.00	0.034	0.033	6.79	7.19	22.50	22.90
2021	July	4.90	11.0	25.00	0.026	0.021	5.94	9.20	23.70	25.4
<b>Minimum</b>	July	2.50	2.70	25.00	0.026	0.021	5.40	6.43	21.20	21.80
<b>Maximum</b>	July	4.90	12.00	130.00	0.047	0.180	6.79	9.20	24.60	26.80
<b>Average</b>	July	3.65	7.00	52.50	0.037	0.062	6.05	7.41	22.96	24.58
2014	August	3.70	6.20	100.00	0.037	0.035	6.18	6.56	22.30	22.60
2015	August	2.80	20.00	60.00	0.037	0.031	6.42	7.92	22.40	23.50
2016	August	3.20	15.00	45.00	0.036	0.048	3.93	7.82	23.50	25.30
2017	August	4.00	12.00	40.00	0.032	0.027	5.83	8.14	20.30	22.10
2018	August	3.80	19.00	50.00	0.040	0.040	6.37	6.88	22.80	22.60
2019	August	3.90	7.40	40.00	0.025	0.025	6.11	7.76	22.80	23.50
2020	August	3.00	9.60	60.00	0.0051	0.017	7.82	8.59	23.00	26.10
2021	August	3.10	6.90	35.00	0.025	ND	6.13	8.51	22.40	23.20
<b>Minimum</b>	August	2.80	6.20	35.00	0.005	0.017	3.93	6.56	20.30	22.10
<b>Maximum</b>	August	4.00	20.00	100.00	0.040	0.048	7.82	8.81	23.50	26.10
<b>Average</b>	August	3.44	12.01	53.75	0.030	0.032	6.10	7.81	22.41	23.64

\*no sample taken

## **Appendix C – Flambeau (Pixley) Impoundment Project Sampling Logs**

# IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Pixley  
 Hydroelectric Project - FERC # 2395  
 Date: 4-7-21

Pre-Sampling Data:

HWL 1448.11 TWL 1427.7 CFS 864  
 Sample Location: N45° 52.838 W 090° 30.684

Performed by: A. Skene S. Carr

Time: 10:55 Barometer: 29.706  
 Air Temp: 57 °F Wind Speed: EAmp

Sky Conditions: 50% clouds

Precipitation within Last 24 Hours: yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed?  Yes  No

If yes, when were they changed: \_\_\_\_\_

Battery Status: 20 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 18 Feet

Secchi Depth (± 0.1)	
Time <u>11:00</u>	<u>3' 2"</u> Feet

Comments:

Chlorophyll $\alpha$ (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>11:04</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative		MgCO <sub>3</sub>

True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>11:04</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>11:04</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>11:08</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>11:04:13</u>	<u>11.02</u>	<u>11.7</u>
3	<u>11:04:45</u>	<u>11.04</u>	<u>11.0</u>
6	<u>11:05:11</u>	<u>11.06</u>	<u>10.9</u>
9	<u>11:05:38</u>	<u>11.06</u>	<u>10.7</u>
12	<u>11:06:04</u>	<u>11.04</u>	<u>10.6</u>
15	<u>11:06:31</u>	<u>10.97</u>	<u>10.4</u>
18	<u>11:07:06</u>	<u>10.29</u>	<u>9.8</u>
21			
24			
0.5 above bottom	<u>11:08:27</u>	<u>10.30</u>	<u>9.5</u>

\*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



# IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Pixley  
 Hydroelectric Project - FERC # 2395  
 Date: 7/14/21

Pre-Sampling Data:

HWL 1446.21 TWL 1427.55 CFS 504  
 Sample Location N 45° 52.838  
W 090° 30.684

Performed by: Angie Strie Sean Carr  
 Time: 13:15 Barometer: 29.96

Air Temp: 77°F Wind Speed: 5SE 3mph

Sky Conditions: 100% Clouds

Precipitation within Last 24 Hours: yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed?  Yes  No

If yes, when were they changed: \_\_\_\_\_

Battery Status: 95 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 19 Feet

Secchi Depth ( $\pm 0.1$ )		
Time	<u>13:16</u>	<u>4'9"</u> Feet

Comments:

Chlorophyll $\alpha$ (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>13:17</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative		MgCO <sub>3</sub>


True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>13:17</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>13:17</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>13:22</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>1:14:33</u>	<u>9.20</u>	<u>25.4</u>
3	<u>1:15:05</u>	<u>8.85</u>	<u>25.0</u>
6	<u>1:15:58</u>	<u>8.53</u>	<u>24.7</u>
9	<u>1:16:39</u>	<u>8.32</u>	<u>24.5</u>
12	<u>1:17:23</u>	<u>8.01</u>	<u>24.4</u>
15	<u>1:17:59</u>	<u>7.31</u>	<u>24.2</u>
18	<u>1:18:39</u>	<u>6.02</u>	<u>23.8</u>
<u>21</u>	<u>1:19:33</u>	<u>6.04</u>	<u>23.7</u>
24			
0.5 above bottom	<u>1:20:25</u>	<u>5.94</u>	<u>23.7</u>

\*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



# IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Pixley  
 Hydroelectric Project -- FERC # 2395  
 Date: 8-5-21

Pre-Sampling Data:  
 HWL 1446.21 TWL 1427.5 CFS 394  
 Sample Location: N45°52.838 W090°30.684

Performed by: B Kemppainen Sean Cron  
 Time: 10:32 Barometer: 29.95

Air Temp: 71 °F Wind Speed: 59

Sky Conditions: 100 % clouds

Precipitation within Last 24 Hours: NO

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed?  Yes  No

If yes, when were they changed: ~

Battery Status: 50 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 17 Feet

Secchi Depth (± 0.1)		
Time	<u>10:32</u>	<u>3.10</u> Feet

Comments:

Chlorophyll $\alpha$ (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time	Quantity (ml)	Filtered
<u>10:34</u>	1000	In Lab
Preservative		MgCO <sub>3</sub>


True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>10:34</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>10:34</u>	Preservative
H <sub>2</sub> SO <sub>4</sub>	

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>10:38</u>	Preservative
H <sub>2</sub> SO <sub>4</sub>	

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>10:34.09</u>	<u>8.51</u>	<u>23.2</u>
3	<u>10:34.31</u>	<u>8.5</u>	<u>23.2</u>
6	<u>10:34.52</u>	<u>8.43</u>	<u>23.3</u>
9	<u>10:35.28</u>	<u>8.07</u>	<u>23.2</u>
12	<u>10:35.51</u>	<u>7.23</u>	<u>23.0</u>
15	<u>10:36.01</u>	<u>6.66</u>	<u>22.6</u>
<u>18.65</u>	<u>10:36.40</u>	<u>6.66</u>	<u>22.4</u>
21			
24			
0.5 above bottom	<u>10:37.02</u>	<u>6.13</u>	<u>22.4</u>

\*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



**Appendix D – Flambeau (Pixley) Hydroelectric Project Lab Reports and  
Chains of Custody**



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE**WWA Job #:** 93994

---

**Project:** Monitoring**Date Received:** 4/8/2021**Date Reported:** 5/12/2021

---

<b>Sample Number</b>	<b>Client Sample ID</b>	<b>Date/Time Sampled</b>	<b>Sample Matrix</b>
93994-001	Upper Flambeau Surface	4/7/2021 7:57	Water
93994-002	Upper Flambeau Bottom	4/7/2021 8:02	Water
93994-003	Lower Flambeau Surface	4/7/2021 8:37	Water
93994-004	Lower Flambeau Bottom	4/7/2021 8:35	Water
93994-005	Pixley Surface	4/7/2021 11:04	Water
93994-006	Pixley Bottom	4/7/2021 11:08	Water
93994-007	Crowley Surface	4/7/2021 12:00	Water
93994-008	Crowley Bottom	4/7/2021 12:04	Water





429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE

**WWA Job #:** 93994

---

**Comments (if any):**

**Key to Laboratory Flags:**

- \*: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit  
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)  
For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

**Sample Types:**

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

**Approved By:** Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280  
MI EGLE Certification Number: 9306  
DoD-ELAP Accreditation Number: 65802 by PJLA  
for Environmental Testing  
ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 93994

Project: Monitoring

Date Received: 4/8/2021

Date Reported: 5/12/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>93994-001 / Upper Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	1.6		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	50	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.021	J	mg/L	4/14/2021 11:49	365.4	0.008	0.050	NK
<b>93994-002 / Upper Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.017	J	mg/L	4/14/2021 11:51	365.4	0.008	0.050	NK
<b>93994-003 / Lower Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	0.80		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	50	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.022	J	mg/L	4/14/2021 11:52	365.4	0.008	0.050	NK
<b>93994-004 / Lower Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.030	J	mg/L	4/14/2021 11:52	365.4	0.008	0.050	NK
<b>93994-005 / Pixley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	2.4		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	55	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.020	J	mg/L	4/14/2021 11:54	365.4	0.008	0.050	NK

---

 ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,  
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 93994

Project: Monitoring

Date Received: 4/8/2021

Date Reported: 5/12/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>93994-006 / Pixley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.023	J	mg/L	4/14/2021 11:55	365.4	0.008	0.050	NK
<b>93994-007 / Crowley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	2.9		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	60	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.026	J	mg/L	4/14/2021 11:55	365.4	0.008	0.050	NK
<b>93994-008 / Crowley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.028	J	mg/L	4/14/2021 11:56	365.4	0.008	0.050	NK

---

Job # (WWA office use): **93994** CHAIN-OF-CUSTODY RECORD



429 River Lane, P.O. Box 27  
Amasa, Michigan 49803

Phone: (906) 822-7889, Fax -7977  
Web: white-water-associates.com

CLIENT NAME / BILL TO <b>RWE</b>		EMAIL ADDRESS																			
ADDRESS		TELEPHONE																			
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN# <b>Monitoring</b>																		
SAMPLER NAME (print first/last name) <b>Angie Shra</b>		COUNTY OF LOCATION	PAGE <b>1</b> OF <b>1</b> <small>Indicate if more than one page of COC records used</small>																		
SAMPLER'S SIGNATURE <i>[Signature]</i>		Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.																			
SAMPLE ID AND LOCATION <small>Containers for each sample may be combined on one line.</small>	DATE	TIME	SAMPLE MATRIX					CONTAINERS / PRESERVATIVES					Total Number of Containers								
			Drinking water	Aqueous	Secd.	Soil	Other:	None	H2SO4	HNO3	HCl	NaOH		ZnAc/NaOH	Na Thio						
1 Upper Flambeau Surface	4/21	7:57	X					X	X					3	X	X	X				
2 Upper Flambeau Bottom		8:02												1		X					
3 Lower Flambeau Surface		8:37						X						3	X	X	X				
4 Lower Flambeau Bottom		8:35												1		X					
5 Pixley Surface		11:04						X						3	X	X	X				
6 Pixley Bottom		11:08												1		X					
7 Crowley Surface		12:00						X						3	X	X	X				
8 Crowley Bottom		12:04												1		X					
Relinquished by:	Date:	Time:	Received by:	Date:	Time:	Comments/Sample temp. on receipt:					Packing: Ice Cooler <input checked="" type="checkbox"/>										
<i>[Signature]</i>	4/6/21	10:49	<i>[Signature]</i>	4/8/21	8:30																

ANALYSIS TYPE REQUESTED (Attach list if needed)

Chl a (mg/L)																				
T Phos																				
Color																				

Instructions to White Water  
Send my report by:  
\_\_\_\_ email  
\_\_\_\_ mail

Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.

REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)



## Login Checklist

Project No.: 93994      Date logged in.: 4/8/2021      Login person's initials: JT  
Client: RWE      Number of coolers: 1  
Project name: Monitoring      Courier/shipper: WWA

- 1. Custody seals/original packing tape were intact (if applicable).
- 2. Samples are in good condition, i.e. not broken or leaking.
- 3. Samples were received within holding times.
- 4. Samples were received on ice (in direct contact with the samples).
- 5. Temperature of the samples was between 0-6°C. Temp.:

NOTES on #4:

NOTE: Samples not between 0-6°C that are received at the laboratory on the day of sample collections do not require client notification.

- 6. Samples matched the Chain of Custody (COC).
- 7. Proper containers were used.
- 8. Samples were collected in White Water lab containers.
- 9. There is adequate sample volume for requested analyses and QC.
- 10. For water VOC samples, headspace is less than the size of a pea.
- 11. Samples are preserved to the proper pH. Sample bottles and preservation are noted in LIMS Sample Container Section.
- 12. The COC is signed. (either Sampler or Relinquished by)
- 13. Sub-sampling (SS) is required. Bottles created are noted in sample containers section of log-in form.
- 14. For Dissolved Analysis (when applicable), samples were filtered in the lab.
- 15. For soil VOCs, methanol preserved samples were received.
- 16. For Soil VOCs, samples were preserved with methanol in the lab.
- 17. Client contact is necessary. Provide documentation below.

COMMENTS/CORRECTIVE ACTION

CLIENT RESPONSE

Note: If hold time, volume, and received on ice or temperature criteria are not met when required by the method, results may not be able to be used for regulatory purposes. Check with your reporting agency for more information.



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE**WWA Job #:** 95726

---

**Project:** Monitoring**Date Received:** 7/15/2021**Date Reported:** 8/2/2021

---

<b>Sample Number</b>	<b>Client Sample ID</b>	<b>Date/Time Sampled</b>	<b>Sample Matrix</b>
95726-001	Upper Flambeau Surface	7/14/2021 7:45	Water
95726-002	Upper Flambeau Bottom	7/14/2021 7:48	Water
95726-003	Lower Flambeau Surface	7/14/2021 11:25	Water
95726-004	Lower Flambeau Bottom	7/14/2021 11:29	Water
95726-005	Pixley Surface	7/14/2021 13:17	Water
95726-006	Pixley Bottom	7/14/2021 13:22	Water
95726-007	Crowley Surface	7/14/2021 14:09	Water
95726-008	Crowley Bottom	7/14/2021 14:12	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE

**WWA Job #:** 95726

---

**Comments (if any):**

**Key to Laboratory Flags:**

- \*: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit  
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)  
For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

**Sample Types:**


S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

**Approved By:** Electronically signed by Bette J. Premo



---

WI DNR Lab Certification Number: 999971280  
MI EGLE Certification Number: 9306  
DoD-ELAP Accreditation Number: 65802 by PJLA  
for Environmental Testing  
ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 95726

Project: Monitoring

Date Received: 7/15/2021

Date Reported: 8/2/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>95726-001 / Upper Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	3.6		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	25		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.015	J	mg/L	7/23/2021 14:22	365.4	0.008	0.050	NK
<b>95726-002 / Upper Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.024	J	mg/L	7/23/2021 14:23	365.4	0.008	0.050	NK
<b>95726-003 / Lower Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	4.7		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	20		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.025	J	mg/L	7/23/2021 14:23	365.4	0.008	0.050	NK
<b>95726-004 / Lower Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.023	J	mg/L	7/23/2021 14:24	365.4	0.008	0.050	NK
<b>95726-005 / Pixley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	11		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	25		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.026	J	mg/L	7/30/2021 12:58	365.4	0.008	0.050	NK

---

 ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,  
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)





429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 95726

Project: Monitoring

Date Received: 7/15/2021

Date Reported: 8/2/2021

**Sample Results**

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>95726-006 / Pixley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.021	J	mg/L	7/30/2021 13:00	365.4	0.008	0.050	NK
<b>95726-007 / Crowley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	8.9		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	30		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.031	J	mg/L	7/30/2021 13:01	365.4	0.008	0.050	NK
<b>95726-008 / Crowley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.027	J	mg/L	7/30/2021 13:01	365.4	0.008	0.050	NK

Job # (WWA office use): 95726 CHAIN-OF-CUSTODY RECORD



429 River Lane, P.O. Box 27  
Amasa, Michigan 49903  
Phone: (906) 822-7869, Fax -7977  
Web: white-water-associates.com

CLIENT NAME / BILL TO: RWE EMAIL ADDRESS: \_\_\_\_\_  
 ADDRESS: \_\_\_\_\_ TELEPHONE: \_\_\_\_\_  
 CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_ CONTRACT / PO / PROJECT NAME / WSSN#: Monitoring  
 SAMPLER NAME (print first/last name): Angie Smith COUNTY OF LOCATION: \_\_\_\_\_ PAGE: 1 OF 1 Indicate if more than one page of COC records used  
 SAMPLER'S SIGNATURE: Angie Smith Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.

ANALYSIS TYPE REQUESTED (Attach list if needed)

Instructions to White Water  
Send my report by:  
 email  
 mail

Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.

REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

SAMPLE ID AND LOCATION <small>Containers for each sample may be combined on one line.</small>	DATE	TIME	SAMPLE MATRIX						CONTAINERS / PRESERVATIVES							Total Number of Containers			
			Drinking water	Aqueous	Sed.	Soil	Other	None	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Na Thio					
1 Upper Plumbum Surface	7/14/21	7:45	X					X	X							3	X	X	X
2 Upper Plumbum Bottom		7:48														1	X	X	
3 Lower Plumbum Surface		11:25						X								3	X	X	X
4 Lower Plumbum Bottom		11:29														1	X	X	X
5 Kiley Surface		13:17						X								3	X	X	X
6 Kiley Bottom		13:22														1	X	X	
7 Crawley Surface		14:09						X								3	X	X	X
8 Crawley Bottom		14:12														1	X	X	X

Relinquished by: Angie Smith Date: 7/14/21 Time: 5:33 Received by: [Signature] Date: 7/15/21 Time: 8:00  
 Comments/Sample temp. on receipt: \_\_\_\_\_ Packing: Ice  Cooler



## Login Checklist

Project No.: 95726      Date logged in.: 7/15/2021      Login person's initials: JT  
Client: RWE      Number of coolers: 1  
Project name: Monitoring      Courier/shipper: WWA

- 1. Custody seals/original packing tape were intact (if applicable).
- 2. Samples are in good condition, i.e. not broken or leaking.
- 3. Samples were received within holding times.
- 4. Samples were received on ice (in direct contact with the samples).
- 5. Temperature of the samples was between 0-6°C. Temp.:
- 6. Samples matched the Chain of Custody (COC).
- 7. Proper containers were used.
- 8. Samples were collected in White Water lab containers.
- 9. There is adequate sample volume for requested analyses and QC.
- 10. For water VOC samples, headspace is less than the size of a pea.
- 11. Samples are preserved to the proper pH. Sample bottles and preservation are noted in LIMS Sample Container Section.
- 12. The COC is signed. (either Sampler or Relinquished by)
- 13. Sub-sampling (SS) is required. Bottles created are noted in sample containers section of log-in form.
- 14. For Dissolved Analysis (when applicable), samples were filtered in the lab.
- 15. For soil VOCs, methanol preserved samples were received.
- 16. For Soil VOCs, samples were preserved with methanol in the lab.
- 17. Client contact is necessary. Provide documentation below.

NOTES on #4:

--

NOTE: Samples not between 0-6°C that are received at the laboratory on the day of sample collections do not require client notification.

COMMENTS/CORRECTIVE ACTION

CLIENT RESPONSE

Note: If hold time, volume, and received on ice or temperature criteria are not met when required by the method, results may not be able to be used for regulatory purposes. Check with your reporting agency for more information.



429 River Lane • PO Box 27 Amasa, MI 49803 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE**WWA Job #:** 96118

---

**Project:** Monitoring**Date Received:** 8/5/2021**Date Reported:** 9/12/2021

---

<b>Sample Number</b>	<b>Client Sample ID</b>	<b>Date/Time Sampled</b>	<b>Sample Matrix</b>
96118-001	Upper Flambeau Surface	8/5/2021 7:48	Water
96118-002	Upper Flambeau Bottom	8/5/2021 7:51	Water
96118-003	Lower Flambeau Surface	8/5/2021 8:20	Water
96118-004	Lower Flambeau Bottom	8/5/2021 8:23	Water
96118-005	Pixley Surface	8/5/2021 10:34	Water
96118-006	Pixley Bottom	8/5/2021 10:38	Water
96118-007	Crowley Surface	8/5/2021 12:31	Water
96118-008	Crowley Bottom	8/5/2021 12:35	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 96118

**Comments (if any):**

**Key to Laboratory Flags:**

- \*: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit  
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)  
 For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

**Sample Types:**

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

**Approved By:** Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280  
 MI EGLE Certification Number: 9306  
 DoD-ELAP Accreditation Number: 65802 by PJLA  
 for Environmental Testing  
 ISO/IEC 17025:2005 Accredited



Client: RWE

WWA Job #: 96118

Project: Monitoring

Date Received: 8/5/2021

Date Reported: 9/12/2021

### Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>96118-001 / Upper Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	4.6		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	40		CU	9/8/2021 15:45	2120B	5	5	NK
Total Phosphorus LL (t)	0.016	J	mg/L	8/10/2021 15:44	365.4	0.008	0.050	NK
<b>96118-002 / Upper Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.028	JM	mg/L	8/10/2021 15:47	365.4	0.008	0.050	NK
<b>96118-003 / Lower Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	4.8		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	40		CU	9/8/2021 15:47	2120B	5	5	NK
Total Phosphorus LL (t)	0.028	J	mg/L	8/10/2021 15:49	365.4	0.008	0.050	NK
<b>96118-004 / Lower Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	ND		mg/L	8/10/2021 15:51	365.4	0.008	0.050	NK
<b>96118-005 / Pixley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	6.9		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	35		CU	9/8/2021 15:48	2120B	5	5	NK
Total Phosphorus LL (t)	0.025	J	mg/L	8/10/2021 15:51	365.4	0.008	0.050	NK

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,  
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 96118

Project: Monitoring

Date Received: 8/5/2021

Date Reported: 9/12/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>96118-006 / Pixley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	ND		mg/L	8/10/2021 15:52	365.4	0.008	0.050	NK
<b>96118-007 / Crowley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	6.8		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	45		CU	9/8/2021 15:49	2120B	5	5	NK
Total Phosphorus LL (t)	0.024	J	mg/L	8/10/2021 15:52	365.4	0.008	0.050	NK
<b>96118-008 / Crowley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.027	J	mg/L	8/10/2021 15:54	365.4	0.008	0.050	NK

---

**CHAIN-OF-CUSTODY RECORD**

Job # (WWA office use): *96118*



429 River Lane, P.O. Box 27  
Amasa, Michigan 49903  
Phone: (906) 822-7889, Fax -7977  
Web: white-water-associates.com

CLIENT NAME / BILL TO		EMAIL ADDRESS																							
ADDRESS		TELEPHONE																							
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN#																						
SAMPLER NAME (print first/last name)			COUNTY OF LOCATION																						
SAMPLER'S SIGNATURE			PAGE _____ OF _____																						
SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	Total Number of Containers	Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.													REMARKS (Note any special instructions provided by client or WWA lab staff. Also note any residual chlorine.)								
				Drinking water	Aqueous	Sol.	Soil	Other:	None	H2SO4	HNO3	HCl	NaOH	Na Thio	Other:										
1 Upper Flombeem Surface	8-5-21	7:48	3	X															X						Chl a T Phos color
2 Upper Flombeem Bottom	8-5-21	7:51	1																						
3 Lower Flombeem Surface	8-5-21	8:20	3	X																					
4 Lower Flombeem Bottom	8-5-21	8:23	1																						
5 Valley Surface	8-5-21	10:34	3	X																					
6 Valley Bottom	8-5-21	10:38	1																						
7 Crinsley Surface	8-5-21	12:31	3	X																					
8 Crinsley Bottom	8-5-21	12:35	1																						
Relinquished by:	Date: 8-5-21	Time: 9:29	Date: 8/5/21	Time: 14:30	Received by:														Comments/sample temp on receipt: 3	Packing: Ice <input checked="" type="checkbox"/> Cooler <input checked="" type="checkbox"/>					
Relinquished by:	Date:	Time:	Date:	Time:	Received by:																				



# Report

2021 Water Quality Monitoring Data

for the

Crowley Hydroelectric Project

FERC Project #2473

Flambeau Hydro, LLC

North Fork of the Flambeau River, Price County, Wisconsin

Respectfully Submitted by:

Angie Stine



429 River Lane, P.O. Box 27  
Amasa, Michigan 49903

Phone: 906-822-7889

## Summary Flambeau (Crowley) Hydroelectric Project – FERC #2473

2021 marked the sixteenth year of water quality sampling under FERC approved “Water Quality Monitoring Plan Per License Article 406 for the Crowley Hydroelectric Project – FERC Project # 2473 – Flambeau Hydro, LLC. Monitoring was conducted on April 7, July 14, and August 5, 2021. This document contains all of the associated records for the 2021 monitoring along with summary figures and tables in four appendices: (1) Appendix A (Figures 1-4), (2) Appendix B (Tables 1-3), (3) Appendix C (sampling logs by date), and (4) Appendix D (laboratory reports and chains of custody).

A map of the Flambeau (Crowley) Hydroelectric Project is shown in Figure 1 indicating the water quality sampling location.

Monitoring results for 2021 are shown in Table 1. No unusual Temperature (Figure 2) or Dissolved Oxygen (Figure 3) readings were observed. The Secchi depths are shown in Figure 4.

In general, the weather (temperature and rainfall) during 2020-2021 monitoring season appeared slightly warmer December, February, and April through December with lower-than-normal precipitation in October, November, January, February, June, July, August, and September, and normal to high precipitation in the months of December, April, and May (Table 2).

Ice-Out occurred between Agenda and Nine Mile Landing on the North Fork of the Flambeau River sometime during the week beginning March 22, 2021. The Ice-Out sampling event occurred on April 7, 2021. River flow, based on the Crowley Hydroelectric Project records was approximately 1252 cubic feet per second. Sampling occurred between 11:55 and 12:07. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on April 7, 2021. White Water Associates, Inc. issued a laboratory report on August 12, 2021. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Crowley Hydroelectric Project records, was approximately 775 cubic feet per second during the July 14, 2021 sampling event. Sampling occurred between 14:05 and 14:09. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on July 14, 2021. White Water Associates, Inc. issued a laboratory report on August 2, 2021. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

River flow, based on Crowley Hydroelectric Project records, was approximately 712 cubic feet per second during the August 5, 2021 sampling event. Sampling occurred between 12:30 and 12:36. Samples were taken without incident. No unusual D.O. or Temperature readings were observed. Samples for laboratory analysis were delivered to White Water Associates, Inc. laboratory in Amasa, MI on August 5, 2021. White Water Associates, Inc. issued a laboratory report on September 12, 2021. No unusual levels of Chlorophyll *a*, True Color, or Total Phosphorus were noted in the laboratory reports.

A summary of a comparison between the 2014 thru 2021 (Table 3) sampling results are as follows:

1. Water Clarity – Secchi decreased Ice Out. increase July and August
2. Chlorophyll a –Increased Ice Out and July, decreased August
3. Color – Stayed the same Ice Out, decreased July and August
4. Total Phosphorus – Decreased Ice Out, July and August
5. Overall, D.O. –Decreased Ice Out and August, increased July
6. Water Temperatures – Increased Ice Out and July, and August

The next scheduled Water Quality Monitoring at the Crowley Hydroelectric Project is set to take place in 2022 beginning with the Ice-Out sampling event.

## **Appendix A – Crowley Hydroelectric Project Figures**

Figure 1. Crowley Hydroelectric Project Map







Figure 1. continued



**Figure 2. Crowley - FERC #2473  
2021 Temperature Profiles**




**Figure 3. Crowley - FERC #2473  
2021 Dissolved Oxygen Profiles**





**Figure 4. Flambeau Crowley - FERC# 2473  
2021 Secchi Depths**



## **Appendix B – Crowley Hydroelectric Project Tables**

Table 1. Crowley Hydroelectric Project – FERC Project # 2473: 2021 Water Quality Sampling Data

	Ice Out April 7, 2021			July 14, 2021			August 5, 2021		
Project Flow (c.f.s)	1885			775			712		
Dissolved Oxygen	Time	D.O. (mg/L)	Water Temp. (°C)	Time	D.O. (mg/L)	Water Temp. (°C)	Time	D.O. (mg/L)	Water Temp. (°C)
0.5 feet below surface	11:59.57	11.02	11.4	14:04.09	9.25	26.2	12:32.32	8.62	23.5
3 feet below surface	12:00.29	11.11	11.2	14:04.41	9.01	25.3	12:32.48	8.60	26.6
6 feet below surface	12:01.05	11.18	11.0	14:05.14	8.59	24.8	12:33.07	8.57	23.6
9 feet below surface	12:01.34	11.17	10.8	14:05.45	7.83	24.3	12:33.24	8.46	23.6
12 feet below surface	12:01.36	11.17	10.7	14:06.25	7.36	23.9	12:33.49	6.91	22.9
15 feet below surface	12:02.13	11.17	10.6	14:07.19	6.35	23.2	12:34.30	6.27	22.6
18 feet below surface	12:02.49	11.03	9.6	14:08.05	5.94	23.1	12:35.17	5.90	22.4
21 feet below surface	12:03.46	10.91	8.6	14:08.53	5.41	23.0	12:36.31	5.59	22.3
0.5 meter above bottom	12:07.06	10.90	8.2	14:09.12	5.40	23.0	12:36.44	5.51	22.3
Secchi Disk	Time	Depth (ft)		Time	Depth (ft)		Time	Depth (ft)	
Feet below surface	12:00	4.0		14:09	4.7		12:30	4.5	
Chlorophyll a	Time	µg/L		Time	µg/L		Time	µg/L	
3 feet below surface	12:00	2.90		14:09	8.90		12:31	6.80	
Color (True)	Time	C.P.U. Units	LOD	Time	C.P.U. Units	LOD	Time	C.P.U. Units	LOD
3 feet below surface	12:00	60.00	5*	14:09	30.00	5*	12:31	45.00	5*
Total Phosphorus	Time	mg/L	LOD	Time	mg/L	LOD	Time	mg/L	LOD
3 feet below surface	12:00	0.026	0.008*	14:09	0.031	0.008*	12:31	0.024	0.008*
3 feet above bottom	12:04	0.028	0.008*	14:12	0.027	0.008*	12:35	0.027	0.008*

\*Considered Method Detection Limit

Table 2. 2020/21 Water Year Monthly Temperature and Precipitation for Park Falls, Wisconsin

Month	Highest Temp.	Lowest Temp.	Average Temp.	Departure From Normal	Heating Degree Days	Normal Degree Days	Total Precip.	Total Snowfall	Normal Precip.	% of Normal Precipitation
October - 20	81	28	54.6	-1.0	305	298	0.85	0.00	4.11	69
November - 20	80	13	38.0	-5.2	831	678	2.78	12.0	2.85	66
December - 20	75	11	33.3	4.5	948	1088	2.45	19.2	2.09	70
January – 21	44	-12	19.7	-0.22	1394	1556	0.99	16.5	1.21	75
February – 21	38	-14	17.9	7.7	1453	1699	0.61	9.1	0.96	75
March – 21	42	-35	7.2	-7.9	1612	1399	0.53	8.6	0.81	65
April – 21	61	0	33.2	7.3	979	1210	2.64	8.7	2.64	64
May – 21	66	12	41	1.4	713	762	2.91	2.3	2.43	67
June – 21	83	26	53.5	1.5	372	410	1.88	0.00	3.37	60
July – 21	94	41	66.6	5.4	54	152	1.79	0.00	4.39	67
August – 21	92	40	68.2	1.2	41	50	2.75	0.00	3.92	67
September - 21	89	46	68.6	3.1	24	64	2.44	0.00	3.73	70

Source: NOAA/Duluth, MN

Table 3. Flambeau Crowley Project Sampling Comparison Table: 2014 Thru Current Year

Year	Month	Secchi Depth	Chlorophyll <i>a</i>	Color (True)	Total Phosphorus	Total Phosphorus	Low D.O.	High D.O.	Low Water Temp.	High Water Temp.
		Feet	µg/L	C.P.U. Units	Below Surface mg/L	Above Bottom mg/L	mg/L	mg/L	° C	° C
2014	June	3.50	1.70	150.00	0.031	0.029	6.61	6.97	19.00	21.90
2015	April	3.50	5.10	13.00	0.047	0.036	9.52	9.78	9.00	11.70
2016	March	3.60	0.41	40.00	0.030	0.030	11.35	11.61	2.90	3.70
2017	April	3.90	3.40	30.00	0.025	0.028	9.16	9.46	8.20	10.10
2018	May	4.00	5.20	40.00	0.036	0.032	7.65	8.10	14.5	14.8
2019	April	2.20	2.70	45.00	0.038	0.036	11.93	12.46	4.20	5.40
2020	April	4.20	0.80	60.00	0.056	0.051	11.32	11.75	5.30	5.70
2021	April	4.00	2.90	60.00	0.026	0.028	10.86	11.18	8.20	11.40
<b>Minimum</b>	March/April/May/June	2.20	0.41	13.00	0.025	0.028	6.61	6.97	2.90	3.70
<b>Maximum</b>	March/April/May/June	4.20	5.20	150.00	0.056	0.051	11.93	12.46	19.00	21.90
<b>Average</b>	March/April/May/June	3.61	2.78	54.75	0.036	0.034	9.80	10.16	8.96	10.54
2014	July	3.25	5.30	130.00	0.046	0.044	5.78	6.38	21.70	22.20
2015	July	4.00	4.60	80.00	0.032	0.034	6.09	6.47	22.80	22.50
2016	July	3.40	6.50	55.00	0.036	0.030	5.60	6.10	22.70	26.50
2017	July	4.00	8.30	35.00	0.033	0.033	5.42	7.36	23.10	26.00
2018	July	4.00	10.00	35.00	0.061	0.043	6.12	7.18	24.70	27.70
2019	July	4.50	15.00	25.00	0.032	0.040	5.06	7.55	23.70	25.70
2020	July	2.60	3.20	35.00	0.038	0.037	6.77	7.14	23.40	23.60
2021	July	4.70	8.90	30.00	0.031	0.027	5.40	9.25	23.00	26.20
<b>Minimum</b>	July	2.60	3.20	25.00	0.031	0.027	5.06	6.10	21.70	22.20
<b>Maximum</b>	July	4.70	15.00	130.00	0.061	0.044	6.77	9.25	24.70	27.70
<b>Average</b>	July	3.81	7.73	53.13	0.039	0.036	5.78	7.18	23.14	25.05
2014	August	1.30	6.90	100.00	0.047	0.051	5.11	5.65	22.80	24.30
2015	August	3.00	17.00	60.00	0.039	0.030	6.48	7.32	22.70	23.10
2016	August	4.20	15.00	40.00	0.030	0.030	3.57	8.07	23.30	25.70
2017	August	4.20	13.00	30.00	0.032	0.030	5.55	8.71	20.30	22.90
2018	August	4.30	10.00	45.00	0.033	0.036	6.02	7.69	23.10	23.10
2019	August	3.40	11.00	30.00	0.028	0.025	7.01	8.83	23.30	25.30
2020	August	3.50	12.00	70.00	0.034	0.019	8.01	9.35	23.30	25.70
2021	August	4.50	6.80	45.00	0.024	0.027	5.51	8.62	22.30	26.60
<b>Minimum</b>	August	1.30	6.80	30.00	0.024	0.019	3.57	5.65	20.30	22.90
<b>Maximum</b>	August	4.50	17.00	100.00	0.047	0.051	8.01	9.35	23.30	26.60
<b>Average</b>	August	3.55	11.46	52.50	0.033	0.031	5.91	8.03	22.63	24.60

\*no sample taken

## **Appendix C – Crowley Impoundment Project Sampling Logs**

# IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Crowley

Hydroelectric Project – FERC # 2478

Date: 4-9-21

Pre-Sampling Data:

HWL 1402.42 TWL 1407.2 CFS 1252

Sample Location: N45° 52.287 W90° 35.044

Performed by:

A. Skim S. Carr

Time: 11:55 Barometer: 29.76

Air Temp: 57 °F Wind Speed: 7 mph

Sky Conditions: 50% clouds

Precipitation within Last 24 Hours: yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed?  Yes  No

If yes, when were they changed: \_\_\_\_\_

Battery Status: AD % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 21.5 Feet

Secchi Depth (+ 0.1)	
Time <u>12:00</u>	<u>4.0</u> Feet

Comments:

Bald Eagle

Chlorophyll a (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>12:00</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO <sub>3</sub>	

True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>12:00</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>12:00</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>12:04</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>11:59:57</u>	<u>11.02</u>	<u>11.4</u>
3	<u>12:00:29</u>	<u>11.11</u>	<u>11.2</u>
6	<u>12:01:05</u>	<u>11.18</u>	<u>11.0</u>
9	<u>12:01:34</u>	<u>11.17</u>	<u>10.8</u>
12	<u>12:02:06</u>	<u>11.17</u>	<u>10.7</u>
15	<u>12:02:13</u>	<u>11.17</u>	<u>10.6</u>
18	<u>12:02:49</u>	<u>11.03</u>	<u>9.6</u>
21	<u>12:03:46</u>	<u>10.91</u>	<u>8.6</u>
<u>24</u> <u>21.5</u>	<u>12:05:30</u>	<u>10.86</u>	<u>8.2</u>
0.5 above bottom	<u>12:07:06</u>	<u>10.90</u>	<u>8.3</u>

\*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



# IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Crowley  
 Hydroelectric Project - FERC # 2473  
 Date: 7/4/21

Pre-Sampling Data:

HWL 1427.25 TWL 1416.5 CFS 775  
 Sample Location: N45° 52.287  
W 90° 35.049

Performed by: Angie Strie Sean Coran

Time: \_\_\_\_\_ Barometer: 29.95

Air Temp: 77 °F Wind Speed: 51 mph

Sky Conditions: 100% Clouds

Precipitation within Last 24 Hours: Yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed?  Yes  No

If yes, when were they changed: \_\_\_\_\_

Battery Status: 95 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 19 Feet

Secchi Depth (± 0.1)	
Time <u>14:06</u>	<u>4'7"</u> Feet

Comments:

Chlorophyll a (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time <u>14:09</u>	Quantity (ml)	Filtered
	1000	In Lab
Preservative	MgCO <sub>3</sub>	


True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time: <u>14:09</u>	

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time <u>14:09</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time <u>14:12</u>	Preservative
	H <sub>2</sub> SO <sub>4</sub>

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>2:04:09</u>	<u>9.25</u>	<u>26.2</u>
3	<u>2:04:41</u>	<u>9.01</u>	<u>25.3</u>
6	<u>2:05:14</u>	<u>8.59</u>	<u>24.8</u>
9	<u>2:05:45</u>	<u>7.83</u>	<u>24.3</u>
12	<u>2:06:25</u>	<u>7.36</u>	<u>23.9</u>
15	<u>2:07:19</u>	<u>6.35</u>	<u>23.2</u>
18	<u>2:08:05</u>	<u>5.94</u>	<u>23.1</u>
<u>21.9</u>	<u>2:08:53</u>	<u>5.41</u>	<u>23.0</u>
24			
0.5 above bottom	<u>2:09:12</u>	<u>5.40</u>	<u>23.0</u>

\*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.





# IMPOUNDMENT SAMPLING LOG

Water Quality Study Location Crowley  
 Hydroelectric Project - FERC # 2473  
 Date: 8-5-21

Pre-Sampling Data:

HWL 1427.29 TWL 1406.2 CFS 712  
 Sample Location: N45° 52.28' W 90° 35.04' 19

Performed by: Kemppainen Caron

Time: 12:30 Barometer: 29.93

Air Temp: 76 °F Wind Speed: 5 10

Sky Conditions: raining

Precipitation within Last 24 Hours: Yes

D.O. Meter Calibration:

Instrument Model Used: HQ40D

Were the batteries changed?  Yes  No

If yes, when were they changed: \_\_\_\_\_

Battery Status: 45 % Charge

Calibration Method: Factory

Sampling Depth Profile: Measured depth to bottom of impoundment: 20.0 Feet

Secchi Depth ( $\pm 0.1$ )		
Time	Secchi Depth	Feet
<u>12:30</u>	<u>4.5</u>	

Comments:

Chlorophyll $\alpha$ (3 feet below surface horizontal sampler)		
Lab Sample I.D. #:		
Time	Quantity (ml)	Filtered
<u>12:31</u>	<u>1000</u>	<u>In Lab</u>
Preservative		<u>MgCO<sub>3</sub></u>


True Color (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time	<u>12:31</u>

Total Phosphorus (3 feet below surface horizontal sampler)	
Lab Sample I.D. #:	
Time	<u>12:31</u>
Preservative	
<u>H<sub>2</sub>SO<sub>4</sub></u>	

Total Phosphorus (3 feet above bottom horizontal sampler)	
Lab Sample I.D. #:	
Time	<u>12:35</u>
Preservative	
<u>H<sub>2</sub>SO<sub>4</sub></u>	

D.O. and Temperature Profile			
Depth (Feet)	Time	D.O. (mg/L)	Temperature °C
0.5 below surface	<u>10:32.32</u>	<u>8.62</u>	<u>23.5</u>
3	<u>12:32.48</u>	<u>8.60</u>	<u>26.6</u>
6	<u>12:33.07</u>	<u>8.57</u>	<u>23.6</u>
9	<u>12:33.24</u>	<u>8.46</u>	<u>23.6</u>
12	<u>12:33.49</u>	<u>6.91</u>	<u>22.9</u>
15	<u>12:34.30</u>	<u>6.27</u>	<u>22.6</u>
18	<u>12:35.17</u>	<u>5.90</u>	<u>22.4</u>
<u>21.20</u>	<u>12:36.31</u>	<u>5.54</u>	<u>22.3</u>
24			
0.5 above bottom	<u>12:36.44</u>	<u>5.51</u>	<u>22.3</u>

\*If D.O. is below 5.0 mg/L notify agency and measure D.O. at 1.0 foot intervals if <5.0 mg/L.



**Appendix D – Crowley Hydroelectric Project Lab Reports and Chains of Custody**



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

**Client:** RWE

**WWA Job #:** 93994

**Project:** Monitoring

**Date Received:** 4/8/2021

**Date Reported:** 5/12/2021

Sample Number	Client Sample ID	Date/Time Sampled	Sample Matrix
93994-001	Upper Flambeau Surface	4/7/2021 7:57	Water
93994-002	Upper Flambeau Bottom	4/7/2021 8:02	Water
93994-003	Lower Flambeau Surface	4/7/2021 8:37	Water
93994-004	Lower Flambeau Bottom	4/7/2021 8:35	Water
93994-005	Pixley Surface	4/7/2021 11:04	Water
93994-006	Pixley Bottom	4/7/2021 11:08	Water
93994-007	Crowley Surface	4/7/2021 12:00	Water
93994-008	Crowley Bottom	4/7/2021 12:04	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

Client: RWE

WWA Job #: 93994

---

**Comments (if any):**

**Key to Laboratory Flags:**

- \*: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit  
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)  
For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

**Sample Types:**

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

**Approved By:** Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280  
MI EGLE Certification Number: 9306  
DoD-ELAP Accreditation Number: 65802 by PJLA  
for Environmental Testing  
ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 93994

Project: Monitoring

Date Received: 4/8/2021

Date Reported: 5/12/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>93994-001 / Upper Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	1.6		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	50	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.021	J	mg/L	4/14/2021 11:49	365.4	0.008	0.050	NK
<b>93994-002 / Upper Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.017	J	mg/L	4/14/2021 11:51	365.4	0.008	0.050	NK
<b>93994-003 / Lower Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	0.80		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	50	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.022	J	mg/L	4/14/2021 11:52	365.4	0.008	0.050	NK
<b>93994-004 / Lower Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.030	J	mg/L	4/14/2021 11:52	365.4	0.008	0.050	NK
<b>93994-005 / Pixley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	2.4		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	55	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.020	J	mg/L	4/14/2021 11:54	365.4	0.008	0.050	NK

---

 ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,  
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 93994

Project: Monitoring

Date Received: 4/8/2021

Date Reported: 5/12/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>93994-006 / Pixley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.023	J	mg/L	4/14/2021 11:55	365.4	0.008	0.050	NK
<b>93994-007 / Crowley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	2.9		mg/m3	4/30/2021 13:30	10200H	NA	NA	AH
Color	60	H	CU	5/3/2021 10:30	2120B	5	5	AH
Total Phosphorus LL (t)	0.026	J	mg/L	4/14/2021 11:55	365.4	0.008	0.050	NK
<b>93994-008 / Crowley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.028	J	mg/L	4/14/2021 11:56	365.4	0.008	0.050	NK

---

Job # (WWA office use): **93994** CHAIN-OF-CUSTODY RECORD



**WHITE WATER ASSOCIATES, INC.**

429 River Lane, P.O. Box 27  
Amasa, Michigan 49803

Phone: (906) 822-7889, Fax -7977  
Web: white-water-associates.com

CLIENT NAME / BILL TO <b>RWE</b>			EMAIL ADDRESS															
ADDRESS			TELEPHONE															
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN# <b>Monitoring</b>			ANALYSIS TYPE REQUESTED (Attach list if needed)												
SAMPLER NAME (print first/last name) <b>Angie Shea</b>			COUNTY OF LOCATION	PAGE <b>1</b> OF <b>1</b>	Indicate if more than one page of COC records used													
SAMPLER'S SIGNATURE <i>[Signature]</i>			Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.															
SAMPLE ID AND LOCATION <small>Containers for each sample may be combined on one line.</small>	DATE	TIME	SAMPLE MATRIX					CONTAINERS / PRESERVATIVES					Total Number of Containers	Instructions to White Water Send my report by: _____ email _____ mail  Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.  REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)				
			Drinking water	Aqueous	Secd.	Soil	Other:	None	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	NaOH			ZnAc/NaOH	Na Thio		
1 Upper Flambeau Surface	4/21	7:57	X				X	X					3	X	X	X		
2 Upper Flambeau Bottom		8:02											1		X			
3 Lower Flambeau Surface		8:37					X						3	X	X	X		
4 Lower Flambeau Bottom		8:35											1		X			
5 Pixley Surface		11:04					X						3	X	X	X		
6 Pixley Bottom		11:08											1		X			
7 Crowley Surface		12:00					X						3	X	X	X		
8 Crowley Bottom		12:04											1		X			
Relinquished by: <i>[Signature]</i>			Date: 4/21	Time: 16:49	Received by: <i>[Signature]</i>			Date: 4/8/21	Time: 8:30	Comments/Sample temp. on receipt:			Packing: Ice Cooler <input checked="" type="checkbox"/>					
Relinquished by:			Date:	Time:	Received by:			Date:	Time:	Comments/Sample temp. on receipt:								

*Chl a (mg/L)  
T Phos  
Color*

\* WHITE - RETURN W/ REPORT

CANARY - W/ SAMPLES

PINK - CUSTOMER

UPS  FedEx  USPS  Client  Other  **WWA**



## Login Checklist

Project No.: 93994      Date logged in.: 4/8/2021      Login person's initials: JT  
Client: RWE      Number of coolers: 1  
Project name: Monitoring      Courier/shipper: WWA

- 1. Custody seals/original packing tape were intact (if applicable).
- 2. Samples are in good condition, i.e. not broken or leaking.
- 3. Samples were received within holding times.
- 4. Samples were received on ice (in direct contact with the samples).
- 5. Temperature of the samples was between 0-6°C. Temp.:

NOTES on #4:

NOTE: Samples not between 0-6°C that are received at the laboratory on the day of sample collections do not require client notification.

- 6. Samples matched the Chain of Custody (COC).
- 7. Proper containers were used.
- 8. Samples were collected in White Water lab containers.
- 9. There is adequate sample volume for requested analyses and QC.
- 10. For water VOC samples, headspace is less than the size of a pea.
- 11. Samples are preserved to the proper pH. Sample bottles and preservation are noted in LIMS Sample Container Section.
- 12. The COC is signed. (either Sampler or Relinquished by)
- 13. Sub-sampling (SS) is required. Bottles created are noted in sample containers section of log-in form.
- 14. For Dissolved Analysis (when applicable), samples were filtered in the lab.
- 15. For soil VOCs, methanol preserved samples were received.
- 16. For Soil VOCs, samples were preserved with methanol in the lab.
- 17. Client contact is necessary. Provide documentation below.

COMMENTS/CORRECTIVE ACTION

CLIENT RESPONSE

Note: If hold time, volume, and received on ice or temperature criteria are not met when required by the method, results may not be able to be used for regulatory purposes. Check with your reporting agency for more information.





429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE**WWA Job #:** 95726

---

**Project:** Monitoring**Date Received:** 7/15/2021**Date Reported:** 8/2/2021

---

<b>Sample Number</b>	<b>Client Sample ID</b>	<b>Date/Time Sampled</b>	<b>Sample Matrix</b>
95726-001	Upper Flambeau Surface	7/14/2021 7:45	Water
95726-002	Upper Flambeau Bottom	7/14/2021 7:48	Water
95726-003	Lower Flambeau Surface	7/14/2021 11:25	Water
95726-004	Lower Flambeau Bottom	7/14/2021 11:29	Water
95726-005	Pixley Surface	7/14/2021 13:17	Water
95726-006	Pixley Bottom	7/14/2021 13:22	Water
95726-007	Crowley Surface	7/14/2021 14:09	Water
95726-008	Crowley Bottom	7/14/2021 14:12	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE

**WWA Job #:** 95726

---

**Comments (if any):**

**Key to Laboratory Flags:**

- \*: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit  
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)  
For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

**Sample Types:**

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

**Approved By:** Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280  
MI EGLE Certification Number: 9306  
DoD-ELAP Accreditation Number: 65802 by PJLA  
for Environmental Testing  
ISO/IEC 17025:2005 Accredited



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 95726

Project: Monitoring

Date Received: 7/15/2021

Date Reported: 8/2/2021

---

**Sample Results**


---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>95726-001 / Upper Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	3.6		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	25		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.015	J	mg/L	7/23/2021 14:22	365.4	0.008	0.050	NK
<b>95726-002 / Upper Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.024	J	mg/L	7/23/2021 14:23	365.4	0.008	0.050	NK
<b>95726-003 / Lower Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	4.7		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	20		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.025	J	mg/L	7/23/2021 14:23	365.4	0.008	0.050	NK
<b>95726-004 / Lower Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.023	J	mg/L	7/23/2021 14:24	365.4	0.008	0.050	NK
<b>95726-005 / Pixley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	11		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	25		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.026	J	mg/L	7/30/2021 12:58	365.4	0.008	0.050	NK

---

 ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,  
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 95726

Project: Monitoring

Date Received: 7/15/2021

Date Reported: 8/2/2021

**Sample Results**

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	QL	Analyst
<b>95726-006 / Pixley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.021	J	mg/L	7/30/2021 13:00	365.4	0.008	0.050	NK
<b>95726-007 / Crowley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	8.9		mg/m3	7/16/2021 13:20	10200H	NA	NA	AH
Color	30		CU	7/16/2021 13:30	2120B	5	5	NK
Total Phosphorus LL (t)	0.031	J	mg/L	7/30/2021 13:01	365.4	0.008	0.050	NK
<b>95726-008 / Crowley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.027	J	mg/L	7/30/2021 13:01	365.4	0.008	0.050	NK

Job # (WWA office use): **95 726** CHAIN-OF-CUSTODY RECORD



429 River Lane, P.O. Box 27  
Amasa, Michigan 49903  
Phone: (906) 822-7869, Fax -7977  
Web: white-water-associates.com

CLIENT NAME / BILL TO <b>RWE</b>			EMAIL ADDRESS		
ADDRESS			TELEPHONE		
CITY	STATE	ZIP	CONTRACT / PO / PROJECT NAME / WSSN# <b>Monitoring</b>		
SAMPLER NAME (print first/last name) <b>Angie Smith</b>			COUNTY OF LOCATION	PAGE <b>1</b> OF <b>1</b> <small>Indicate if more than one page of COC records used</small>	
SAMPLER'S SIGNATURE <i>Angie Smith</i>			Check off preservatives for each bottle upon arrival and indicate total number of bottles. WWA database contains bottle preservation details.		

ANALYSIS TYPE REQUESTED (Attach list if needed)

Instructions to White Water  
Send my report by:  
 email  
 mail

Unless otherwise noted, drinking water report copies are sent to MDEQ and Health Dept.

REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)

SAMPLE ID AND LOCATION <small>Containers for each sample may be combined on one line.</small>	DATE	TIME	SAMPLE MATRIX						CONTAINERS / PRESERVATIVES						Total Number of Containers		
			Drinking water	Aqueous	Sed.	Soil	Other	None	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Na Thio			
1 Upper Plumbum Surface	7/14/21	7:45	X						X	X						3	Cp/a TPhos Color
2 Upper Plumbum Bottom		7:48														1	
3 Lower Plumbum Surface		11:25							X							3	
4 Lower Plumbum Bottom		11:29														1	
5 Kiley Surface		13:17							X							3	
6 Kiley Bottom		13:22														1	
7 Crawley Surface		14:09							X							3	
8 Crawley Bottom		14:12														1	

Relinquished by: <i>Angie Smith</i>	Date: 7/14/21	Time: 5:33	Received by: <i>[Signature]</i>	Date: 7/15/21	Time: 8:00	Comments/Sample temp. on receipt:	Packing: Ice <input checked="" type="checkbox"/> Cooler <input type="checkbox"/>
--	---------------	------------	------------------------------------	---------------	------------	-----------------------------------	--

WHITE - RETURN W/ REPORT

CANARY - W/ SAMPLES

PINK - CUSTOMER

UPS  FedEx  USPS  Client  Other **WWA**



## Login Checklist

Project No.: 95726      Date logged in.: 7/15/2021      Login person's initials: JT  
Client: RWE      Number of coolers: 1  
Project name: Monitoring      Courier/shipper: WWA

- 1. Custody seals/original packing tape were intact (if applicable).
- 2. Samples are in good condition, i.e. not broken or leaking.
- 3. Samples were received within holding times.
- 4. Samples were received on ice (in direct contact with the samples).
- 5. Temperature of the samples was between 0-6°C. Temp.:
- 6. Samples matched the Chain of Custody (COC).
- 7. Proper containers were used.
- 8. Samples were collected in White Water lab containers.
- 9. There is adequate sample volume for requested analyses and QC.
- 10. For water VOC samples, headspace is less than the size of a pea.
- 11. Samples are preserved to the proper pH. Sample bottles and preservation are noted in LIMS Sample Container Section.
- 12. The COC is signed. (either Sampler or Relinquished by)
- 13. Sub-sampling (SS) is required. Bottles created are noted in sample containers section of log-in form.
- 14. For Dissolved Analysis (when applicable), samples were filtered in the lab.
- 15. For soil VOCs, methanol preserved samples were received.
- 16. For Soil VOCs, samples were preserved with methanol in the lab.
- 17. Client contact is necessary. Provide documentation below.

NOTES on #4:

--

NOTE: Samples not between 0-6°C that are received at the laboratory on the day of sample collections do not require client notification.

COMMENTS/CORRECTIVE ACTION

CLIENT RESPONSE

Note: If hold time, volume, and received on ice or temperature criteria are not met when required by the method, results may not be able to be used for regulatory purposes. Check with your reporting agency for more information.



429 River Lane • PO Box 27 Amasa, MI 49803 • Ph (906) 822-7889 • Fax -7977

---

**Client:** RWE**WWA Job #:** 96118

---

**Project:** Monitoring**Date Received:** 8/5/2021**Date Reported:** 9/12/2021

---

<b>Sample Number</b>	<b>Client Sample ID</b>	<b>Date/Time Sampled</b>	<b>Sample Matrix</b>
96118-001	Upper Flambeau Surface	8/5/2021 7:48	Water
96118-002	Upper Flambeau Bottom	8/5/2021 7:51	Water
96118-003	Lower Flambeau Surface	8/5/2021 8:20	Water
96118-004	Lower Flambeau Bottom	8/5/2021 8:23	Water
96118-005	Pixley Surface	8/5/2021 10:34	Water
96118-006	Pixley Bottom	8/5/2021 10:38	Water
96118-007	Crowley Surface	8/5/2021 12:31	Water
96118-008	Crowley Bottom	8/5/2021 12:35	Water



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 96118

**Comments (if any):**

**Key to Laboratory Flags:**

- \*: RPD/RSD exceeds limits.
- B: The analyte was found in the associated blank as well as in the sample.
- J: The quantitation is an estimated value because the result is less than the sample quantitation limit but greater than the detection limit.
- M: A matrix effect was present.
- Q: Batch QC data associated with the analysis does not meet the stated objectives
- H: Indicates analytical holding time exceedance.

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit  
 ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)  
 For coliform, Negative = No coliform bacteria detected, Positive = Coliform bacteria detected

**Sample Types:**

S = Solids, DW = Drinking water, D = Dissolved, T = Total, TC = TCLP extract, SP = SPLP extract

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without the written approval of this laboratory. The Chain of Custody is attached.


This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and White Water Associates Standard Operating Procedures. Exceptions, if any, are discussed in the accompanying sample narrative. Release of this Final Report is authorized by White Water Associates management, as is verified by the following signature.

**Approved By:** Electronically signed by Bette J. Premo

WI DNR Lab Certification Number: 999971280  
 MI EGLE Certification Number: 9306  
 DoD-ELAP Accreditation Number: 65802 by PJLA  
 for Environmental Testing  
 ISO/IEC 17025:2005 Accredited





Client: RWE

WWA Job #: 96118

Project: Monitoring

Date Received: 8/5/2021

Date Reported: 9/12/2021

### Sample Results

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>96118-001 / Upper Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	4.6		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	40		CU	9/8/2021 15:45	2120B	5	5	NK
Total Phosphorus LL (t)	0.016	J	mg/L	8/10/2021 15:44	365.4	0.008	0.050	NK
<b>96118-002 / Upper Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.028	JM	mg/L	8/10/2021 15:47	365.4	0.008	0.050	NK
<b>96118-003 / Lower Flambeau Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	4.8		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	40		CU	9/8/2021 15:47	2120B	5	5	NK
Total Phosphorus LL (t)	0.028	J	mg/L	8/10/2021 15:49	365.4	0.008	0.050	NK
<b>96118-004 / Lower Flambeau Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	ND		mg/L	8/10/2021 15:51	365.4	0.008	0.050	NK
<b>96118-005 / Pixley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	6.9		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	35		CU	9/8/2021 15:48	2120B	5	5	NK
Total Phosphorus LL (t)	0.025	J	mg/L	8/10/2021 15:51	365.4	0.008	0.050	NK

ND = Not Detected, MDL = Method Detection Limit, MQL = Method Quantitation Limit,  
ppm = mg/L (liquid) or mg/kg (solid), ppb = ug/L (liquid) or ug/kg (solid)



429 River Lane • PO Box 27 Amasa, MI 49903 • Ph (906) 822-7889 • Fax -7977

Client: RWE

WWA Job #: 96118

Project: Monitoring

Date Received: 8/5/2021

Date Reported: 9/12/2021

---

**Sample Results**



---

Sample No. / ID / Description / Matrix	Result	Flags	Units	Date/Time	Method	MDL	MQL	Analyst
<b>96118-006 / Pixley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	ND		mg/L	8/10/2021 15:52	365.4	0.008	0.050	NK
<b>96118-007 / Crowley Surface / Water</b>								
<b>General Chemistry Parameters</b>								
Chlorophyll a	6.8		mg/m3	8/6/2021 15:40	10200H	NA	NA	AC
Color	45		CU	9/8/2021 15:49	2120B	5	5	NK
Total Phosphorus LL (t)	0.024	J	mg/L	8/10/2021 15:52	365.4	0.008	0.050	NK
<b>96118-008 / Crowley Bottom / Water</b>								
<b>General Chemistry Parameters</b>								
Total Phosphorus LL (t)	0.027	J	mg/L	8/10/2021 15:54	365.4	0.008	0.050	NK

---

CHAIN-OF-CUSTODY RECORD

Job # (WWA office use): 96118



429 River Lane, P.O. Box 27  
Amasa, Michigan 49903  
Phone: (906) 822-7889, Fax -7977  
Web: white-water-associates.com

CLIENT NAME / BILL TO <b>RUSE</b>	EMAIL ADDRESS													
ADDRESS	TELEPHONE													
CITY	STATE	ZIP												
SAMPLER NAME (print first/last name) <b>Breanna Kemper</b>	CONTRACT / PO / PROJECT NAME / WSSN# <b>Monitoring</b>	COUNTY OF LOCATION												
SAMPLER'S SIGNATURE <i>Breanna Kemper</i>	PAGE <b>1</b> OF <b>1</b>	Indicate if more than one page of COC records used												
SAMPLE ID AND LOCATION Containers for each sample may be combined on one line.	DATE	TIME	Drinking water	Aqueous	Soil	Other:	None	H2SO4	HNO3	HCl	NaOH	Na Tho	Other:	Total Number of Containers
1 Upper Flombeem Surface	8-5-21	7:48	X	X				X						3
2 Upper Flombeem Bottom	8-5-21	7:51												1
3 Lower Flombeem Surface	8-5-21	8:20		X										3
4 Lower Flombeem Bottom	8-5-21	8:23												1
5 Vines Surface	8-5-21	10:34		X										3
6 Vines Bottom	8-5-21	10:38												1
7 Grinley Surface	8-5-21	12:31		X										3
8 Grinley Bottom	8-5-21	12:35												1

ANALYSIS TYPE REQUESTED (Attach list if needed)														
Instructions to White Water Send my report by: ____ email ____ mail														
Unless otherwise noted, drinking water report copies are sent to EGLE and Health Dept.														
REMARKS (Note any special instructions provided by client or conditions of receipt noted by WWA lab staff. Also note any residual chlorine.)														

Relinquished by: *[Signature]* Date: 8-5-21 Time: 4:29

Relinquished by: *[Signature]* Date: 8/5/21 Time: 14:30

Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Received by: \_\_\_\_\_ Date: 8/5/21 Time: 14:30

Comments/sample temp on receipt: \_\_\_\_\_

Packing: Ice  Cooler

USPS  FedEx  USPS  Client  Other  *WWA*

WHITE - RETURN W/ REPORT      CANARY - WJ SAMPLES      PINK - CUSTOMER

## FW: Flambeau Upper (P-2640) Flambeau Lower (P-2421) Pixley (P-2395) Crowley (P-2473) Draft Water Quality Reports

Gregory, Malcolm K - DNR <[malcolm.gregory@wisconsin.gov](mailto:malcolm.gregory@wisconsin.gov)>

Tue 11/30/2021 2:44 PM

To: Brian Kreuzscher <[bkreuscher@rwehydro.com](mailto:bkreuscher@rwehydro.com)>

Good morning Brian

Upon review WDNR does not have any comments for these water quality reports for P-2640, P-2421, P-2395, and P-2473.

If you have any questions, please feel free to reach out.

Best,

Malcolm

**Malcolm Gregory** (he/him)

Environmental Analysis & Review Specialist

Wisconsin Department of Natural Resources

101 S. Webster Street

Madison, WI 53707-7921

[malcolm.gregory@wisconsin.gov](mailto:malcolm.gregory@wisconsin.gov)



---

**From:** Brian Kreuzscher <[bkreuscher@rwehydro.com](mailto:bkreuscher@rwehydro.com)>

**Sent:** Tuesday, November 16, 2021 9:47 AM

**To:** Laatsch, Cheryl - DNR <[Cheryl.Laatsch@wisconsin.gov](mailto:Cheryl.Laatsch@wisconsin.gov)>; [Darin\\_Simpkins@fws.gov](mailto:Darin_Simpkins@fws.gov)

**Subject:** Flambeau Upper (P-2640) Flambeau Lower (P-2421) Pixley (P-2395) Crowley (P-2473) Draft Water Quality Reports

**CAUTION: This email originated from outside the organization.**

**Do not click links or open attachments unless you recognize the sender and know the content is safe.**

All,

Attached are the Draft Water Quality Reports for all four projects. Please review and provide any comments you may have to me within 60 days for FERC submittal.

Thanks

Brian Kreuzscher

Renewable World Energies

Regulatory & Compliance  
855-994-9376 x230

## RE: Flambeau Upper (P-2640) Flambeau Lower (P-2421) Pixley (P-2395) Crowley (P-2473) Draft Water Quality Reports

Gregory, Malcolm K - DNR <[malcolm.gregory@wisconsin.gov](mailto:malcolm.gregory@wisconsin.gov)>

Tue 12/21/2021 9:19 AM

To: Brian Kreuzscher <[bkreuscher@rwehydro.com](mailto:bkreuscher@rwehydro.com)>

Morning Brian,

Thanks for sending the spreadsheet. I have a meeting with Cheryl tomorrow and will make sure to pass it on.

Best,

Malcolm

**Malcolm Gregory** (he/him)

Environmental Analysis & Review Specialist  
Wisconsin Department of Natural Resources  
101 S. Webster Street  
Madison, WI 53707-7921

[malcolm.gregory@wisconsin.gov](mailto:malcolm.gregory@wisconsin.gov)



---

**From:** Brian Kreuzscher <[bkreuscher@rwehydro.com](mailto:bkreuscher@rwehydro.com)>

**Sent:** Tuesday, December 21, 2021 9:07 AM

**To:** Gregory, Malcolm K - DNR <[malcolm.gregory@wisconsin.gov](mailto:malcolm.gregory@wisconsin.gov)>

**Cc:** Laatsch, Cheryl - DNR <[Cheryl.Laatsch@wisconsin.gov](mailto:Cheryl.Laatsch@wisconsin.gov)>

**Subject:** Re: Flambeau Upper (P-2640) Flambeau Lower (P-2421) Pixley (P-2395) Crowley (P-2473) Draft Water Quality Reports

**CAUTION: This email originated from outside the organization.**

**Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Greg,

Here is the sheet with a tab for each project.

Thanks

Brian Kreuzscher

---

**From:** Gregory, Malcolm K - DNR <[malcolm.gregory@wisconsin.gov](mailto:malcolm.gregory@wisconsin.gov)>

**Sent:** Tuesday, December 21, 2021 8:20 AM

**To:** Brian Kreuzscher <[bkreuscher@rwehydro.com](mailto:bkreuscher@rwehydro.com)>

**Cc:** Laatsch, Cheryl - DNR <[Cheryl.Laatsch@wisconsin.gov](mailto:Cheryl.Laatsch@wisconsin.gov)>

**Subject:** FW: Flambeau Upper (P-2640) Flambeau Lower (P-2421) Pixley (P-2395) Crowley (P-2473) Draft Water Quality Reports

Good morning Brian,

Could you please send me the raw data for these four reports? WDNR would like to have the corresponding spreadsheets for the FERC licensee annual WQ reports.

Best,

Malcolm

**Malcolm Gregory** (he/him)

Environmental Analysis & Review Specialist  
Wisconsin Department of Natural Resources  
101 S. Webster Street  
Madison, WI 53707-7921

[malcolm.gregory@wisconsin.gov](mailto:malcolm.gregory@wisconsin.gov)



---

**From:** Brian Kreuzscher <[bkreuscher@rwehydro.com](mailto:bkreuscher@rwehydro.com)>

**Sent:** Tuesday, November 16, 2021 9:47 AM

**To:** Laatsch, Cheryl - DNR <[Cheryl.Laatsch@wisconsin.gov](mailto:Cheryl.Laatsch@wisconsin.gov)>; [Darin\\_Simpkins@fws.gov](mailto:Darin_Simpkins@fws.gov)

**Subject:** Flambeau Upper (P-2640) Flambeau Lower (P-2421) Pixley (P-2395) Crowley (P-2473) Draft Water Quality Reports

**CAUTION: This email originated from outside the organization.**

**Do not click links or open attachments unless you recognize the sender and know the content is safe.**

All,

Attached are the Draft Water Quality Reports for all four projects. Please review and provide any comments you may have to me within 60 days for FERC submittal.

Thanks

Brian Kreuzscher

Renewable World Energies  
Regulatory & Compliance  
855-994-9376 x230