

## Fish Sample Results Report

Location: 085008 - JORDAN CREEK ABOVE CONFLUENCE WITH PINE CREEK NORTHEAST REGION				CALUMET COUNTY			TRS: 17 20E 02
				WMU: MANITOWOC			
Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight	
9201	06/11/1992	CYPRINIDAE MINNOW	WHOLE FISH	52	4.6	.02	
		FAT PERCENT NON-HEX EXT	Amt: 5.5 (%)				
		PCB 1254 FISH	Amt: 56 (UG/G)				
9701	08/19/1997	CYPRINIDAE MINNOW	WHOLE FISH	25	2.8	.01	
		FAT PERCENT NON-HEX EXT	Amt: 4.5 (%)				
		PCB 1254 FISH	Amt: 53 (UG/G)				
9702	08/19/1997	CYPRINIDAE MINNOW	WHOLE FISH	25	4.5	.01	
		FAT PERCENT NON-HEX EXT	Amt: 3.8 (%)				
		PCB 1254 FISH	Amt: 57 (UG/G)				

Location: 085007 - JORDAN CREEK AT HONEYMOON HILL ROAD NORTHEAST REGION				CALUMET COUNTY			TRS: 17 20E 11
				WMU: MANITOWOC			
Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight	
9201	06/11/1992	CYPRINIDAE MINNOW	WHOLE FISH	10	3.5	.01	
		PCB 1254 FISH	Amt: 45 (UG/G)				
		FAT PERCENT NON-HEX EXT	Amt: 5.1 (%)				

Location: 085012 - JORDAN CREEK UPSTREAM OF TECUMSEH RD NORTHEAST REGION				CALUMET COUNTY			TRS: 17 20E 11
				WMU: MANITOWOC			
Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight	
0626	08/15/2006	CREEK CHUB	WHOLE FISH	1	6.25	.044	
		FAT PERCENT NON-HEX EXT	Amt: 4.5 (%)				
		PCB 1254 FISH	Amt: 20.000 (UG/G)				
0627	08/15/2006	CREEK CHUB	WHOLE FISH	1	6.5	.044	
		PCB 1254 FISH	Amt: 1.400 (UG/G)				
		FAT PERCENT NON-HEX EXT	Amt: 3.8 (%)				
0628	08/15/2006	CREEK CHUB	WHOLE FISH	1	6.5	.048	
		PCB 1254 FISH	Amt: 25.000 (UG/G)				
		FAT PERCENT NON-HEX EXT	Amt: 3.1 (%)				
0629	08/15/2006	CREEK CHUB	WHOLE FISH	1	6.75	.052	
		PCB 1254 FISH	Amt: 17.000 (UG/G)				
		FAT PERCENT NON-HEX EXT	Amt: 2.5 (%)				
0630	08/15/2006	CREEK CHUB	WHOLE FISH	1	6.75	.056	
		FAT PERCENT NON-HEX EXT	Amt: 4.3 (%)				

## Fish Sample Results Report

Location: 085012 - JORDAN CREEK UPSTREAM OF TECUMSEH RD  
NORTHEAST REGION

CALUMET COUNTY

TRS: 17 20E 11  
WMU: MANITOWOC

Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
	PCB 1254 FISH		Amt: 33.000 (UG/G)			

Location: 085003 - MANITOWOC RIVER - SOUTH BRANCH BELOW CHILTON STP  
NORTHEAST REGION

CALUMET COUNTY

TRS: 18 20E 21  
WMU: MANITOWOC

Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
9101	09/04/1991	ROCK BASS	SKIN ON FILLET	3	8.2	.16
		FAT PERCENT NON-HEX EXT	Amt: 0.6 (%)			
		PCB 1254 FISH	Amt: 0.95 (UG/G)			
9102	09/04/1991	WHITE SUCKER	WHOLE FISH	3	9.6	.15
		PCB 1254 FISH	Amt: 26 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 1.9 (%)			
9103	09/04/1991	WHITE SUCKER	SKIN ON FILLET	3	11.6	.17
		FAT PERCENT NON-HEX EXT	Amt: 1.9 (%)			
		PCB 1254 FISH	Amt: 1.2 (UG/G)			

Location: 085005 - MANITOWOC RIVER - SOUTH BRANCH BETWEEN HIGHWAY 57 & HIGHWAY Y  
NORTHEAST REGION

CALUMET COUNTY

TRS: 18 20E 07  
WMU: MANITOWOC

Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
9101	09/04/1991	ROCK BASS	SKIN ON FILLET	2	8.1	.18
		FAT PERCENT NON-HEX EXT	Amt: 0.4 (%)			
		PCB 1254 FISH	Amt: 0.6 (UG/G)			
9102	09/04/1991	NORTHERN PIKE	SKIN ON FILLET	1	13.6	.22
		PCB 1254 FISH	Amt: 0.46 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 0.4 (%)			
9103	09/04/1991	NORTHERN PIKE	SKIN ON FILLET	1	16.8	.39
		FAT PERCENT NON-HEX EXT	Amt: 0.4 (%)			
		PCB 1254 FISH	Amt: 1.7 (UG/G)			
9104	09/04/1991	WHITE SUCKER	SKIN ON FILLET	1	14.8	.52
		FAT PERCENT NON-HEX EXT	Amt: 1.4 (%)			
		PCB 1254 FISH	Amt: 0.87 (UG/G)			
9701	08/19/1997	ROCK BASS	SKIN ON FILLET	1	8.6	.19
		FAT PERCENT NON-HEX EXT	Amt: 0.2 (%)			
		PCB 1254 FISH	Amt: 0.23 (UG/G)			

## Fish Sample Results Report

Location: 085005 - MANITOWOC RIVER - SOUTH BRANCH BETWEEN HIGHWAY 57 & HIGHWAY Y NORTHEAST REGION				TR: 18 20E 07 WMU: MANITOWOC		
Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
9702	08/19/1997	GREEN SUNFISH	SKIN ON FILLET	1	5.4	.05
		FAT PERCENT NON-HEX EXT	Amt: 0.5 (%)			
		PCB 1254 FISH	Amt: 0.24 (UG/G)			
9703	08/19/1997	GREEN SUNFISH	SKIN ON FILLET	1	5.5	.06
		FAT PERCENT NON-HEX EXT	Amt: 0.9 (%)			
		PCB TISSUE	Amt: 0 (UG/G)	NON-DETECT		
9704	08/19/1997	PUMPKINSEED	SKIN ON FILLET	1	4.9	.06
		PCB TISSUE	Amt: 0 (UG/G)	NON-DETECT		
		FAT PERCENT NON-HEX EXT	Amt: 0.8 (%)			
9705	08/19/1997	YELLOW PERCH	SKIN ON FILLET	1	5.75	.04
		FAT PERCENT NON-HEX EXT	Amt: 0.3 (%)			
		PCB TISSUE	Amt: 0 (UG/G)	NON-DETECT		
9706	08/19/1997	NORTHERN PIKE	SKIN ON FILLET	1	14.5	.29
		PCB TISSUE	Amt: 0 (UG/G)	NON-DETECT		
		FAT PERCENT NON-HEX EXT	Amt: 0.3 (%)			
9707	08/19/1997	NORTHERN PIKE	SKIN ON FILLET	1	21	.91
		FAT PERCENT NON-HEX EXT	Amt: 0.8 (%)			
		PCB 1254 FISH	Amt: 0.16 (UG/G)			
9708	08/19/1997	NORTHERN PIKE	SKIN ON FILLET	1	21.75	.93
		FAT PERCENT NON-HEX EXT	Amt: 0.5 (%)			
		PCB 1254 FISH	Amt: 2.1 (UG/G)			
9709	08/19/1997	WHITE SUCKER	SKIN ON FILLET	1	11.9	.3
		PCB TISSUE	Amt: 0 (UG/G)	NON-DETECT		
		FAT PERCENT NON-HEX EXT	Amt: 0.7 (%)			
9710	08/19/1997	WHITE SUCKER	SKIN ON FILLET	1	13.75	.4
		PCB 1254 FISH	Amt: 0.31 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 2.1 (%)			
9711	08/19/1997	WHITE SUCKER	SKIN ON FILLET	1	14.4	.5
		FAT PERCENT NON-HEX EXT	Amt: 1.5 (%)			
		PCB 1254 FISH	Amt: 1.2 (UG/G)			
9712	09/02/1997	COMMON CARP	SKIN ON FILLET	1	18.25	1.34
		FAT PERCENT NON-HEX EXT	Amt: 1.1 (%)			
		PCB TISSUE	Amt: 0 (UG/G)	NON-DETECT		

## Fish Sample Results Report

Location: 085005 - MANITOWOC RIVER - SOUTH BRANCH BETWEEN HIGHWAY 57 & HIGHWAY Y  
NORTHEAST REGION CALUMET COUNTY

TRS: 18 20E 07  
WMU: MANITOWOC

Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
9713	09/02/1997	COMMON CARP	SKIN ON FILLET	1	18.5	1.35
		PCB TISSUE	Amt: 0 (UG/G)	NON-DETECT		
		FAT PERCENT NON-HEX EXT	Amt: 1.4 (%)			
9714	09/02/1997	COMMON CARP	SKIN ON FILLET	1	22.1	1.87
		FAT PERCENT NON-HEX EXT	Amt: 1.3 (%)			
		PCB TISSUE	Amt: 0 (UG/G)	NON-DETECT		
9715	09/02/1997	COMMON CARP	WHOLE FISH	3	19.5	1.52
		FAT PERCENT NON-HEX EXT	Amt: 3.4 (%)			
		PCB TISSUE	Amt: 0 (UG/G)	NON-DETECT		

Location: 085011 - MANITOWOC RIVER - SOUTH BRANCH DOWNSTREAM OF CHILTON UPSTREAM OF IRISH RD  
NORTHEAST REGION CALUMET COUNTY

TRS: 18 20E 18  
WMU: MANITOWOC

Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
0601	08/08/2006	CREEK CHUB	WHOLE FISH	1	6.75	.054
		FAT PERCENT NON-HEX EXT	Amt: 2.2 (%)			
		PCB 1254 FISH	Amt: 0.880 (UG/G)			
0602	08/08/2006	CREEK CHUB	WHOLE FISH	1	7.75	.078
		FAT PERCENT NON-HEX EXT	Amt: 1.3 (%)			
		PCB 1254 FISH	Amt: 0.910 (UG/G)			
0603	08/08/2006	CREEK CHUB	WHOLE FISH	1	8	.08
		FAT PERCENT NON-HEX EXT	Amt: 1.5 (%)			
		PCB 1254 FISH	Amt: 0.820 (UG/G)			
0604	08/08/2006	CREEK CHUB	WHOLE FISH	1	8.25	.098
		FAT PERCENT NON-HEX EXT	Amt: 3.2 (%)			
		PCB 1254 FISH	Amt: 1.200 (UG/G)			
0605	08/08/2006	CREEK CHUB	WHOLE FISH	1	8.25	.1
		FAT PERCENT NON-HEX EXT	Amt: 4.1 (%)			
		PCB 1254 FISH	Amt: 0.940 (UG/G)			
0606	08/08/2006	WHITE SUCKER	SKIN ON FILLET	1	4.75	.018
		FAT PERCENT NON-HEX EXT	Amt: 0.5 (%)			
		PCB 1254 FISH	Amt: 0.300 (UG/G)			
0607	08/08/2006	WHITE SUCKER	SKIN ON FILLET	1	5	.02
		FAT PERCENT NON-HEX EXT	Amt: 0.8 (%)			
		PCB 1254 FISH	Amt: 0.720 (UG/G)			

## Fish Sample Results Report

Location: 085011 - MANITOWOC RIVER - SOUTH BRANCH DOWNSTREAM OF CHILTON UPSTREAM OF IRISH RD  
 NORTHEAST REGION CALUMET COUNTY WMU: MANITOWOC TRS: 18 20E 18

Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
0609	08/08/2006	WHITE SUCKER	SKIN ON FILLET	1	8	.076
		FAT PERCENT NON-HEX EXT	Amt: 1.4 (%)			
		PCB 1254 FISH	Amt: 0.420 (UG/G)			
0610	08/08/2006	WHITE SUCKER	SKIN ON FILLET	1	8.5	.088
		FAT PERCENT NON-HEX EXT	Amt: 0.4 (%)			
		PCB 1254 FISH	Amt: 0.340 (UG/G)			
0611	08/08/2006	ROCK BASS	SKIN ON FILLET	1	7.4	.124
		FAT PERCENT NON-HEX EXT	Amt: 0.1 (%)			
		PCB 1254 FISH	Amt: 0.140 (UG/G)			
		MERCURY FISH AND TISSUE	Amt: 0.130 (UG/G)			
0612	08/08/2006	ROCK BASS	SKIN ON FILLET	1	7.5	.15
		MERCURY FISH AND TISSUE	Amt: 0.180 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 0.2 (%)			
		PCB 1254 FISH	Amt: 0.250 (UG/G)			
0613	08/08/2006	ROCK BASS	SKIN ON FILLET	1	7.5	.144
		MERCURY FISH AND TISSUE	Amt: 0.180 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 0.2 (%)			
		PCB 1254 FISH	Amt: 0.060 (UG/G)			
0614	08/08/2006	ROCK BASS	SKIN ON FILLET	1	7.5	.148
		MERCURY FISH AND TISSUE	Amt: 0.210 (UG/G)			
		PCB 1254 FISH	Amt: 0.320 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 0.3 (%)			
0615	08/08/2006	ROCK BASS	SKIN ON FILLET	1	7.67	.154
		PCB 1254 FISH	Amt: 0.091 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 0.4 (%)			
		MERCURY FISH AND TISSUE	Amt: 0.250 (UG/G)			

Location: 085004 - MANITOWOC RIVER - SOUTH BRANCH HAYTON MILLPOND  
 NORTHEAST REGION CALUMET COUNTY WMU: MANITOWOC TRS: 18 19E 32

Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
0101	06/25/2001	BLACK CRAPPIE	SKIN ON FILLET	1	10.5	.28
		PCB 1254 FISH	Amt: 2.900 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 0.2 (%)			

## Fish Sample Results Report

Location: 085004 - MANITOWOC RIVER - SOUTH BRANCH HAYTON MILLPOND NORTHEAST REGION			CALUMET COUNTY	TRS: 18 19E 32 WMU: MANITOWOC		
Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
0102	06/25/2001	BLACK BULLHEAD	SKIN OFF FILLET	1	7.75	.11
		FAT PERCENT NON-HEX EXT	Amt: 0.4 (%)			
		PCB 1254 FISH	Amt: 2.700 (UG/G)			
0103	06/25/2001	BLACK BULLHEAD	SKIN OFF FILLET	1	8	.11
		FAT PERCENT NON-HEX EXT	Amt: 0.5 (%)			
		PCB 1254 FISH	Amt: 0.098 (UG/G)		DETECT BETWEEN LOD & LOQ	
0104	06/25/2001	BLACK BULLHEAD	SKIN OFF FILLET	1	8.13	.15
		FAT PERCENT NON-HEX EXT	Amt: 0.3 (%)			
		PCB 1254 FISH	Amt: 0.960 (UG/G)			
0105	06/25/2001	BLACK BULLHEAD	SKIN OFF FILLET	1	8.5	.11
		FAT PERCENT NON-HEX EXT	Amt: 0.3 (%)			
		PCB 1254 FISH	Amt: 2.100 (UG/G)			
0106	06/25/2001	WHITE SUCKER	SKIN ON FILLET	1	13.5	.41
		FAT PERCENT NON-HEX EXT	Amt: 0.9 (%)			
		PCB 1254 FISH	Amt: 4.000 (UG/G)			
0107	06/25/2001	WHITE SUCKER	SKIN ON FILLET	1	14.06	.52
		FAT PERCENT NON-HEX EXT	Amt: 1.2 (%)			
		PCB 1254 FISH	Amt: 3.100 (UG/G)			
0108	06/25/2001	WHITE SUCKER	SKIN ON FILLET	1	14.88	.57
		FAT PERCENT NON-HEX EXT	Amt: 1.7 (%)			
		PCB 1254 FISH	Amt: 3.100 (UG/G)			
0109	06/25/2001	LARGEMOUTH BASS	SKIN ON FILLET	1	15.88	1.04
		PCB 1254 FISH	Amt: 1.700 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 0.3 (%)			
0110	06/25/2001	COMMON CARP	SKIN ON FILLET	1	19.25	1.44
		FAT PERCENT NON-HEX EXT	Amt: 0.8 (%)			
		PCB 1254 FISH	Amt: 2.800 (UG/G)			
0111	06/25/2001	COMMON CARP	SKIN ON FILLET	1	19.5	1.67
		PCB 1254 FISH	Amt: 9.500 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 2.6 (%)			
0112	06/25/2001	COMMON CARP	SKIN ON FILLET	1	19.63	1.64
		PCB 1254 FISH	Amt: 20.000 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 4.2 (%)			

## Fish Sample Results Report

Location: 085004 - MANITOWOC RIVER - SOUTH BRANCH HAYTON MILLPOND NORTHEAST REGION			CALUMET COUNTY	TRS: 18 19E 32 WMU: MANITOWOC		
Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
0113	06/25/2001	COMMON CARP	WHOLE FISH	3	20.38	1.66
		FAT PERCENT NON-HEX EXT	Amt: 6.4 (%)			
		PCB 1254 FISH	Amt: 18.000 (UG/G)			
9201	07/07/1992	BLUEGILL	SKIN ON FILLET	4	4.9	.1
		FAT PERCENT NON-HEX EXT	Amt: 0.2 (%)			
		PCB 1254 FISH	Amt: 3 (UG/G)			
9202	07/07/1992	ROCK BASS	SKIN ON FILLET	1	7.7	.17
		FAT PERCENT NON-HEX EXT	Amt: 0.7 (%)			
		PCB 1254 FISH	Amt: 1.5 (UG/G)			
9203	07/07/1992	BLACK BULLHEAD	SKIN OFF FILLET	3	8.1	.11
		PCB 1254 FISH	Amt: 2.5 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 0.6 (%)			
9204	07/07/1992	BLACK BULLHEAD	SKIN OFF FILLET	4	7.2	.11
		FAT PERCENT NON-HEX EXT	Amt: 0.6 (%)			
		PCB 1254 FISH	Amt: 5.1 (UG/G)			
9205	07/07/1992	LARGEMOUTH BASS	SKIN ON FILLET	1	13.9	.62
		PCB 1254 FISH	Amt: 4.4 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 0.2 (%)			
9206	07/07/1992	WHITE SUCKER	SKIN ON FILLET	2	13.4	.45
		FAT PERCENT NON-HEX EXT	Amt: 1.4 (%)			
		PCB 1254 FISH	Amt: 6.2 (UG/G)			
9207	07/07/1992	WHITE SUCKER	SKIN ON FILLET	2	13.8	.45
		PCB 1254 FISH	Amt: 4.1 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 1.1 (%)			
9208	07/07/1992	REDHORSES	SKIN ON FILLET	1	18.3	1.28
		FAT PERCENT NON-HEX EXT	Amt: 0.9 (%)			
		PCB 1254 FISH	Amt: 4.2 (UG/G)			
9209	07/07/1992	COMMON CARP	SKIN ON FILLET	1	16.2	.94
		FAT PERCENT NON-HEX EXT	Amt: 1.7 (%)			
		PCB 1254 FISH	Amt: 5 (UG/G)			
9210	07/07/1992	COMMON CARP	SKIN ON FILLET	1	17.3	1.16
		FAT PERCENT NON-HEX EXT	Amt: 2.1 (%)			
		PCB 1254 FISH	Amt: 12 (UG/G)			

## Fish Sample Results Report

Location: 085004 - MANITOWOC RIVER - SOUTH BRANCH HAYTON MILLPOND  
NORTHEAST REGION

TR: 18 19E 32  
WMU: MANITOWOC

Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
9211	07/07/1992	COMMON CARP	SKIN ON FILLET	1	21.7	2.61
		PCB 1254 FISH	Amt: 14 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 3.2 (%)			
9212	07/07/1992	COMMON CARP	SKIN ON FILLET	1	16.3	.97
		FAT PERCENT NON-HEX EXT	Amt: 3.5 (%)			
		PCB 1254 FISH	Amt: 15 (UG/G)			
9701	09/05/1997	ROCK BASS	SKIN ON FILLET	1	6.63	.1
		PCB 1254 FISH	Amt: 0.86 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 0.6 (%)			
9702	09/05/1997	ROCK BASS	SKIN ON FILLET	1	9.75	.33
		FAT PERCENT NON-HEX EXT	Amt: 0.6 (%)			
		PCB 1254 FISH	Amt: 2.4 (UG/G)			
9703	09/05/1997	BLACK CRAPPIE	SKIN ON FILLET	1	9	.22
		FAT PERCENT NON-HEX EXT	Amt: 1.4 (%)			
		PCB 1254 FISH	Amt: 1.8 (UG/G)			
9704	09/05/1997	YELLOW PERCH	SKIN ON FILLET	1	8	.11
		FAT PERCENT NON-HEX EXT	Amt: 0.4 (%)			
		PCB 1254 FISH	Amt: 0.62 (UG/G)			
9705	09/05/1997	PUMPKINSEED	SKIN ON FILLET	1	5	.05
		FAT PERCENT NON-HEX EXT	Amt: 0.6 (%)			
		PCB 1248/1254	Amt: 2.5 (UG/G)			
9706	09/05/1997	NORTHERN PIKE	SKIN ON FILLET	1	16	.32
		FAT PERCENT NON-HEX EXT	Amt: 0.3 (%)			
		PCB 1254 FISH	Amt: 15 (UG/G)			
9707	09/05/1997	NORTHERN PIKE	SKIN ON FILLET	1	17.8	.48
		FAT PERCENT NON-HEX EXT	Amt: 0.5 (%)			
		PCB 1254 FISH	Amt: 4 (UG/G)			
9708	09/05/1997	NORTHERN PIKE	SKIN ON FILLET	1	23	1.17
		FAT PERCENT NON-HEX EXT	Amt: 0.9 (%)			
		PCB 1254 FISH	Amt: 4.3 (UG/G)			
9709	09/05/1997	WHITE SUCKER	SKIN ON FILLET	1	13.6	.42
		FAT PERCENT NON-HEX EXT	Amt: 0.9 (%)			
		PCB 1254 FISH	Amt: 9.3 (UG/G)			



## Fish Sample Results Report

Location: 085004 - MANITOWOC RIVER - SOUTH BRANCH HAYTON MILLPOND NORTHEAST REGION				CALUMET COUNTY			TR: 18 19E 32 WMU: MANITOWOC		
Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight			
9710	09/05/1997	WHITE SUCKER	SKIN ON FILLET	1	15	.54			
		FAT PERCENT NON-HEX EXT	Amt: 1.3 (%)						
		PCB 1254 FISH	Amt: 3.8 (UG/G)						
9711	09/05/1997	WHITE SUCKER	SKIN ON FILLET	1	16.5	.72			
		FAT PERCENT NON-HEX EXT	Amt: 1 (%)						
		PCB 1254 FISH	Amt: 8.1 (UG/G)						
9712	09/05/1997	COMMON CARP	SKIN ON FILLET	1	18.1	1.35			
		FAT PERCENT NON-HEX EXT	Amt: 2.9 (%)						
		PCB 1254 FISH	Amt: 8.6 (UG/G)						
9713	09/05/1997	COMMON CARP	SKIN ON FILLET	1	19.1	1.52			
		FAT PERCENT NON-HEX EXT	Amt: 3.1 (%)						
		PCB 1254 FISH	Amt: 5.4 (UG/G)						
9714	09/05/1997	COMMON CARP	SKIN ON FILLET	1	20.5	1.9			
		FAT PERCENT NON-HEX EXT	Amt: 2.7 (%)						
		PCB 1254 FISH	Amt: 11 (UG/G)						
9715	09/05/1997	COMMON CARP	WHOLE FISH	3	19.2	1.59			
		FAT PERCENT NON-HEX EXT	Amt: 4.7 (%)						
		PCB 1254 FISH	Amt: 15 (UG/G)						

Location: 085009 - PINE CREEK UPSTREAM COUNTY HIGHWAY T NORTHEAST REGION				CALUMET COUNTY			TR: 17 20E 12 WMU: MANITOWOC		
Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight			
9101	09/04/1991	NORTHERN PIKE	SKIN ON FILLET	1	17.5	.47			
		FAT PERCENT NON-HEX EXT	Amt: 0.5 (%)						
		PCB 1254 FISH	Amt: 12 (UG/G)						
9102	09/04/1991	NORTHERN PIKE	SKIN ON FILLET	1	18.3	.58			
		PCB 1254 FISH	Amt: 22 (UG/G)						
		FAT PERCENT NON-HEX EXT	Amt: 0.7 (%)						
9103	09/04/1991	NORTHERN PIKE	SKIN ON FILLET	1	19.9	.72			
		PCB 1254 FISH	Amt: 19 (UG/G)						
		FAT PERCENT NON-HEX EXT	Amt: 0.6 (%)						
9104	09/04/1991	COMMON CARP	SKIN ON FILLET	1	17.6	1.18			
		PCB 1254 FISH	Amt: 17 (UG/G)						
		FAT PERCENT NON-HEX EXT	Amt: 4.1 (%)						

## Fish Sample Results Report

Location: 085009 - PINE CREEK UPSTREAM COUNTY HIGHWAY T  
NORTHEAST REGION

CALUMET COUNTY

TRS: 17 20E 12  
WMU: MANITOWOC

Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
9105	09/04/1991	COMMON CARP	WHOLE FISH	3	20.6	1.85
		FAT PERCENT NON-HEX EXT	Amt: 7.2 (%)			NORMAL OR DETECT BELOW LOQ
		PCB 1254 FISH	Amt: 73 (UG/G)			NORMAL OR DETECT BELOW LOQ
9106	09/04/1991	COMMON CARP	SKIN ON FILLET	2	22.1	2.41
		FAT PERCENT NON-HEX EXT	Amt: 4.6 (%)			NORMAL OR DETECT BELOW LOQ
		PCB 1254 FISH	Amt: 77 (UG/G)			NORMAL OR DETECT BELOW LOQ

Location: 085014 - PINE CREEK UPSTREAM OF DANES RD  
NORTHEAST REGION

CALUMET COUNTY

TRS: 17 20E 02  
WMU: MANITOWOC

Field #	Sample Date	Sample Type	Sample Form	# in Sample	Avg Length	Avg Weight
0631	08/15/2006	CREEK CHUB	WHOLE FISH	1	7.25	.066
		FAT PERCENT NON-HEX EXT	Amt: 4.0 (%)			
		PCB 1254 FISH	Amt: 64.000 (UG/G)			
0632	08/15/2006	CREEK CHUB	WHOLE FISH	1	7.5	.08
		FAT PERCENT NON-HEX EXT	Amt: 4.3 (%)			
		PCB 1254 FISH	Amt: 62.000 (UG/G)			
0633	08/15/2006	CREEK CHUB	WHOLE FISH	1	8.25	.12
		FAT PERCENT NON-HEX EXT	Amt: 6.4 (%)			
		PCB 1254 FISH	Amt: 42.000 (UG/G)			
0634	08/15/2006	CREEK CHUB	WHOLE FISH	1	8.25	.114
		FAT PERCENT NON-HEX EXT	Amt: 5.2 (%)			
		PCB 1254 FISH	Amt: 60.000 (UG/G)			
0635	08/15/2006	CREEK CHUB	WHOLE FISH	1	9.75	.158
		FAT PERCENT NON-HEX EXT	Amt: 8.7 (%)			
		PCB 1254 FISH	Amt: 100.000 (UG/G)			
0636	08/15/2006	GREEN SUNFISH	SKIN ON FILLET	4	3.44	.012
		PCB 1254 FISH	Amt: 16.000 (UG/G)			
		MERCURY FISH AND TISSUE	Amt: 0.064 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 1.8 (%)			
0637	08/15/2006	GREEN SUNFISH	SKIN ON FILLET	1	4	.022
		PCB 1254 FISH	Amt: 5.800 (UG/G)			
		FAT PERCENT NON-HEX EXT	Amt: 0.8 (%)			
0638	08/15/2006	WHITE SUCKER	SKIN ON FILLET	1	8.5	.106
		FAT PERCENT NON-HEX EXT	Amt: 2.1 (%)			

## Fish Sample Results Report

Location: 085014 - PINE CREEK UPSTREAM OF DANES RD  
NORTHEAST REGION

CALUMET COUNTY

TRS: 17 20E 02  
WMU: MANITOWOC

<u>Field #</u>	<u>Sample Date</u>	<u>Sample Type</u>	<u>Sample Form</u>	<u># in Sample</u>	<u>Avg Length</u>	<u>Avg Weight</u>
0639	08/15/2006	WHITE SUCKER	PCB 1254 FISH Amt: 23.000 (UG/G)	1	8.5	.102
			SKIN ON FILLET			
0640	08/15/2006	WHITE SUCKER	PCB 1254 FISH Amt: 9.500 (UG/G)	1	9.25	.13
			FAT PERCENT NON-HEX EXT Amt: 1.4 (%)			
0641	08/15/2006	WHITE SUCKER	SKIN ON FILLET	1	9.5	.164
			PCB 1254 FISH Amt: 17.000 (UG/G)			
0642	08/15/2006	WHITE SUCKER	FAT PERCENT NON-HEX EXT Amt: 1.8 (%)	1	10	.182
			SKIN ON FILLET			
			PCB 1254 FISH Amt: 15.000 (UG/G)			
			SKIN ON FILLET			
			PCB 1254 FISH Amt: 16.000 (UG/G)			
			FAT PERCENT NON-HEX EXT Amt: 1.6 (%)			