Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

NOTICE: This Final Report is authorized under ss. 281.65 and 281.66., Wis. Stats., and chs. NR 153 and NR 155, Wis. Admin. Code. Personally identified information collected will be used for program administration and may be made available to requesters as required under Wisconsin Open Records Law [ss. 19.31-19.39, Wis. Stats.].

INSTRUCTIONS: Your grant agreement requires you to submit a Final Report with your final reimbursement request. This Final Report form must be used in conjunction with the "FINAL REPORT INSTRUCTIONS." The instructions detail how to complete and submit the report to DNR as described in the instructions.

1. GRANT TYPE. Check	the one that applies.						1-11
☐ Targeted Runoff Management Grant – Agricultural			☐ Targeted Runoff Management Grant – Urban				
☐ Urban Nonpoint Source & Storm Water Management Grant – Construction		Urban N	☐ Urban Nonpoint Source & Storm Water Management Grant – Planning				
☐ Notice of Discharge Grant						UAW	,
2. PROJECT NAME & L	OCATION.				100	C 111.0	ambad Warnt
2.1. Project Name:			2.2. Grant N	Number:	but	call OI vide	orched Marnt
Karl Lettner Voluntary Manure	Management Project		TRC-BT01-6	31000-10F			
2.3. Governmental Unit Name:			2.4. Primary	/ Watershed Na	ıme:	2.5. Watershe	ed Code:
Trempealeau County			Lower Trem	npealeau River		BT01	
NOTE FOR SECTION 2.6 (which	h follows):						
Section 2.6. includes five (5) columns (A. through E.) for recording data about five (5) discrete site locations. If your grant has more than five (5) discrete project locations, attach additional columns for Section 2.6 as described in the instructions. If your project occurs in more than one 12-digit Hydrologic Unit Code (HUC), use the space in adjacent columns to record other HUC numbers.							
2.6 Site Location(s) →	A.	В.		C.		D.	E.
Name of Cost-Share Recipient or Governmental Unit	Lettner, Karl						
Cost-Share Agreement Number (Agricultural only)	TRW-2009-06			_		\$ 11	II a.
12-Digit Hydrologic Unit Code(s) (HUC) Where Work Was Completed	070400050503			E E E		_ = = 1i -2i	e ₁
Nearest Surface Receiving Water Affected							
Name:	Tamarack Creek						
Waterbody Identification Code(s) (WBIC):	1770300						
Nearest Impaired Water Affected	TEAL PROPERTY.						
Name:	Trempealeau River			9			21
Waterbody Identification Code(s) (WBIC):	1769900						
Pollutants Reduced	Nitrogen, Phosphorus and Sediment		a .				11.
Impairments/Impacts							

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Project Location(s) (cont.) →	A.	В.	C.	D.	E. S.
Project Coordinates:					
Town	19			v is in	
Range	9			^	
Section	33				2
Quarter	NE				
Quarter-Quarter	NE 1/4 of the NE 1/4			1= "	
Latitude (degrees, minutes, seconds North of Equator; use the DNR's Surface Water Data Viewer (SWDV))	44 - 4 - 55	-		s .	
Longitude (degrees, minutes, seconds W of Prime Meridian, use the SWDV)	91 - 27 - 11			v/ 1	

able A Agricultural Projects Ch Mi	151 Dorformanas Ctar dende	-d D1999 1 1 20	200
		nd Prohibitions and Othe	r Water Resources Management Priorities
1. Management Measures	Units of Measure	Quantity	Measurement Method Used
Sheet, rill and wind erosion	Acres meeting "T"	550 acres	RUSLE 2
Manure Storage Facilities:	Number of facilities	facilities	
New Construction/Alterations	Number of animal units	animal units	
Manure Storage Facilities: Closure	Number of facilities	facilities	1-7
Manure Storage Facilities:	Number of facilities	facilities	
Failing/Leaking Facilities	Number of animal units	animal units	
	Pollutant load reduction	30 lbs.	Barny
Clean Water Diversions in WQMA	Number of farms with diversions	1 farms	
8	Number animal units	171 animal units	
Nutrient Management on Agricultural Land	Acres planned	550 acres	SNAPPLUS
Prohibition: Manure Storage Overflow	Number of farms	farms	16 1 m
	Number of animal units	animal units	
Prohibition: Unconfined Manure Pile in WQMA	Number of farms	1 farms	
	Pollutant load reduction	30 lbs.	Barny
Prohibition: Direct Runoff From Feedlot/Stored Manure	Number of facilities	1 facilities	1
	Number of animal units	171 animal units	
Prohibition: Unlimited Livestock Access	Feet of bank protected	feet	
The state of the state of Access	Number of farms	farms	

Final Report Form 3400-189 (rev. 7/30/09) Targeted Runoff Management Grant Program (ch. NR 153) Notice of Discharge Program (ch. NR 153)

- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Units of Measure Quantity Measurement Method Used	Streambank & Shoreline Protection Other: Oth	
Streambank & Shoreline Protection Streambank & Shoreline Protection Other:	Streambank & Shoreline Protection Other: Oth	
Streambank & Shoreline Protection Number as applicable Pollutant load reduction (if method available)	Streambank & Shoreline Protection Inumber as applicable) Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) In Required Management Measures Units of Measure Quantity Measurem 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities TSS reduced TSS reduction % In SS reduction Pre-development stay-on volume Pre-development stay-on volume	rement Method Used
Pollutant loar deduction (firmethod available) Other: Other:	Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) In Required Management Measures Units of Measure Quantity Measurem 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities TSS reduced TSS reduction TSS reduction Ng Pre-development stay-on volume	rement Method Used
Method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Other: Othe	Other: Other:	rement Method Used
Other: Units (use feet, acres or number as applicable)	Other: Other:	rement Method Used
Other: Dumber as applicable Pollutant load reduction (if method available)	Other: Description	rement Method Used
Pollutant load reduction (if method available) Other: Other:	Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Able B. Urban Construction Projects Serving Developed Areas. 1. Required Management Measures Units of Measure Quantity Measurem 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities TSS reduced TSS reduction % 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduced TSS reduced Mbs. TSS reduction % Pre-development stay-on volume	rement Method Used
Other: Number as applicable Pollutant load reduction (if method available)	Other: Number as applicable Pollutant load reduction (if method available)	rement Method Used
Other: Pollutant load reduction (if method available)	Other: Pollutant load reduction (if method available) Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Pollutant load reduction (if method available) Pollutant load reduction (if method available) Able B. Urban Construction Projects Serving Developed Areas. 1. Required Management Measures Units of Measure Quantity Measurem 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities TSS reduced TSS reduction 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduced TSS reduction Measurem TSS reduction Pre-development stay-on volume Pre-development stay-on volume	rement Method Used
Other: Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Del B. Urban Construction Projects Serving Developed Areas. Required Management Measures O-40% Total Suspended Solids (TSS) teducition for NR 216 communities Other Management Measures O-40% Reduction in TSS for non-NR 216 communities TSS reduced Ibs. TSS reduction TSS reduc	Other: Units (use feet, acres or number as applicable) Pollutant load reduction (if method available) Able B. Urban Construction Projects Serving Developed Areas. 1. Required Management Measures Units of Measure Quantity Measurem 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities TSS reduced TSS reduction 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced	rement Method Used
Pollutant load reduction (if method available) Die B. Urban Construction Projects Serving Developed Areas. Required Management Measures 0-40% Total Suspended Solids (TSS) teduction for NR 216 communities Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduced TSS reduction	Pollutant load reduction (if method available) able B. Urban Construction Projects Serving Developed Areas. 1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities TSS reduced TSS reduction 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduced TSS reduced TSS reduced TSS reduced TSS reduced TSS reduction % Pre-development stay-on volume %	rement Method Used
Required Management Measures 0-40% Total Suspended Solids (TSS) teduction for NR 216 communities Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduc	.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduction TSS reduced	rement Method Used
Required Management Measures 0-40% Total Suspended Solids (TSS) teduction for NR 216 communities Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduc	.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduction TSS reduced	rement Method Used
Required Management Measures 0-40% Total Suspended Solids (TSS) teduction for NR 216 communities Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduc	1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduced TSS reduction TSS reduced TSS reduction Weasurem **Communities** **Communities** **Communities** **Test reduced TSS reduced TSS reduction **Communities** **Test reduced TSS reduced TSS reduction **Communities** **Test reduced TSS reduced TSS reduced TSS reduced TSS reduction **Communities** **Test reduced TSS reduced	rement Method Used
0-40% Total Suspended Solids (TSS) deduction for NR 216 communities TSS reduced TSS reduction Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced	20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduced Ibs. TSS reduced Ibs. TSS reduction TSS reduced TSS reduced TSS reduced TSS reduction	rement Method Used
TSS reduction for NR 216 communities TSS reduction Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduced TSS reduced TSS reduction Where the development stay-on volume stay-on volume Stay-on volume Tss reduced Tss reduce	Reduction for NR 216 communities TSS reduction % 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced Ibs. TSS reduction % Infiltration Pre-development stay-on volume %	
Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduction TSS reduction We have a communities TSS reduction TSS reduction TSS reduction We have a communities Pre-development stay-on wolume Stay-on volume Tsay-on volume Tss reduction We have a communities Tss reduction We have a communities Tss reduction We have a communities Tss reduced Tss reduction Tss reduced Tss reduction Tss reduction Tss reduced Tss reduction Tss reduction Tss reduced Tss reduction Tss	20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduced TSS reduction We have a second stay-on volume to the stay-on volume to the stay-on the stay-on volume to the stay-on volume to the stay-on the st	
20-40% Reduction in TSS for non-NR 216 communities TSS reduction Pre-development stay-on volume Stay-on volume Peak flow discharge for 2 year/24 hour design storm Protective areas Fueling & maintenance areas Streambank & Shoreline Protection TSS reduced Pre-development stay-on % Stay-on volume ft³/year Change in cubic feet per second for design year ft³/sec Fueling & maintenance areas Oily sheen presence reduced Bank erosion reduced Bank protected Fuel maintenance areas Oily sheen presence reduced Bank protected Fuel maintenance feet Pollutant load reduction (if method available)	20-40% Reduction in TSS for non-NR 216 communities TSS reduced TSS reduced TSS reduction % Pre-development stay-on volume %	
TSS reduction Pre-development stay-on volume ft³/year	non-NR 216 communities TSS reduction % Pre-development stay-on volume %	TO THE RESIDENCE
Infiltration Pre-development stay-on volume Stay-on volume Peak flow discharge for 2 year/24 hour design storm Protective areas Protective areas Bank protected Fueling & maintenance areas Oily sheen presence reduced Streambank & Shoreline Protection Bank erosion reduced Pollutant load reduction (if method available) Pre-development stay-on % % Stay-on volume ft³/year ft³/sec Feet No Bank protected Feet Pollutant load reduction (if method available)	Pre-development stay-on volume %	10 (10)
Infiltration Volume Young Young	Infiltration volume 76	
Peak flow discharge for 2 year/24 hour design storm Change in cubic feet per second for design year Protective areas Bank protected Fueling & maintenance areas Oily sheen presence reduced Streambank & Shoreline Protection Bank erosion reduced Bank protected Pollutant load reduction (if method available)	Stay-on volume ft³/year	Fin Wen
Peak flow discharge for 2 year/24 hour design storm Change in cubic feet per second for design year Protective areas Bank protected Fueling & maintenance areas Oily sheen presence reduced Streambank & Shoreline Protection Bank erosion reduced Bank protected Pollutant load reduction (if method available)		
Protective areas Bank protected Fueling & maintenance areas Oily sheen presence reduced Streambank & Shoreline Protection Bank erosion reduced Bank protected Bank protected Fullutant load reduction (if method available)	Peak flow discharge for 2 year/24 hour Change in cubic feet per design storm Change in cubic feet per second for design year ft³/sec	Ols Elgar I I
Fueling & maintenance areas Oily sheen presence reduced Streambank & Shoreline Protection Bank erosion reduced Bank protected Pollutant load reduction (if method available)		
Streambank & Shoreline Protection Bank erosion reduced tons Bank protected feet Pollutant load reduction (if method available)	Tally protected leet	
Bank protected feet Pollutant load reduction (if method available)	Park seeing and seed	
Pollutant load reduction (if method available)	Streambank & Shoreline Protection	·
	Pollutant load reduction (if	
Units (use feet, acres or	Units (use feet, acres or	
Units (use feet, acres or number as applicable)	design storm second for design year ft*/sec Protective areas Bank protected feet Fueling & maintenance areas Oily sheen presence reduced Tyes No Streambank & Shoreline Protection Bank erosion reduced tons Bank protected feet Pollutant load reduction (if method available) Units (use feet, acres or	

Total Acres

New Development

Final Report Form 3400-189 (rev. 7/30/09) Targeted Runoff Management Grant Program (ch. NR 153) Notice of Discharge Program (ch. NR 153)

- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

planning product:	acres	ac	res	acres
C.3. Products developed	THE RESERVE AND ADDRESS OF THE RESERVE AND ADDRE	A TO A STATE OF THE STATE OF		
(check all below that apply)	Ider	ntify Documents by Name (if a	oplicable)	
Storm Water Plan				E Die 0
Construction or Erosion Ordinances				
Post-construction Storm Water Ordinances		1 1 1 1		
Other Types of Storm Water Quality Ordinances		20		7
Financing Methods: identified and evaluated	u .) = e = 071		
Financing Methods: developed or implemented		1101		
☐ I & E Plan) i
I & E Implementation Activities			238	
Other:		THE SENT		(17
C.4. Identify the Storm Water goals addressed (check all that apply)				
Reduce TSS				
Maintain infiltration	Comments:			-
Control Peak Flow	5 1			Detain ==
Protective Areas		-6		
Control of Fueling & Maintenance Areas				- "
Remove Illicit Discharges				
Other:				-
. /) a		r Filting
4. Satisfaction of Notice Require provide information for each notice in the ta	ments. If cost sharing for this project	ct was offered under a formal r	notice pursuant to d	chs. NR 151 or 243,
Notice Information			Notice Satisf	action Information
Chs. NR 151 or 243 Notice Type Issue Date	From (Name)	To (Name)	Satisfied? Yes No	Date Letter Sent
	r.			
			1414	
			$\perp \sqcup \mid \sqcup \mid$	

- Final Report Form 3400-189 (rev. 7/30/09)

 Targeted Runoff Management Grant Program (ch. NR 153)

 Notice of Discharge Program (ch. NR 153)

 Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

5. Additional Information. (Space will expand to fit your text.)					
This project had several excellent environmental benefits, controllin Trempealeau River. A manure storage structure, roofed barnyard rur along with an updated conservation plan in RUSLE2 and a SNAPPLUS compliance with the NR151 Performance Standards and Prohibitions.	noff control system, critical area st S nutrient management plan, have	tabilization and cattle lane & fencing,			
6. Summary of Project Challenges. (Space will expand to fit ye	our text.)				
7. Grantee Certification.					
Checking here C certifies that, to the best of your knowledge, the informat	ion contained in this report is correct				
Name of Authorized Representative (type or print) ↓	Title of Authorized Representative	(type or print) ↓			
Kevin Lien	Director, Department of Land Ma				
Signature of Authorized Representative		Date December 21, 2011			
8. For Departmental Use Only.					
Regional NPS Coordinator – Please complete the following:					
8.A. Check here if you have received the following from the project spo	insor				
one (1) printed, signed, original Final Report + attachment					
one (1) electronic version of Final Report.					
Send the printed, signed original Final Report with attachments + electronic version to the Community Financial Assistance Grants Manager. Community Financial Assistance will forward to Runoff Management Section Grants Coordinator.					
B.B. Comments about this project:					
C V					
B.C. Type or print Name of Regional NPS Coordinator → Cynthesis B.D. Signature of Regional NPS Coordinator	Ma A FOROSKI				
		8.E. Date			
Church of Kepershi		1-4-2012			

Lettner Farm









Lettner Farm



