	Performance in the second seco	and 🛊 💣 limited. In 1823 the contracting special and analysis.	a projection de la compaction de la comp					
Wisconsin Department of Natural Resources DEDE WEINAR Report Form 3400-189 (rev. 7/30/09) Bureau of Watershed Management (WT/3) 101 S. Webster St.  Madison, WI 53703 PO Box 7921 Madison, WI 53707-7921  Final Report Form 3400-189 (rev. 7/30/09)  Final Report Form 3400-189 (rev. 7/30/09)  Form 3400-189 (rev. 7/30/09)  Final Report Form 3400-189 (rev. 7/30/09)  Form 3400-189 (rev. 7/30/09)								
IOTICE: This Final Report is authorized under ss. 281 65 and 281 66 Wish and ths. NR 153 and NR 155, Wis. Admin. Code. Personally dentified information collected will be used for program administration and may be made available to requesters as required under Wisconsin Open Records Law [ss. 19.31-19.39, Wis. Stats.].								
NSTRUCTIONS: Your grant agreement requires you to submit a Final Report with your final reimbursement request. This Final Report form nust be used in conjunction with the "FINAL REPORT INSTRUCTIONS." The instructions detail how to complete and submit the report to DNR as described in the instructions.								
1. GRANT TYPE, Check the one that applies.								
☐ Targeted Runoff Management Grant – Agricultural ☐ Targeted Runoff Management Grant – Urban								
☑ Urban Nonpoint Source & Storm Water Management Grant – Construction			Urb	oan Nonpoint S	ource & S	itorm W	ater Manageme	nt Grant – Planning
■ Notice of Discharge Grant								
2. PROJECT NAME & LO	OCATION.		man and plant of the second of		Constitute			
2.1. Project Name:	2.1. Project Name: 2.2. Grant Number:							
High-Efficiency Street Sweepe	r		USC-L	F04-44201-09	A			
2.3. Governmental Unit Name:			2.4. Primary Watershed Name: 2.5. Watershed Code:					
City of Appleton		1	Fox-River Appleton					
NOTE FOR SECTION 2.6 (whic	h follows):							
Section 2.6. includes five (5) columns (A. through E.) for recording data about five (5) discrete site locations. If your grant has more than five (5) discrete project locations, attach additional columns for Section 2.6 as described in the instructions. If your project occurs in more than one 12-digit Hydrologic Unit Code (HUC), use the space in adjacent columns to record other HUC numbers.								
2.6 Site Location(s) →	A	The fame of the fa	The second secon		The second secon	a management of the second of	Ď	E
Name of Cost-Share Recipient or Governmental Unit	Appleton, City							
Cost-Share Agreement Number (Agricultural only)								
12-Digit Hydrologic Unit Code(s) (HUC) Where Work Was Completed	040302040205							
Nearest Surface Receiving Water Affected								
Name:	Lower Fox River							
Waterbody Identification Code(s) (WBIC):	117900							
Nearest Impaired Water Affected								
Name:	Lower Fox River							
Waterbody Identification Code(s) (WBIC):	117900					~		
Pollutants Reduced	TSS, P							

Page 1

Impairments/Impacts Addressed

Find Instructions at http://dnr.wi.gov/runoff/financial.htm FEB 1 1 2010

Wisconsin Department of Natural Resources Bureau of Watershed Management (WT/3) 101 S. Webster St. Madison, WI 53703 PO Box 7921 Madison, WI 53707-7921

## Final Report Form 3400-189 (rev. 7/30/09) Targeted Runoff Management Grant Program (ch. NR 153) Notice of Discharge Program (ch. NR 153)

- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Project Location(s) (cont.) →	Α	В.	<b>C</b> , (1)	<b>D</b> ,	<b>E</b> . 65 5 5 5
Project Coordinates:					
Town	21N				
Range	17E				
Section					
Quarter					
Quarter-Quarter					
Latitude (degrees, minutes, seconds North of Equator; use the DNR's Surface Water Data Viewer (SWDV))	44 15' 42" N				
Longitude (degrees, minutes, seconds W of Prime Meridian, use the SWDV)	88 23' 55" W				

3. SUMMARY OF RESULTS.			
able A. Agricultural Projects.—Ch. NR	151 Performance Standards a	nd Prohibitions and Other \	Water Resources Management Priorities
.1. Management Measures	Units of Measure	Quantily	Measurement Method Used
Sheet, rill and wind erosion	Acres meeting "T"	acres	
Manure Storage Facilities: New Construction/Alterations	Number of facilities	facilities	
	Number of animal units	animal units	
Manure Storage Facilities: Closure	Number of facilities	facilities	
Manure Storage Facilities:	Number of facilities	facilities	
Failing/Leaking Facilities	Number of animal units	animal units	
	Pollutant load reduction	lbs.	
Clean Water Diversions in WQMA	Number of farms with diversions	farms	
	Number animal units	animal units	
Nutrient Management on Agricultural Land	Acres planned	acres	
Prohibition: Manure Storage Overflow	Number of farms	farms	
FIOHEDITOR. MISHING STOLAGE OVERHOW	Number of animal units	animal units	
Prohibition: Unconfined Manure Pile in WQMA	Number of farms	farms	,
	Pollutant load reduction	lbs.	
Prohibition: Direct Runoff From Feedlot/Stored Manure	Number of facilities	facilities	
r doubtorou muriuro	Number of animal units	animal units	
Participation of the Control of the	Feet of bank protected	feet	
Prohibition: Unlimited Livestock Access	Number of farms	farms	

Wisconsin Department of Natural Resources Bureau of Watershed Management (WT/3) 101 S. Webster St. Madison, WI 53703 PO Box 7921 Madison, WI 53707-7921

# Final Report Form 3400-189 (rev. 7/30/09) Targeted Runoff Management Grant Program (ch. NR 153) Notice of Discharge Program (ch. NR 153)

- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

(continued)	The second secon		
the state of the s	Units of Measure	Quantity	Measurement Method Used
A.2. Other Management Measures		and the second continuous of the second continuous and the second cont	
	Units (use feet, acres or		
Streambank & Shoreline Protection	number as applicable) Pollutant load reduction (if		
	method available)		
	Units (use feet, acres or		
Other:	number as applicable)		
	Pollutant load reduction (if		
	method available)		
-	Units (use feet, acres or number as applicable)		
Other:	Pollutant load reduction (if		
	method available)		
	Units (use feet, acres or		
	number as applicable)		
Other:	Pollutant load reduction (if		
	method available)		
Fable B. Urban Construction Projects S	erving Developed Areas.		
B.1. Required Management Measures	Units of Measure	Quantity	Measurement Method Used
			SLAMM v.9.2.5
20-40% Total Suspended Solids (TSS)	TSS reduced	63000 lbs.	SLAWW V.5.2.6
Reduction for NR 216 communities		0/	
Reduction for MR 2 to communities			
Reduction for MR 210 communities	TSS reduction	%	
B.2. Other Management Measures	TSS reduction	<b>%</b>	
B.2. Other Management Measures	TSS reduction  TSS reduced	% Ibs.	
B.2. Other Management Measures  20-40% Reduction in TSS for	TSS reduced TSS reduction	ibs.	
B.2. Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities	TSS reduced TSS reduction Pre-development stay-on	lbs.	
B.2. Other Management Measures  20-40% Reduction in TSS for	TSS reduced TSS reduction Pre-development stay-on volume	lbs. %	
B:2, Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities  Infiltration	TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume	ibs.	
B.2, Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour	TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per	lbs. %	
3.2. Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm	TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year	Ibs. % % ft³/year ft³/sec	
3:2: Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas	TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected	lbs. % % ft³/year ft³/sec feet	
3.2. Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm	TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced	ibs. %  ft³/year  ft³/sec  feet  ☐ Yes ☐ No	
3:2: Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas  Fueling & maintenance areas	TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced	ibs. %  ft³/year  ft³/sec  feet  ☐ Yes ☐ No tons	
B:2, Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas	TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced	ibs. %  ft³/year  ft³/sec  feet  ☐ Yes ☐ No	
B.2. Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas Fueling & maintenance areas  Streambank & Shoreline Protection	TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oity sheen presence reduced Bank erosion reduced Bank protected Pollutant load reduction (if	ibs. %  ft³/year  ft³/sec  feet  ☐ Yes ☐ No tons	
B.2. Other Management Measures  20-40% Reduction in TSS for non-NR 216 communities  Infiltration  Peak flow discharge for 2 year/24 hour design storm  Protective areas  Fueling & maintenance areas	TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced Bank protected	ibs. %  ft³/year  ft³/sec  feet  ☐ Yes ☐ No tons	

Wisconsin Department of Natural Resources Bureau of Watershed Management (WT/3) 101 S. Webster St. Madison, WI 53703 PO Box 7921 Madison, WI 53707-7921

### Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
  Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

C.2. Estimate total acres covered by the		Existing Developed Urban Areas	New Development	Total Acres				
planning product:		acres	acres	acres				
C.3. Products developed (check all below that apply)		Identify Documents by Name (if applicable)						
Storm Water Plan								
Construction or Erosion Ordinances								
Post-construction Storm Water Ordinances								
Other Types of Storm Water Quality Ordinances								
Financing Methods: identified and evaluated								
Financing Methods: developmented	oped or							
☐ I & E Plan								
I & E Implementation Acti	vities							
Other:								
C.4. Identify the Storm Water go addressed (check all that a	oais pply)							
Reduce TSS		Comments:						
Maintain infiltration		Comments.						
Control Peak Flow								
Protective Areas								
Control of Fueling & Maintenance Areas								
Remove Illicit Discharges								
Other:								
				•				
4. Satisfaction of Notice provide information for each no			oject was offered under a formal no	tice pursuant to chs. NR 151 or 243,				
Notice Information		A control of the cont	and the property of the proper	Notice Satisfaction Information				
CLE NID 4E4 = 242	ssue Date	From (Name)	To (Name)	Satisfied? Date Letter Sent				
			The second section of the second section is a second section to the second section in the second section is a second section of the second section is a second section section in the second section section is a second section secti					

Wisconsin Department of Natural Resources Bureau of Watershed Management (WT/3) 101 S. Webster St. Madison, WI 53703 PO Box 7921 Madison, WI 53707-7921

### Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
  Notice of Discharge Program (ch. NR 153)
  Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

5. Additional Information. (Space will expand to fit your text	)	
·		
6. Summary of Project Challenges. (Space will expand to	to fit your text.)	
The challenges for this grant project were due to lack of knowled the project and what defines a high efficiency sweeper. The city HE sweeper. If we had not asked a lot of questions to the Madis Request for Quotes approved by DNR, as they included the specimechanical sweeper, most vendors would not supply a quote for Viewer for the final report is extremely difficult. This data is not very difficult to learn to navigate the system. Furthermore, the is with the City's NR 216 Annual Reports. Having to make addition 7. Grantee Certification.	y was not aware that we need on DNR office, we would not difications for the sweeper. Fromparison. Also, finding in the application and using items listed in the Contract A	ded to obtain quotes for a mechanical as well as t have known. It also took a long time to get the Knowing we were not going to purchase a the necessary data off the Surface Water the data viewer once a year or less makes it Award as "Stipulated Obligations" are on file
Checking here Certifies that, to the best of your knowledge, the in	nformation contained in this rep	port is correct.
Name of Authorized Representative (type or print) ↓	Title of Authorized Re	presentative (type or print) ↓
Paula Vandehey, PE	Director of Public Wo	, , ,
Signature of Authorized Representative		Date
Paula Vandehey		12-16-09
8. For Departmental Use Only.		
Regional NPS Coordinator – Please complete the following:  8.A. Check here if you have received the following from the proje  • one (1) printed, signed, original Final Report + attact  • one (1) electronic version of Final Report.  Send the printed, signed original Final Report with attachments + electronic version of Final Report.	chments ectronic version to the Commun	nity Financial Assistance Grants Manager.

Wisconsin Department of Natural Resources Bureau of Watershed Management (WT/3) 101 S. Webster St. Madison, WI 53703 PO Box 7921 Madison, WI 53707-7921

### Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
  Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

8.B. Comments about this project:	
8.C. Type or print Name of Regional NPS Coordinated →	is Glasev
8.D. Signature of Regional NPS Coordinator	8.E. Date 2-9-10