Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

NOTICE: This Final Report is authorized under ss. 281.65 and 281.66., Wis. Stats., and chs. NR 153 and NR 155, Wis. Admin. Code. Personally identified information collected will be used for program administration and may be made available to requesters as required under Wisconsin Open Records Law [ss. 19.31-19.39, Wis. Stats.].

INSTRUCTIONS: Your grant agreement requires you to submit a Final Report with your final reimbursement request. This Final Report form must be used in conjunction with the "FINAL REPORT INSTRUCTIONS." The instructions detail how to complete and submit the report to DNR as described in the instructions

DAK as described in the instructions.							
1. GRANT TYPE. Check the one that applies.							
☐ Targeted Runoff Managemen	nt Grant – Agricultural		☐ Targeted Runoff Management Grant – Urban				
☐ Urban Nonpoint Source & Storm Water Management Grant – Construction		Urban Nonpoint Source & Storm Water Management Grant – Planning					
☐ Notice of Discharge Grant							
2. PROJECT NAME & LO	CATION.						
2.1. Project Name:			2.2. Grant Number:				
Giese Farm Runoff Manageme	nt		TRC-GB08-38000-09 C				
2.3. Governmental Unit Name:			2.4. Primary Watershed Name: 2.5. Watershed Code:			d Code:	
Marinette County			Little F	Peshtigo River		GB08	
NOTE FOR SECTION 2.6 (whic	h follows):		=			-	
Section 2.6. includes five (5) columns (A. through E.) for recording data about five (5) discrete site locations. If your grant has more than five (5) discrete project locations, attach additional columns for Section 2.6 as described in the instructions. If your project occurs in more than one 12-digit Hydrologic Unit Code (HUC), use the space in adjacent columns to record other HUC numbers.							
2.6 Site Location(s) →	A.	B.		C.		D.	E.
Name of Cost-Share Recipient or Governmental Unit	Giese Shane						
Cost-Share Agreement Number (Agricultural only)	09-Giese-01						
12-Digit Hydrologic Unit Code(s) (HUC) Where Work Was Completed	040301050502						
Nearest Surface Receiving Water Affected							
Name:	Giese						
Waterbody Identification Code(s) (WBIC):	500500						
Nearest Impaired Water Affected							
Name:	Giese						
Waterbody Identification Code(s) (WBIC):	500500						
Pollutants Reduced	phosphorus, nutrients, organic matter						
Impairments/Impacts Addressed	barnyard runoff, winter manure spreading						

3. SUMMARY OF RESULTS.

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Project Location(s) (cont.) →	A.	B.	C.	D.	E.
Project Coordinates:					
Town	31				
Range	19				
Section	33				
Quarter	sw				
Quarter-Quarter	NE				
Latitude (degrees, minutes, seconds North of Equator; use the DNR's Surface Water Data Viewer (SWDV))	45 7' 57.9"				
Longitude (degrees, minutes, seconds W of Prime Meridian, use the SWDV)	88 10' 41.1"				

Table A. Agricultural Projects. – Ch. NR 151 Performance Standards and Prohibitions and Other Water Resources Management Priorities A.1. Management Measures Units of Measure Quantity Measurement Method Used Sheet, rill and wind erosion Acres meeting "T" acres

Manure Storage Facilities:	Number of facilities	1 facilities	count
New Construction/Alterations	Number of animal units	254 animal units	count
Manure Storage Facilities: Closure	Number of facilities	facilities	
Manure Storage Facilities: Failing/Leaking Facilities	Number of facilities	facilities	
	Number of animal units	animal units	
	Pollutant load reduction	lbs.	
Clean Water Diversions in WQMA	Number of farms with diversions	farms	
	Number animal units	animal units	
Nutrient Management on Agricultural Land	Acres planned	acres	count
Park it if any Manager Object on Overflow	Number of farms	1 farms	count
Prohibition: Manure Storage Overflow	Number of animal units	254 animal units	count
Prohibition: Unconfined Manure Pile in WQMA	Number of farms	farms	
Prohibition: Direct Runoff From Feedlot/Stored Manure	Pollutant load reduction	184.9 lbs.	BARNY
	Number of facilities	1 facilities	count
	Number of animal units	254 animal units	count
Prohibition: Unlimited Livestock Access	Feet of bank protected	feet	
	Number of farms	farms	

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

A.2. Other Management Measures	Units of Measure	Quantity	Measurement Method Used
	Units (use feet, acres or		
Streambank & Shoreline Protection	number as applicable)		
Streambalik a Ghoreline i Totestion	Pollutant load reduction (if method available)		
Other:	Units (use feet, acres or		
	number as applicable) Pollutant load reduction (if		
	method available)		
	Units (use feet, acres or		
Other:	number as applicable) Pollutant load reduction (if		
	method available)		
	Units (use feet, acres or number as applicable)		
Other:	Pollutant load reduction (if		
	method available)		
able B. Urban Construction Projects Se	erving Developed Areas.	Occarittee	Measurement Method Used
A Demind Menon and Menon	Liberita and NA analysis		
3.1. Required Management Measures	Units of Measure	Quantity	Weasurement Wethod Osed
20-40% Total Suspended Solids (TSS)	TSS reduced	lbs.	Measurement Method Osed
	-	<u> </u>	Measurement Method Osed
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities	TSS reduced TSS reduction	lbs.	Measurement Method Osed
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities	TSS reduced	lbs.	Measurement Method Osed
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures	TSS reduced TSS reduction	lbs. %	Measurement Method Osed
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 3.2. Other Management Measures 20-40% Reduction in TSS for	TSS reduced TSS reduction TSS reduced	lbs.	Measurement Method Osed
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities	TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on	lbs. %	Measurement Method Osed
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour	TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per	lbs. %	Measurement Method Osed
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm	TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year	lbs. % lbs. % ft³/year ft³/sec	Measurement Method Osed
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas	TSS reduced TSS reduction TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected	lbs. % lbs. % ft³/year ft³/sec feet	Measurement Method Osed
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm	TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced	Ibs. % Ibs. % Ibs. % ft³/year ft³/sec feet Yes \ No	Medsurement Method Osed
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas	TSS reduced TSS reduction TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced	Ibs. % Ibs. % Ibs. % ft³/year ft³/sec feet Yes \ No tons	Medsurement Method Osed
20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities 2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas Fueling & maintenance areas	TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced	Ibs. % Ibs. % Ibs. % ft³/year ft³/sec feet Yes \ No	Medsurement Method Osed

Existing Developed Urban Areas

C.2. Estimate total acres covered by the

Total Acres

New Development

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

planning product:	acres	acres		acres
C.3. Products developed (check all below that apply)	Ic	lentify Documents by Name (if applic	able)	
Storm Water Plan				
Construction or Erosion Ordinances				
Post-construction Storm Water Ordinances				
Other Types of Storm Water Quality Ordinances				
Financing Methods: identified and evaluated				
Financing Methods: developed or implemented				
☐ I & E Plan				
☐ I & E Implementation Activities				
Other:				
C.4. Identify the Storm Water goals addressed (check all that apply)				
Reduce TSS	Commenter			
Maintain infiltration	Comments:			
Control Peak Flow				
Protective Areas				
Control of Fueling & Maintenance Areas				
Remove Illicit Discharges				
Other:				
4. Satisfaction of Notice Require provide information for each notice in the t	ements. If cost sharing for this p	roject was offered under a formal not	ice pursuant to c	hs. NR 151 or 243,
Notice Information			Notice Satisfa	action Information
Chs. NR 151 or 243 Notice Type Issue Date	From (Name)	To (Name)	Satisfied? Yes No	Date Letter Sent


Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
 - Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

5. Additional Information. (Space will expand to fit your text.)					
6. Summary of Project Challenges. (Space will expand to fit yo	our text)				
There are wetlands adjacent to the farmstead to the west. The shallo		storage facility to be more shallow			
and wider.					
7. Grantee Certification.					
Checking here 🗵 certifies that, to the best of your knowledge, the informat	ion contained in this report is correct	i.			
Name of Authorized Representative (type or print) ↓	Title of Authorized Representative	(type or print) ↓			
Gregory G. Cleereman	County Conservationist				
Signature of Authorized Representative		Date			
8. For Departmental Use Only.					
Regional NPS Coordinator – Please complete the following:					
F					
8.A. Check here if you have received the following from the project sponsor:					
one (1) printed, signed, original Final Report + attachments one (4) electronic version of Final Report					
 one (1) electronic version of Final Report. Send the printed, signed original Final Report with attachments + electronic version to the Community Financial Assistance Grants Manager. 					
Community Financial Assistance will forward to Runoff Management Section Grants Coordinator.					
8.B. Comments about this project:					
8.C. Type or print Name of Regional NPS Coordinator →					
8.D. Signature of Regional NPS Coordinator		8.E. Date			

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)



Giese Farm Runoff Management TRC-GB08-38000-09C



