1. GRANT TYPE. Check the one that applies. Targeted Runoff Management Grant – Agricultural

Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
- Notice of Discharge Program (ch. NR 153)


☐ Targeted Runoff Management Grant – Urban

Urban Nonpoint Source & Storm Water Management Grant
Program (ch. NR 155)
 C C C D D

NOTICE: This Final Report is authorized under ss. 281.65 and 281.66., Wis. Stats., and chs. NR 153 and NR 155, Wis. Admin. Code. Personally identified information collected will be used for program administration and may be made available to requesters as required under Wisconsin Open Records Law [ss. 19.31-19.39, Wis. Stats.].

INSTRUCTIONS: Your grant agreement requires you to submit a Final Report with your final reimbursement request. This Final Report form must be used in conjunction with the "FINAL REPORT INSTRUCTIONS." The instructions detail how to complete and submit the report to DNR as described in the instructions.

Urban Nonpoint Source & St Construction	orm Water Management	t Grant –	Urban Nonpoint Source & Storm Water Ma		Vater Managem	ent Grant Planning	
☐ Notice of Discharge Grant							
2. PROJECT NAME & LO	OCATION.						
2.1. Project Name:			2.2. G	rant Number:			
Ledgeview Park Detention Por	nd (Pond #9)		USC-LF01-05025-08				
2.3. Governmental Unit Name:			2.4. Primary Watershed Name: 2.5. Watershed Code:				
Town of Ledgeview East River LF01							
NOTE FOR SECTION 2.6 (whic	h follows):						
Section 2.6. Includes five (5) co discrete project locations, attach Hydrologic Unit Code (HUC), use	additional columns for S	Section 2.6 as de	scribed	in the instructions. I	cations. If f your proje	your grant has ect occurs in mo	more than five (5) re than one 12-digit
2.6 Site Location(s)→	Albaythea	В.		C. 1		D,	E
Name of Cost-Share Recipient or Governmental Unit	Town of Ledgeview						
Cost-Share Agreement Number (Agricultural only)							
12-Digit Hydrologic Unit Code(s) (HUC) Where Work Was Completed	200102724						
Nearest Surface Receiving Water Affected				Peditory and constitutions (See Editorio Addina)			
Name:	East River						-
Waterbody Identification Code(s) (WBIC):	118000	- "					
Nearest Impaired Water Affected				a peal as landound a catas aking asi			
Name:	East River						
Waterbody Identification Code(s) (WBIC):	118000						
Pollutants Reduced	suspended solids						
Impairments/Impacts Addressed	degraded habitat						
	The second secon						



Find Instructions at http://dnr.wi.gov/runoff/financial.htm

Final Report Form 3400-189 (rev. 7/30/09) • Targeted Runoff Management Grant Program (ch. NR 153)

- Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Project Location(s) (cont.) →	A .	В.	C.	Ď _i ,	E
Project Coordinates:			A TO A SECURITY OF		
Town	23N				
Range	20E				
Section	PC 35				a a
Quarter					
Quarter-Quarter					
Latitude (degrees, minutes, seconds North of Equator; use the DNR's Surface Water Data Viewer (SWDV))	44 25' 57" N				
Longitude (degrees, minutes, seconds W of Prime Meridian, use the SWDV)	88 1' 29" W				

3. SUMMARY OF RESULTS.			
Table A. Agricultural Projects Ch. NR	151 Performance Standards a	nd Prohibitions and Other Wate	r Resources Management Priorities
A.1. Management Measures	Units of Measure	Quantity	Measurement Method Used
Sheet, rill and wind erosion	Acres meeting "T"	acres	
Manure Storage Facilities:	Number of facilities	facilities	
New Construction/Alterations	Number of animal units	animal units	
Manure Storage Facilities: Closure	Number of facilities	facilities	
Manure Storage Facilities:	Number of facilities	facilities	
Failing/Leaking Facilities	Number of animal units	animal units	
	Pollutant load reduction	lbs.	
Clean Water Diversions in WQMA	Number of farms with diversions	farms	
	Number animal units	animal units	
Nutrient Management on Agricultural Land	Acres planned	acres	
Darling Charles Charles Charles	Number of farms	farms	
Prohibition: Manure Storage Overflow	Number of animal units	animal units	
Prohibition: Unconfined Manure Pile in WQMA	Number of farms	farms	
	Pollutant load reduction	lbs.	
Prohibition: Direct Runoff From Feedlot/Stored Manure	Number of facilities	facilities	
. Godoo Golo Walland	Number of animal units	animal units	
En 1969 Collandon Start Start Colland	Feet of bank protected	feet	
Prohibition: Unlimited Livestock Access	Number of farms	farms	

- Final Report Form 3400-189 (rev. 7/30/09)

 Targeted Runoff Management Grant Program (ch. NR 153)

 Notice of Discharge Program (ch. NR 153)

 Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

Table A. Agricultural Projects.			
(continued)	Units of Measure	Quantity	Measurement Method Used
A.2. Other Management Measures			
	Units (use feet, acres or		-
Streambank & Shoreline Protection	number as applicable) Pollutant load reduction (if		
·	method available)		
	Units (use feet, acres or		
Other:	number as applicable) Pollutant load reduction (if		
	method available)		
	Units (use feet, acres or		
Other:	number as applicable)		477-74
	Pollutant load reduction (if method available)		
	Units (use feet, acres or		
Other:	number as applicable)		
	Pollutant load reduction (if method available)		
	metriod available)		
Table B. Urban Construction Projects S	erving Developed Areas.		
the company of the control of the co	g a si na a manana	Quantifu	Meggiron ort Method Uraki
B.1. Required Management Measures	Units of Measure	Quantity	Measurement Method Used
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS)	Units of Measure TSS reduced	3979 lbs.	SLAMM
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities	Units of Measure		SLAMM
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS)	Units of Measure TSS reduced TSS reduction	3979 lbs. 80 %	SLAMM Leading to the state of
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for	Units of Measure TSS reduced	3979 lbs. 80 % 3979 lbs.	SLAMM
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures	Units of Measure TSS reduced TSS reduction	3979 lbs. 80 %	SLAMM
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for	Units of Measure TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on	3979 lbs. 80 % 3979 lbs. 80 %	SLAMM
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for	Units of Measure TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on votume	3979 lbs. 80 % 3979 lbs. 80 %	SLAMM SLAMM
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration	Units of Measure TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume	3979 lbs. 80 % 3979 lbs. 80 %	SLAMM SLAMM
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour	Units of Measure TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per	3979 lbs. 80 % 3979 lbs. 80 % % ft³/year	SLAMM SLAMM
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm	Units of Measure TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year	3979 lbs. 80 % 3979 lbs. 80 % % ft³/year 2 ft³/sec	SLAMM SLAMM SCS TR-20
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas	Units of Measure TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected	3979 lbs. 80 % 3979 lbs. 80 % % ft³/year 2 ft³/sec	SLAMM SLAMM SCS TR-20
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm	TSS reduced TSS reduction TSS reduction TSS reduction TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced	3979 lbs. 80 % 3979 lbs. 80 % % ft³/year 2 ft³/sec feet ☐Yes ☐ No	SLAMM SLAMM SCS TR-20
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas	TSS reduced TSS reduction TSS reduction TSS reduction TSS reduction TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced	3979 lbs. 80 % 3979 lbs. 80 % % ft³/year 2 ft³/sec feet □Yes □ No tons	SLAMM SLAMM SCS TR-20
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas Fueling & maintenance areas	TSS reduced TSS reduction TSS reduced TSS reduction TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced Bank protected	3979 lbs. 80 % 3979 lbs. 80 % % ft³/year 2 ft³/sec feet ☐Yes ☐ No	SLAMM SLAMM SCS TR-20
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas Fueling & maintenance areas Streambank & Shoreline Protection	TSS reduced TSS reduction TSS reduction TSS reduction TSS reduction TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced	3979 lbs. 80 % 3979 lbs. 80 % % ft³/year 2 ft³/sec feet □Yes □ No tons	SLAMM SLAMM SCS TR-20
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas Fueling & maintenance areas	TSS reduced TSS reduced TSS reduction TSS reduced TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced Bank protected Pollutant load reduction (if method available) Units (use feet, acres or	3979 lbs. 80 % 3979 lbs. 80 % % ft³/year 2 ft³/sec feet □Yes □ No tons	SLAMM SLAMM SCS TR-20
B.1. Required Management Measures 20-40% Total Suspended Solids (TSS) Reduction for NR 216 communities B.2. Other Management Measures 20-40% Reduction in TSS for non-NR 216 communities Infiltration Peak flow discharge for 2 year/24 hour design storm Protective areas Fueling & maintenance areas Streambank & Shoreline Protection	TSS reduced TSS reduction TSS reduced TSS reduction TSS reduced TSS reduction Pre-development stay-on volume Stay-on volume Change in cubic feet per second for design year Bank protected Oily sheen presence reduced Bank erosion reduced Bank protected Pollutant load reduction (if method available)	3979 lbs. 80 % 3979 lbs. 80 % % ft³/year 2 ft³/sec feet □Yes □ No tons	SLAMM SLAMM SCS TR-20

	le C. Urban Planning Projects.	
C.1.	Governmental unit(s) involved (list by	name):
		·
C.2.	Estimate total acres covered by the	Existing Developed Urban Areas New Development Total Acres

Final Report Form 3400-189 (rev. 7/30/09) Targeted Runoff Management Grant Program (ch. NR 153) Notice of Discharge Program (ch. NR 153)

- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

planning product;	acres	acres	acres
C.3. Products developed (check all below that apply)	ld	entify Documents by Name (if applic	able)
Storm Water Plan			
Construction or Erosion Ordinances			
Post-construction Storm Water Ordinances			
Other Types of Storm Water Quality Ordinances			
Financing Methods: identified and evaluated			
Financing Methods: developed or implemented			
☐ f & E Plan			
I & E Implementation Activities			
Other:			
C.4. Identify the Storm Water goals addressed (check all that apply)			
Reduce TSS	Comments:		
Maintain infiltration	Comments:		
Control Peak Flow			
Protective Areas			
Control of Fueling & Maintenance Areas			
Remove Illicit Discharges			
Other:			
4. Satisfaction of Notice Require provide information for each notice in the tax	ments. If cost sharing for this pix	oject was offered under a formal not	ice pursuant to chs. NR 151 or 243,
Notice Information			Notice Satisfaction Information
Chs. NR 151 or 243 Notice Type Issue Date	From (Name)	To (Name)	Satisfied? Yes No Date Letter Sent

Final Report Form 3400-189 (rev. 7/30/09) • Targeted Runoff Management Grant Program (ch. NR 153) • Notice of Discharge Program (ch. NR 153)

- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

5. Additional Information. (Space will expand to fit your text.)	
6. Summary of Project Challenges. (Space will expand to fit ye	our text.)
7. Grantee Certification,	
Checking here C certifies that, to the best of your knowledge, the informal	ation contained in this report is correct.
Name of Authorized Representative (type or print) ψ	Title of Authorized Representative (type or print) ↓
Sarah Burdette	Administrator
Signature of Authorized Representative	Date
S/1/1V (DUTHE	11/2/10
8. For Departmental Use Only. Regional NPS Coordinator - Please complete the following:	
Regional NPS Coordinator – Please complete the following:	
Regional NPS Coordinator – Please complete the following: 8.A. Check here If you have received the following from the project spo	
Regional NPS Coordinator – Please complete the following:	
Regional NPS Coordinator — Please complete the following: 8.A. Check here If you have received the following from the project spotenies one (1) printed, signed, original Final Report + attachment one (1) electronic version of Final Report. Send the printed, signed original Final Report with attachments + electronic	its Siversion to the Community Financial Assistance Grants Manager.
Regional NPS Coordinator – Please complete the following: 8.A. Check here if you have received the following from the project spotenies one (1) printed, signed, original Final Report + attachment • one (1) electronic version of Final Report. Send the printed, signed original Final Report with attachments + electronic Community Financial Assistance will forward to Runoff Management Section.	its Siversion to the Community Financial Assistance Grants Manager.
Regional NPS Coordinator — Please complete the following: 8.A. Check here If you have received the following from the project spotenies one (1) printed, signed, original Final Report + attachment one (1) electronic version of Final Report. Send the printed, signed original Final Report with attachments + electronic	its Siversion to the Community Financial Assistance Grants Manager.
Regional NPS Coordinator – Please complete the following: 8.A. Check here if you have received the following from the project spotenies one (1) printed, signed, original Final Report + attachment • one (1) electronic version of Final Report. Send the printed, signed original Final Report with attachments + electronic Community Financial Assistance will forward to Runoff Management Section.	its Siversion to the Community Financial Assistance Grants Manager.
Regional NPS Coordinator – Please complete the following: 8.A. Check here if you have received the following from the project spotenies one (1) printed, signed, original Final Report + attachment • one (1) electronic version of Final Report. Send the printed, signed original Final Report with attachments + electronic Community Financial Assistance will forward to Runoff Management Section.	its Siversion to the Community Financial Assistance Grants Manager.
Regional NPS Coordinator – Please complete the following: 8.A. Check here if you have received the following from the project spotenies one (1) printed, signed, original Final Report + attachment • one (1) electronic version of Final Report. Send the printed, signed original Final Report with attachments + electronic Community Financial Assistance will forward to Runoff Management Section.	its Silversion to the Community Financial Assistance Grants Manager.
Regional NPS Coordinator — Please complete the following: 8.A. Check here if you have received the following from the project sport one (1) printed, signed, original Final Report + attachment one (1) electronic version of Final Report. Send the printed, signed original Final Report with attachments + electronic Community Financial Assistance will forward to Runoff Management Section 8.B. Comments about this project:	oversion to the Community Financial Assistance Grants Manager. on Grants Coordinator.
Regional NPS Coordinator — Please complete the following: 8.A. Check here if you have received the following from the project sport one (1) printed, signed, original Final Report + attachment one (1) electronic version of Final Report. Send the printed, signed original Final Report with attachments + electronic Community Financial Assistance will forward to Runoff Management Section 8.B. Comments about this project:	its Silversion to the Community Financial Assistance Grants Manager.