

Well Construction Report WISCONSIN UNIQUE WELL NUMBER				ACL923		Drinking Water and Groundwater - DG/5 Department of Natural Resources, Box 7921 Madison WI 53707				Form 3300-077A																																																					
Property Owner OLSEN TRUST						Phone #		1. Well Location				Fire # (if avail.)																																																			
Mailing Address 2218 HILLINGTON GREEN						Town of GIBRALTAR						3862																																																			
City MADISON						State WI		Zip Code 53726				Street Address or Road Name and Number																																																			
County						Co. Permit #		Notification #				Completed																																																			
Door						10156622001		03-02-2026				Subdivision Name																																																			
Well Constructor (Business Name)						Lic. #		Facility ID # (Public Wells)				Latitude / Longitude in Decimal Degree (DD)																																																			
RETZLAFF & GREGORICH						7267		45.12486 °N -87.22499 °W				Method Code																																																			
Address WELL DRILLING LLC 5861 MARY'S RD NEW FRANKEN WI 54229						Well Plan Approval #		NE NW		Section		Township																																																			
Hicap Permanent Well #						Common Well #		Specific Capacity				Range																																																			
3. Well serves 1 # of HOME						Hicap Well ?		No				or Govt Lot #																																																			
Private, potable						Drillhole		Hicap Property ?				No																																																			
Heat Exchange ___ # of drillholes						Hicap Potable ?		No				Construction Type																																																			
4. Potential Contamination Sources - ON REVERSE SIDE						Drilled		2. Well Type New Well				of previous unique well #																																																			
5. Drillhole Dimensions and Construction Method						Reason for replaced or reconstructed well ?		8. Geology				constructed in																																																			
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> <th>Upper Enlarged Drillhole</th> <th>Lower Open Bedrock</th> </tr> <tr> <td>10</td> <td>Surface</td> <td>9</td> <td>No Rotary - Mud Circulation</td> <td>No</td> </tr> <tr> <td>8</td> <td>9</td> <td>171</td> <td>Yes Rotary - Air</td> <td>Yes</td> </tr> <tr> <td>6</td> <td>171</td> <td>203</td> <td>No Rotary - Air & Foam</td> <td>No</td> </tr> <tr> <td colspan="3"></td> <td>No Drill-Through Casing Hammer</td> <td></td> </tr> <tr> <td colspan="3"></td> <td>No Reverse Rotary</td> <td></td> </tr> <tr> <td colspan="3"></td> <td>No Cable-tool Bit ___ in. dia...</td> <td>No</td> </tr> <tr> <td colspan="3"></td> <td>No Dual Rotary</td> <td>No</td> </tr> <tr> <td colspan="3"></td> <td>Yes Temp. Outer Casing 8in. dia</td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Yes Removed? 9depth ft. (If NO explain on back side)</td> <td></td> </tr> </table>						Dia. (in.)	From (ft.)	To (ft.)	Upper Enlarged Drillhole	Lower Open Bedrock	10	Surface	9	No Rotary - Mud Circulation	No	8	9	171	Yes Rotary - Air	Yes	6	171	203	No Rotary - Air & Foam	No				No Drill-Through Casing Hammer					No Reverse Rotary					No Cable-tool Bit ___ in. dia...	No				No Dual Rotary	No				Yes Temp. Outer Casing 8in. dia					Yes Removed? 9depth ft. (If NO explain on back side)		Geology Codes		Type, Caving/Noncaving, Color, Hardness, etc...		From (ft.)		To (ft.)	
Dia. (in.)	From (ft.)	To (ft.)	Upper Enlarged Drillhole	Lower Open Bedrock																																																											
10	Surface	9	No Rotary - Mud Circulation	No																																																											
8	9	171	Yes Rotary - Air	Yes																																																											
6	171	203	No Rotary - Air & Foam	No																																																											
			No Drill-Through Casing Hammer																																																												
			No Reverse Rotary																																																												
			No Cable-tool Bit ___ in. dia...	No																																																											
			No Dual Rotary	No																																																											
			Yes Temp. Outer Casing 8in. dia																																																												
			Yes Removed? 9depth ft. (If NO explain on back side)																																																												
						Z Z		Z-CLAY & GRAVEL Z-W/COBBLES/BOULDERS		Surface		5																																																			
						L		L-LIMESTONE/DOLOMITE		5		203																																																			
6. Casing, Liner, Screen						9. Static Water Level		11. Well Is																																																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>Material, Weight, Specification</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td>6</td> <td>MAUICHI LEAVITT ASTM A53B 6.625IN X 0.280IN PE WELDED JOINT MADE IN USA</td> <td>Surface</td> <td>173</td> </tr> </table>						Dia. (in.)	Material, Weight, Specification	From (ft.)	To (ft.)	6	MAUICHI LEAVITT ASTM A53B 6.625IN X 0.280IN PE WELDED JOINT MADE IN USA	Surface	173	50 ft. below ground surface		24 in. above grade																																															
Dia. (in.)	Material, Weight, Specification	From (ft.)	To (ft.)																																																												
6	MAUICHI LEAVITT ASTM A53B 6.625IN X 0.280IN PE WELDED JOINT MADE IN USA	Surface	173																																																												
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Dia. (in.)</th> <th>Screen type, material & slot size</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </table>						Dia. (in.)	Screen type, material & slot size	From (ft.)	To (ft.)					10. Pump Test		Developed ?																																															
Dia. (in.)	Screen type, material & slot size	From (ft.)	To (ft.)																																																												
						Pumping level 120 ft. below surface		Disinfected ?																																																							
						Pumping at 50 GP M for 1 Hrs.		Capped ?																																																							
						Pumping Method ? Airlift																																																									
7. Grout or Other Sealing Material						12. Notified Owner of need to fill & seal ?		No																																																							
Method BRADENHEAD						Filled & Sealed Well(s) as needed?		No																																																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Kind of Sealing Material</th> <th>From (ft.)</th> <th>To (ft.)</th> <th># Sacks Cement</th> </tr> <tr> <td>NEAT PORTLAND CEMENT</td> <td>Surface</td> <td>171</td> <td>87 S</td> </tr> </table>						Kind of Sealing Material	From (ft.)	To (ft.)	# Sacks Cement	NEAT PORTLAND CEMENT	Surface	171	87 S	13. Constructor / Supervisory Driller		Lic #		Date Signed																																													
Kind of Sealing Material	From (ft.)	To (ft.)	# Sacks Cement																																																												
NEAT PORTLAND CEMENT	Surface	171	87 S																																																												
						KG		6985		03-02-2026																																																					
						Drill Rig Operator		Lic or Reg #		Date Signed																																																					

4a. Potential Contamination SourcesIs the well located in floodplain ? No

Type	Qualifier	Distance
Sewer - Collector - Sanitary		150

Comment:

Created On: 03-02-2026

Updated On: 04-21-2026

Review Status: APPROVED