Well Construction Report
WISCONSIN UNIQUE WELL NUMBER ACN298

Drinking Water and Groundwater - DG/5
Department of Natural Resources, Box 7921
Madison WI 53707

Form 3300-077A

Property Owner: JOHN FUNKE			Phone #
Mailing Address: 4827 RIVERSIDE RD			
City: WATERFORD	State: WI	Zip Code: 53185	
County: Racine	Co. Permit #:	Notification #: 10259000501	Completed: 05-08-2026

1. Well Location

Town of WATERFORD

Fire # (if avail.)

Street Address or Road Name and Number: 4728 RIVERSIDE RD.

Subdivision Name	Lot #	Block #

Well Constructor (Business Name)	Lic. #	Facility ID # (Public Wells)
BIERSACK, ROBERT K	6413	

Latitude / Longitude in Decimal Degree (DD): 42.7809 °N -88.2191 °W

Method Code: SCR002

Well Plan Approval #:

SE	NW	Section	Township	Range
or Govt Lot #		26	4 N	19 E

Address: BIERSACK WELL SERVICE W4502 ST RD 20
EAST TROY WI 53120

Approval Date (mm-dd-yyyy):

2. Well Type Replacement

of previous unique well #: constructed in

Hicap Permanent Well #	Common Well #	Specific Capacity
		5

Reason for replaced or reconstructed well ?: REPLACING POINT WELL

3. Well serves 1 # of HOME

Private,potable

Heat Exchange____# of drillholes

Hicap Well ? No

Hicap Property ? No

Hicap Potable ? No

Construction Type: Drilled

4. Potential Contamination Sources - ON REVERSE SIDE

5. Drillhole Dimensions and Construction Method

Dia. (in.)	From (ft.)	To (ft.)
6	Surface	38

Upper Enlarged Drillhole		Lower Open Bedrock
No	Rotary - Mud Circulation	No
No	Rotary - Air	No
No	Rotary - Air & Foam	No
No	Drill-Through Casing Hammer	
No	Reverse Rotary	
Yes	Cable-tool Bit 6in. dia...	No
No	Dual Rotary	No
No	Temp. Outer Casing ____in. dia	
No	Removed? ____depth ft. (If NO explain on back side)	

8. Geology

Geology Codes				Type, Caving/Noncaving, Color, Hardness, etc...	From (ft.)	To (ft.)
Y		Z		Y-YELLOW Z-CLAY & GRAVEL	Surface	15
Y		S		Y-YELLOW S-SAND	15	26
G		C		G-GRAY C-CLAY	26	36
R		Y		R-RED Y-SAND & GRAVEL	36	38

6. Casing, Liner, Screen

Dia. (in.)	Material, Weight, Specification Manufacturer & Method of Assembly	From (ft.)	To (ft.)
6	NOVA STEEL ASTM A53B 18.97 PPF P/E	Surface	38
Dia. (in.)	Screen type, material & slot size	From (ft.)	To (ft.)

9. Static Water Level

7 ft. below ground surface

10. Pump Test

Pumping level 10 ft. below surface

Pumping at 15 GP M for 1 Hrs.

Pumping Method ? Test Pump

11. Well Is

18 in. above grade

Developed ? Yes

Disinfected ? Yes

Capped ? Yes

7. Grout or Other Sealing Material

Method: MOUNDED

Kind of Sealing Material	From (ft.)	To (ft.)	# Sacks Cement
GRANULAR BENTONITE	Surface		

12. Notified Owner of need to fill & seal ? Yes

TO BE DONE BY PUMP INSTALLER

Filled & Sealed Well(s) as needed? Yes

BY PUMP INSTALLER

13. Constructor / Supervisory Driller	Lic #	Date Signed
RB	6413	05-11-2026
Drill Rig Operator	Lic or Reg #	Date Signed

4a. Potential Contamination Sources Is the well located in floodplain ? No

Type	Qualifier	Distance
Building Drain - Sanitary		9

Comment:

Created On: 05-11-2026 Updated On: 06-01-2026 Review Status: APPROVED