Well Construction Report
WISCONSIN UNIQUE WELL NUMBER MN049

Drinking Water and Groundwater - DG/5
Department of Natural Resources, Box 7921
Madison WI 53707

Form 3300-077A

Property Owner: COTE, STEVE			Phone #: (847)548-8803
Mailing Address: 1477 MAYFAIR LN			
City: GRAYSLAKE	State: IL	Zip Code: 60030	
County: Adams	Co. Permit #:	Notification #:	Completed: 09-03-1998

Well Constructor (Business Name): QUINNELLS SEPTIC @ WELL SERVICE	Lic. #: 97	Facility ID # (Public Wells):	
Address: 1894 DAKOTA AVE FRIENDSHIP WI 53934-9802		Well Plan Approval #:	
		Approval Date (mm-dd-yyyy):	
Hicap Permanent Well #:	Common Well #:	Specific Capacity:	

1. Well Location

Town of QUINCY

Fire # (if avail.): 2059

Street Address or Road Name and Number: 2059 WOOD ST

Subdivision Name: DELLWOOD	Lot #: 1 2 3	Block #: 36

Latitude / Longitude in Decimal Degree (DD): 43.95741 °N -89.94247 °W			Method Code: GPS008
SE NE or Govt Lot #	Section: 7	Township: 17 N	Range: 5 E

2. Well Type Replacement

of previous unique well #: constructed in

Reason for replaced or reconstructed well ?:

Construction Type: Jetted

3. Well serves 1 # of

Private,potable

Heat Exchange____# of drillholes

Hicap Well ? No

Hicap Property ? No

Hicap Potable ?

4. Potential Contamination Sources - ON REVERSE SIDE

5. Drillhole Dimensions and Construction Method

Dia. (in.)	From (ft.)	To (ft.)
6	Surface	5
2	5	50

Upper Enlarged Drillhole / Lower Open Bedrock

- Rotary - Mud Circulation .....
- Rotary - Air .....
- Rotary - Air & Foam .....
- Drill-Through Casing Hammer
- Reverse Rotary
- Cable-tool Bit ____in. dia...
- Dual Rotary .....
- Temp. Outer Casing ____in. dia
  - Removed? ____depth ft. (If NO explain on back side)

8. Geology

Geology Codes				Type, Caving/Noncaving, Color, Hardness, etc...	From (ft.)	To (ft.)
		S		SAND	Surface	16
	N	S		FINE SAND	16	24
		S		SAND	24	37
		C		CLAY	37	42
	A	S		COURSE SAND	42	50

6. Casing, Liner, Screen

Dia. (in.)	Material, Weight, Specification Manufacturer & Method of Assembly	From (ft.)	To (ft.)
2	LACLEDE CORP ASTM A 589 IPS 154 WALL 3 75# FT2 THREADED COUPLINGS	Surface	46
Dia. (in.)	**Screen type, material & slot size**	**From (ft.)**	**To (ft.)**
1.25	4 CAMPBELL 60 GAUZE	46	50

9. Static Water Level

27 ft. below ground surface

10. Pump Test

Pumping level 27 ft. below surface

Pumping at 10 GP M for 1 Hrs.

Pumping Method ?

11. Well Is

12 in. above grade

Developed ? Yes

Disinfected ? Yes

Capped ? Yes

7. Grout or Other Sealing Material

Method

Kind of Sealing Material	From (ft.)	To (ft.)	# Sacks Cement
SAND	Surface	0	

12. Notified Owner of need to fill & seal ?

Filled & Sealed Well(s) as needed? Yes

13. Constructor / Supervisory Driller	Lic #	Date Signed
DDQ		09-03-1998
Drill Rig Operator	**Lic or Reg #**	**Date Signed**

4a. Potential Contamination Sources Is the well located in floodplain ? No

Type	Qualifier	Distance
POWTS dispersal component (soil absorption unit or mound)		53

Type	Qualifier	Distance
Building Overhang		6
Septic or Holding, or POWTS Tank		45

Comment:

Created On: 11-02-1998 Updated On: 08-23-2022 Review Status: