Well Construction Report
WISCONSIN UNIQUE WELL NUMBER US213

Drinking Water and Groundwater - DG/5
Department of Natural Resources, Box 7921
Madison WI 53707

Form 3300-077A

Property Owner: SMITH, CHARLES	Phone #
Mailing Address: 1114 N PRAIRIE AVE	
City: FAIRMONT	State: MN Zip Code: 56031
County: Adams	Co. Permit #:
Notification #: 30359845	Completed: 08-20-2008
Well Constructor (Business Name): DAVID S FOSTER	Lic. #: 77
Facility ID # (Public Wells):	Well Plan Approval #:
Address: 2522 STATE RD 13 ADAMS WI 53910-9739	Approval Date (mm-dd-yyyy):
Hicap Permanent Well #:	Common Well #:
Specific Capacity: 0.5	

1. Well Location

Town of LINCOLN	Fire # (if avail.): 2057
Street Address or Road Name and Number: 2057 4TH DR	
Subdivision Name:	Lot #:
Block #:	
Latitude / Longitude in Decimal Degree (DD): 43.9577 °N -89.6705 °W	Method Code: GCD013

NW	SE	Section	Township	Range
or Govt Lot #		9	17 N	7 E

2. Well Type Replacement

of previous unique well # constructed in

Reason for replaced or reconstructed well ?

Construction Type: Drilled

3. Well serves 1 # of

Private,potable

Heat Exchange____# of drillholes

Hicap Well ? No

Hicap Property ? No

Hicap Potable ?

4. Potential Contamination Sources - ON REVERSE SIDE

5. Drillhole Dimensions and Construction Method

Dia. (in.)	From (ft.)	To (ft.)
8	Surface	61

Upper Enlarged Drillhole / Lower Open Bedrock

Yes — Rotary - Mud Circulation ..... — No

Rotary - Air .....

Rotary - Air & Foam .....

Drill-Through Casing Hammer

Reverse Rotary

Cable-tool Bit ____in. dia...

Dual Rotary .....

Temp. Outer Casing ____in. dia

Removed? ____depth ft. (If NO explain on back side)

8. Geology

Geology Codes				Type, Caving/Noncaving, Color, Hardness, etc...	From (ft.)	To (ft.)
-	N	S	-	FINE SAND	Surface	28
-	-	X	-	CLAY & SAND MIX	28	32
-	A	Y	-	COARSE SAND & GRAVEL	32	61

6. Casing, Liner, Screen

Dia. (in.)	Material, Weight, Specification Manufacturer & Method of Assembly	From (ft.)	To (ft.)
4	PW EAGLE SDR 21 PVC ASTM F480	Surface	58
Dia. (in.)	Screen type, material & slot size	From (ft.)	To (ft.)
4	JOHNSON SS 15 SLOT	58	61

7. Grout or Other Sealing Material

Method

Kind of Sealing Material	From (ft.)	To (ft.)	# Sacks Cement
HIGH SOLIDS BENT	Surface	50	6 S

9. Static Water Level

13 ft. below ground surface

10. Pump Test

Pumping level 45 ft. below surface

Pumping at 15 GP for 1 Hrs.

Pumping Method ?

11. Well Is

14 in. above grade

Developed ? Yes

Disinfected ? Yes

Capped ? Yes

12. Notified Owner of need to fill & seal ?

Filled & Sealed Well(s) as needed? Yes

13. Constructor / Supervisory Driller	Lic #	Date Signed
DSF		
Drill Rig Operator	Lic or Reg #	Date Signed

4a. Potential Contamination Sources Is the well located in floodplain ? No

Type	Qualifier	Distance
POWTS dispersal component (soil absorption unit or mound)		73
Building Drain - Sanitary		40

Type	Qualifier	Distance
Building Overhang		15
Sewer - Building Sanitary		45
Septic or Holding, or POWTS Tank		53

Comment:

Created On: 10-09-2008 Updated On: 05-04-2020 Review Status: